

HAMMERTONSTUDIO™





AUTHENTIC AMERICAN ARTISAN CRAFTSMANSHIP

At last: Authentic Hammerton design, materials and American artisan craftsmanship in a versatile, quick-ship line of made-to-order lighting that suits most budgets.

Hammerton Studio fixtures add distinctive and affordable style throughout the home. Simple, elegant structural forms feature surprising design and beautifully handcrafted materials: authentic woven steel mesh, artisan-blown and wrapped glass bowls, sparkling fire-polished glass columns, meticulously finished metals, hand-textured slumped and fused art glass, fine fabrics and more.

Every fixture showcases the world-class artisan craftsmanship and uncompromising design that Hammerton is known for.

Hammerton Studio fixtures are crafted exclusively by Hammerton artisans in our Salt Lake City facility. Each is made to your specifications and ships in 4 weeks or less with a lifetime limited warranty.


HEDRA
OPTIC SHADE
See page 71



PARALLEL
COLLECTION
See page 18



OVERSIZED PENDANTS
See pages 32, 88, 95, 101, 113



2017

OUTDOOR
CHILLED GLASS
See page 116



GILDED BRASS & MATTE BLACK
OPAQUE FINISHES



INTEGRATED LED OPTION
See page 17



FROSTED GEM SHADE
See page 62



ALCHEMY PENDANT
See page 41



HIGHLIGHTS



OPTIC BLOWN GLASS ADDITIONS
See page 72

BEZEL COLLECTION ADDITIONS
See page 63



APOTHECARY
COLLECTION
See page 76



Bezel 6-Gem Linear Suspension
PLB0039-0B-RB-B
H 6.3" W 44" D 7.3", OAH Adjustable
Integrated LED

As Shown
Oil Rubbed Bronze translucent finish (RB)
Bronze Gem blown glass (B)

TABLE OF CONTENTS

8	The Hammerton Heritage
10	Environmental Stewardship
11	Custom Services
12	Hammerton Studio Options

DESIGN COLLECTIONS

KILN-FUSED GLASS

18	Parallel
26	Textured Glass
38	Urban Loft
44	Ironwood
50	Carlyle
58	Script

BLOWN GLASS

60	Bezel/Gem
68	Optic Blown Glass
76	Apothecary
80	Bamboo

MESH

84	Downtown Mesh
92	Tweed
98	Uptown Mesh

STEEL

104	Modello
106	Skyline
110	Tempest
116	Outdoor

130	Specifications
-----	----------------


THE HAMMERTON HERITAGE: ELEVATING CRAFT TO AN ART FORM

Since 1995, Hammerton has set the industry standard for boldly designed American-made lighting that is exquisitely handcrafted, perfectly proportioned and meticulously detailed. But, like many notable businesses, it started with two men in a garage. One of those men, Levi Wilson, grew up in his father's ornamental iron fabrication shop and had the art of metalcraft in his blood.

Hammerton got its foothold by serving the burgeoning resort market of nearby Park City, and word of the young upstart company spread fast. Levi's obsession with uncompromising aesthetic and functional design, perfect scale and his '10-inch rule' — requiring each completed fixture to satisfy a discerning eye from less than a foot away — were the guiding principles that attracted the attention of leading designers and architects nationwide and fueled the company's growth.

Over the last two decades, Hammerton has expanded its palette of materials beyond steel to include blown glass, kiln-fired glass, woven steel mesh, ecoresins, acrylics and crystal as well as aluminum, bronze, rawhide, mica, and textiles. Over half of the company's production includes some element of custom work.

Today, our team of over 75 artisans, designers, engineers and sales and service personnel operates out of the company's 50,000 square foot Salt Lake City facility. Hammerton fixtures illuminate leading hotels and restaurants, luxury resorts and casinos, corporate headquarters, private clubs and some of the most beautiful homes in North America.



SPOTLIGHT:

METAL FABRICATION

Hammerton began 20 years ago as a blacksmith shop, but we've come a long way since then. Indeed, harnessing the full design potential of steel and other metals involves far more than a hammer and anvil.

Most importantly, it involves a versatile team of world-class artisans who are disciplined in a broad range of old and new metal fabrication processes. Time-honored skills like blacksmithing, metal sculpting and texturing bring hand-hewn aesthetic detail to traditional and organic fixtures, while high-precision machining and cutting technologies facilitate the clean lines, geometric forms and polished surfaces of more contemporary designs, as well as higher quality and lower cost.


AMERICAN ARTISAN MANUFACTURING

In an era of mass production, foreign sourcing and contract manufacturing, Hammerton stands alone. Unlike the majority of our industry peers, we design and handcraft every one of our fixtures entirely in the U.S. We also source our raw materials domestically.

Most importantly, all product design, engineering and manufacturing take place under one roof, so we maintain end-to-end control of all operational activities involved in servicing customer requirements. This enables us to produce fixtures of unparalleled quality as well as faster turnarounds, superior service, exceptional value and, ultimately, a very happy customer.

EXPERTISE IN MULTIPLE MATERIALS

Hammerton is known for pushing the boundaries of lighting design, which requires continuously broadening our palette of design elements — material, shape, form, composition, color, texture and space. To do this, we've developed deep expertise in many types of materials as well as a wide range of fabrication tools and technologies. Seamless integration of these capabilities is the 'secret sauce' that drives our design leadership.



SPOTLIGHT:

GLASS FABRICATION

Over the past several years we've developed broad in-house capabilities in glass. As a design material, glass provides a limitless platform for innovation.

Most Hammerton fixtures incorporate either blown or kiln-fused artisan glass in shades, lenses, diffusers, and decorative elements offered in a variety of colors, textures and forms. Our glass capabilities include bowls, domes, semi-rounds, complex drapes and folds, sconce shades and large drums made entirely from hand-textured art glass, and more.

With deep expertise at the intersection of metal and glass fabrication, Hammerton is laying the blueprint for a new era in design innovation.



LEAN MANUFACTURING: A GREEN BUSINESS MODEL

At Hammerton, environmental stewardship isn't just a company initiative — it's a foundational component of our business model.

In every aspect of company operations we adhere to lean production principles and processes that enable us to deliver maximum value to customers while minimizing waste and space usage. Less waste results in fewer manufacturing byproducts and smaller landfills, while less space requires less energy to heat and light our facilities.

We further reduce waste and energy usage with efficient lighting and heating, state-of-the-art technologies that minimize scrap and environmental initiatives that include use of recycled raw materials, LEED-friendly VOC-free powder coats, bio-stable packaging foam, sustainable woods, and a company-wide recycling program.

THE GREEN CASE FOR DOMESTIC MANUFACTURING

While the popular argument for buying American-made goods emphasizes economic benefits, the 'green case' is equally compelling. Bottom line, domestic-made goods consume less energy and contribute less pollution than foreign-made goods. This is due primarily to the environmental costs inherent in transporting over long distances, and the fact that most foreign manufacturing facilities have considerably lower environmental quality standards than we do here in the U.S.

While most of our industry manufactures offshore, every Hammerton product is designed and manufactured in Salt Lake City, Utah. We also source most of our raw materials within the 48 states. These practices significantly reduce the environmental impact of Hammerrton products vs. foreign-made sources.


For more information, visit www.hammerton.com/environment.htm

A COMPLETE CUSTOM SOLUTION

As one of the largest U.S.-based custom lighting manufacturers, Hammerton is uniquely qualified to handle the most demanding custom requirements.

With world class design, engineering, manufacturing and service teams working together under one roof in our Salt Lake City facility, we're able to provide an end-to-end solution that seamlessly supports the full scope of any custom project — without the headaches typically associated with custom work. And we deliver most custom orders in 8-10 weeks or less.

Our custom clientele includes business leaders, award-winning entertainers, internationally acclaimed designers, sports legends, princes, politicians and leading luxury hospitality brands.



HAMMERTON CUSTOM SERVICES

- Concept development
- Scale & proportion optimization
- Modification of catalog designs
- Integration with lighting control systems
- Regulatory conformance (e.g. CA Title 24, Dark Sky)
- Full scale drawings
- DWG file integration
- Installation specifications
- Custom crating & white glove delivery
- Onsite installation support

HAMMERTON STUDIO FINISHES: EXQUISITE. LEED COMPLIANT. GUARANTEED TO LAST.

Now you don't have to compromise aesthetics for durability, weather resistance or environmental compliance. Hammerton Studio finishes combine the visual character and richness of hand-applied wet paints with the rugged durability and environmental benefits of powder coats to create beautiful finishes that are guaranteed to last. Our outdoor finishes are specially formulated to withstand the harshest climates, and all of our finishes can contribute toward LEED credits.

When selecting options it's always a good idea to ask your Hammerton representative for actual samples. While the swatches shown in these pages closely approximate actual color and character, they may not be exact due to the inherent limitations in photography and printing.

SUPERIOR FINISH PERFORMANCE					
	Rich Color & Character	Superior Hardness	Green/LEED Compliant	Weather & Corrosion Resistant	Lifetime Limited Warranty*
OUTDOOR	✓	✓	✓	✓	✓
TRANSLUCENT	✓	✓	✓		✓
OPAQUE	✓	✓	✓		✓

*Covers original purchaser for the life of the fixture.

PLATED METAL FINISHES: THE HARD FACTS

If you've ever wondered why Hammerton doesn't offer brushed chrome or other plated finishes, just Google "metal plating facility + Superfund" and you'll find 700,000 reasons why.

Superfund, of course, is the U.S. Environmental Protection Agency program that deals with uncontrolled hazardous waste sites. There are well over a thousand Superfund sites in the U.S. and metal plating facilities are high on the list.

Metal plating, also called electroplating, is a highly toxic process due to its heavy reliance upon dangerous chemicals and compounds like cyanide, chromium and cadmium. As a result, most metal plated light fixtures are manufactured in China and other countries that have significantly lower environmental quality standards.

Hammerton is one of a small handful of lighting manufacturers that offer environmentally friendly alternatives to plated finishes.

ALL-CLIMATE OUTDOOR FINISHES

For lasting beauty with the highest standard of UV and corrosion resistance, look no further. Our AAMA 2604-rated outdoor finishes satisfy the harshest coastal, tropical, mountain and desert climates, and have been rigorously tested by the American Architectural Manufacturers Association to ensure long lasting performance against UV weathering and salt spray corrosion. In fact, they're the same quality and grade of finish that's used on aluminum-clad skyscrapers. Hammerton Studio outdoor fixtures combine these industry-leading finishes with aluminum construction and a proprietary marine grade pretreatment process, and are guaranteed to last. Choose from three outdoor finishes.



ARGENTO GREY (AG)



TEXTURED BLACK (TB)



STATUARY BRONZE (SB)

TRANSLUCENT FINISHES


Our translucent finishes are specially formulated powder coats that capture the visual appeal of plated metal finishes while also showcasing the unique craftsmanship of each fixture. Subtle yet intentional variations in color reveal an artisan's work forging, hammering, hand-graining and polishing the underlying steel. Choose from three translucent finishes.



GUNMETAL (GM)




OIL RUBBED BRONZE (RB)




SATIN NICKEL (SN)

METALLIC OPAQUE FINISHES


Hammerton Studio metallic opaque finishes provide a complete coating of rich color and lustrous sheen that complements a variety of transitional and contemporary styles. Like all our finishes, they're ruggedly durable, environmentally compliant, and can contribute toward LEED credits. Choose from four metallic opaque finishes.




FLAT BRONZE (FB)



METALLIC BEIGE SILVER (BS)



MATTE BLACK (MB)



GILDED BRASS (GB)

BLOWN GLASS SHADES

Glass is an ideal material for decorative lighting. The ultimate artistic canvas, it incorporates light, color, texture and sculptural form in a single medium that captivates the senses like no other.

We offer blown glass shades in a choice of glass styles. Our optic wrapped shades feature variations in the smooth glass wall thickness, creating a magical dance of light and color when paired with clear or vintage bulbs. The subtle texture and multiple angles featured in our Gem and Hedra shades create an entirely different effect with integrated LED that's equally enchanting. Each glass style is available in the colors shown below.

OPTIC BLOWN GLASS

Optic Blown Glass fixtures begin on page 68.



COPPA — OPTIC CLEAR



COPPA — OPTIC SMOKE



COPPA — OPTIC BRONZE



ELLISSE — OPTIC CLEAR



ELLISSE — OPTIC SMOKE



ELLISSE — OPTIC BRONZE



HEDRA — CLEAR



HEDRA — SMOKE



HEDRA — BRONZE



HEDRA — FROSTED

GEM BLOWN GLASS

Gem fixtures begin on page 60.



GEM — CLEAR



GEM — SMOKE



GEM — BRONZE




GEM — FROSTED

KILN-FUSED GLASS SHADES & LENSES

The unexpected glamour of hand-textured art glass commands a starring role in several Hammerton Studio collections. Artisan glass offers a surprisingly elegant alternative to the traditional fabric shade and suits a variety of interior styles.

Making kiln-fused art glass involves both art and science. Each material requires enormous artisan precision and at least two passes through the kiln to achieve optimal visual character, shape and scale.




FROSTED GRANITE



IVORY WISP




SMOKE GRANITE




BRONZE GRANITE

The glass styles above are available in Textured Glass, Carlyle, Ironwood, Script and Urban Loft Collections.


The glass styles above are available in Textured Glass, Carlyle, Ironwood, Script, Urban Loft and Parallel Collections.




FROSTED RIMELIGHT



FROSTED STRATA




CLEAR RIMELIGHT



CLEAR GRANITE

The glass styles above are available in the Textured Glass Collection.

The glass styles above are available in the Parallel Collection.



WHITE LINEN (FABRIC)


White Linen Shades are available in several collections as either a cover sconce shade or a drum/semi-flush mount diffuser.

WOVEN STEEL MESH DIFFUSERS

Our love affair with mesh began in 2006, when Hammerton introduced the magical properties of this rugged utilitarian material to the decorative lighting world. So it's no surprise that we've showcased mesh in several Hammerton Studio collections.

Mesh marries the strength of steel with the softness of diffused light. Paired with a frosted glass lens or a linen shade, it evokes airy elegance; with an exposed vintage bulb it exudes gritty sophistication.


Browse our Downtown Mesh, Tweed, Uptown Mesh and Outdoor collections and see for yourself.



UPTOWN MESH



TWEED



DOWNTOWN MESH



MEDIUM MESH

INTEGRATED LED

Our superior quality standards at Hammerton demand the very best in everything we do. So when it came to adopting an LED platform, we were patient. We waited and watched while the industry evolved and the technology became more reliable — in light output, color consistency, light quality and dimming performance. And it finally arrived.

Today, many Hammerton Studio fixtures include integrated LED powered by CREE®, a U.S.-based manufacturer recognized worldwide as a market-leading innovator in LED technology. In fact, Hammerton is currently the only custom decorative lighting brand powered by CREE® LEDs.

Our integrated LED fixtures use the highest quality 2 SDCM, 93+ CRI LEDs available, with 2,700K CCT powered by drivers that can dim smoothly to 1%. So you can rest assured that your fixture will provide the highest quality, natural looking and color consistent LED light available, and can be easily retrofitted to operate seamlessly with legacy forward and reverse phase dimmers.

Most Hammerton Studio fixtures that do not offer integrated LED can be ordered with a GU24 lamplung base to accommodate LED retrofit bulbs.



CREE® LEDS: BETTER LIGHT

Why does it matter that Hammerton LEDs are 2 SDCM, 93+ CRI and 2,700K CCT? LED technology can be a mind-bender, but here are the key points:

2 SDCM = Excellent Color Consistency. Believe it or not, you can frequently see color differences between LEDs that are ostensibly the same color. This is measured in standard deviations of color matching, or SDCM. The greater the SDCM, the easier it is to see color differences. The human eye generally starts seeing color differences at the 3 SDCM level, and the vast majority of LEDs used in the lighting industry are 4-7 SDCM.

93+ CRI = Natural Quality Light. 'CRI' stands for Color Rendering index, and measures a light source's ability to show colors realistically compared to a familiar reference such as incandescent light or daylight. For example, incandescent lamps are ~95-100 CRI, while cool white fluorescent lamps are ~62 CRI. So the lower the CRI value, the less natural some colors may appear. Many decorative lighting brands use LEDs with 70 CRI or less because they're less expensive and more widely available.

2,700K CCT = Preferred Light Color. 'CCT' stands for color correlated temperature and refers to the tone of 'white light' that is emitted from an artificial light source. A lower CCT of 2,000K is a hotter orange-yellow color, while a higher CCT of 4,000K is a cooler blue color. 2,700-3,000K is the 'warm white' color typically associated with incandescent lighting, and is considered ideal for most residential and hospitality applications.

PARALLEL COLLECTION

Floating LED-lit panels of sparkling kiln-fused hand-textured glass take the spotlight in this crisp new collection of contemporary chandeliers, pendants and sconces. Fixtures are powered by the highest quality 93+ CRI, 2,700K LEDs from CREE®, a market-leading innovator in lighting class LEDs.

Choose from four different glass styles and up to seven finishes.



Parallel 44"W Oval Linear Suspension **NEW**
PLB0042-44-SN-CR
H 6.4" W 44" D 24", OAH Adjustable
Integrated LED

As Shown
Satin Nickel translucent finish (SN)
Clear Rimelight textured glass (CR)



PARALLEL COLLECTION



Parallel 44"W Oval Linear Suspension **NEW**
PLB0042-44-GM-CG
H 6.4" W 44" D 24", OAH Adjustable
Integrated LED

As Shown
Gunmetal translucent finish (GM)
Clear Granite textured glass (CG)



Parallel 24" Ring Chandelier **NEW**
CHB0042-24-SN-CR
6.4" H x 23.9" Diameter, OAH Adjustable
Integrated LED

As Shown
Satin Nickel translucent finish (SN)
Clear Rimelight textured glass (CR)



Parallel 24" Ring Chandelier **NEW**
CHB0042-24-GM-SG
6.4" H x 23.9" Diameter, OAH Adjustable
Integrated LED

As Shown
Gunmetal translucent finish (GM)
Smoke Granite textured glass (SG)



Parallel 33" Ring Chandelier **NEW**
CHB0042-33-GM-BG
6.4" H x 32.7" Diameter, OAH Adjustable
Integrated LED

As Shown
Gunmetal translucent finish (GM)
Bronze Granite textured glass (BG)

Parallel 8-Piece Round Waterfall **NEW**
 CHB0042-08-MB-CR
 13.7" H x 24" Diameter (canopy)
 OAH Adjustable
 Integrated LED

As Shown
 Matte Black opaque finish (MB)
 Clear Rimelight textured glass (CR)

Also available in:
 3- and 11-piece round canopy waterfalls
 9- and 12-piece square canopy waterfalls
 7-piece linear waterfalls



Parallel Pendant **NEW**
 LAB0042-01-FB-BG
 13.7" H x 6" Diameter (canopy)
 OAH Adjustable
 Integrated LED

As Shown
 Flat Bronze opaque finish (FB)
 Bronze Granite textured glass (BG)


Parallel Pendant **NEW**
 LAB0042-01-BS-CG
 13.7" H x 6" Diameter (canopy)
 OAH Adjustable
 Integrated LED

As Shown
 Metallic Beige Silver opaque finish (BS)
 Clear Granite textured glass (CG)

Parallel Pendant **NEW**
 LAB0042-01-MB-SG
 13.7" H x 6" Diameter (canopy)
 OAH Adjustable
 Integrated LED

As Shown
 Matte Black opaque finish (MB)
 Smoke Granite textured glass (SG)

PARALLEL SCONCES



This page:
Parallel Indoor Sconce **NEW**
IDB0042-1A
H 15.4" W 5.3" D 3.6"
Integrated LED
ADA Compliant

At left, top:
IDB0042-1A-MB-SG
Matte Black opaque finish (MB)
Smoke Granite textured glass (SG)

At left, middle:
IDB0042-1A-FB-CG
Flat Bronze opaque finish (FB)
Clear Granite textured glass (CG)

At left, bottom:
IDB0042-1A-BS-BG
Metallic Beige Silver opaque finish (BS)
Bronze Granite textured glass (BG)

At right:
IDB0042-1A-MB-CR
Matte Black opaque finish (MB)
Clear Rimelight textured glass (CR)

PARALLEL COLLECTION

Parallel Straight Linear Suspension **NEW**
PLB0042-47-RB-SG
H 6.4" W 48" D 5", OAH Adjustable
Integrated LED

As Shown
Oil Rubbed Bronze translucent finish (RB)
Smoke Granite Textured Glass (SG)



Parallel Curved Linear Suspension **NEW**
PLB0042-48-SN-CR
H 6.4" W 48" D 7.8", OAH Adjustable
Integrated LED

As Shown
Satin Nickel translucent finish (SN)
Clear Rimelght textured glass (CR)




PARALLEL CONFIGURATION

PLB0042-44-SN-CR-CA1-L1




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
PLB0042-44	-SN	-CR	-CA1	-L1
PARALLEL 44" OVAL LINEAR SUSPENSION	SATIN NICKEL	CLEAR RIMELIGHT TEXTURED GLASS	STANDARD ADJUSTABLE CABLE	INTEGRATED LED


TRANSLUCENT FINISH OPTIONS (Oval, Ring, and Linear Suspension ceiling fixtures only)



GUNMETAL (GM)



OIL RUBBED BRONZE (RB)




SATIN NICKEL (SN)

OPAQUE FINISH OPTIONS




METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)




MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS



CLEAR RIMELIGHT (CR)



CLEAR GRANITE (CG)




SMOKE GRANITE (SG)




BRONZE GRANITE (BG)

SUSPENSION OPTIONS

Ceiling fixtures in this collection include cords with canopies (C01) or adjustable cable suspension with canopies (CA1). For OAH information by product, see Specifications at the back of this catalog.



STANDARD CORD (C01)



STANDARD CORD DETAIL (C01)

ELECTRICAL OPTIONS

Integrated LED (L1) is standard for all Parallel fixtures.

TEXTURED GLASS COLLECTION

Art glass serves as craftsman's canvas in our versatile Textured Glass collection. Drums, square chandeliers, linear suspensions, waterfalls, pendants, sconces and vanity fixtures are offered in four domestically handcrafted textures, each requiring skilled artisan precision and two kiln passes to achieve its unique visual appeal.


The Granite texture is available in three colors; Rimelight, Strata and Ivory Wisp are available in one color as shown below.



FROSTED GRANITE




SMOKE GRANITE




BRONZE GRANITE



FROSTED RIMELIGHT



FROSTED STRATA



IVORY WISP

30" Textured Glass Drum
CHB0044-30-BS-FR
8" H x 30" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Rimelight Textured Glass (FR)

TEXTURED GLASS DRUMS

Well-crafted glass drum fixtures are uncommon because they're very hard to do well. By its very nature, the kiln firing process rarely results in slumped glass panels that are identical in dimension and characteristics. But take a close look at our Textured Glass drums and you'll see precision crafted, seamlessly aligned glass panels... every time.

Textured Glass drums are available in 24" and 30" diameters and all glass styles except Smoke and Bronze Granite. Each drum features an 8" height, frosted acrylic diffuser and standard adjustable stem.



24" Textured Glass Drum
CHB0044-24-BS-FG
8" H x 24" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Granite Textured Glass (FG)

TEXTURED GLASS SQUARE CHANDELIERS




Textured Glass Square Chandelier
in Frosted Granite
CHB0044-23-FB-FG
5.8" H x 24" Square, OAH Adjustable
E26 or GU24 Base

As Shown
Flat Bronze opaque finish (FB)
Frosted Granite Textured Glass (FG)




Textured Glass Square Chandelier
in Frosted Strata
CHB0044-23-BS-FS
5.8" H x 24" Square, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Strata Textured Glass (FS)



Textured Glass Square Chandelier
in Smoke Granite
CHB0044-23-FB-SG
5.8" H x 24" Square, OAH Adjustable
E26 or GU24 Base

As Shown
Flat Bronze opaque finish (FB)
Smoke Granite Textured Glass (SG)



CHB0044-23-BS-BG
Granite Square Chandelier shown with
Bronze Granite Textured Glass and
Metallic Beige Silver opaque finish

TEXTURED GLASS PENDANTS



Rimelight Tall Pendant
LAB0044-12-BS-FR-001
Metallic Beige Silver opaque finish (BS)
Frosted Rimelight Textured Glass (FR)




Strata Tall Pendant
LAB0044-12-BS-FS-001
Metallic Beige Silver opaque finish (BS)
Frosted Strata Textured Glass (FS)



Ivory Wisp Tall Pendant
LAB0044-12-FB-IW-001
Flat Bronze opaque finish (FB)
Ivory Wisp Glass (IW)



Granite Tall Pendant
LAB0044-12-BS-FG-001
Metallic Beige Silver opaque finish (BS)
Frosted Granite Textured Glass (FG)



Granite Tall Pendant
LAB0044-12-FB-BG-001
Flat Bronze opaque finish (FB)
Bronze Granite Textured Glass (BG)



Granite Tall Pendant
LAB0044-12-FB-SG-001
Flat Bronze opaque finish (FB)
Smoke Granite Textured Glass (SG)

Tall pendants measure 12" H x 6.3" D and are shown here with a standard adjustable stem (001). All pendants can be ordered with either a standard adjustable stem (001) or standard cord to match canopy (C01) and an E26 (standard) or GU24 base. 8" H pendants are also available. See Specifications or the website for product details.

TEXTURED GLASS PENDANTS AND WATERFALLS

Whether you need a simple trio of single pendants over a breakfast bar or a large fixture grouping several pendants together for a stairwell or entry, we've got you covered. Our handcrafted textured glass pendants — offered individually or grouped together in waterfall fixtures beneath a single canopy — address a wide variety of applications.

Choose from 8 different waterfall configurations, including 3-, 5-, 8- and 11-piece round canopy waterfalls, 9- and 12-piece square canopy waterfalls and 5- and 7-piece linear canopy waterfalls. All single pendants and waterfalls are offered in the 6 glass styles shown at left. See Specifications or the website for more product details.



Ivory Wisp 5-Piece Round Waterfall
CHB0044-05-FB-IW
19.8" Diameter, OAH Adjustable

As Shown
Flat Bronze opaque finish (FB)
Ivory Wisp Glass (IW)

TEXTURED GLASS OVERSIZED PENDANTS AND LINEAR SUSPENSIONS



NEW Oversized Pendant in Frosted Rimelight (left)
LAB0044-16-BS-FR
16" H x 12.4" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Rimelight Textured Glass (FR)
E26 Base (E2)



NEW Oversized Pendant in Smoke Granite (right)
LAB0044-16-BS-SG
16" H x 12.4" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Smoke Granite Textured Glass (SG)
E26 Base (E2)



Granite Linear Suspension
PLB0044-44-BS-BG-001-E2
H 5.8" W 44.4" D 5.2", OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Bronze Granite Textured Glass (BG)
E26 Base (E2)
Acrylic bottom diffuser



NEW Frosted Rimelight
Linear Suspension with LED Option
PLB0044-44-GM-FR-001-L1
H 5.8" W 44.4" D 5.2", OAH Adjustable

As Shown
Gunmetal translucent finish (GM)
Frosted Rimelight Textured Glass (FR)
Integrated LED (L1)
Steel bottom plate


NEW LED OPTION
Includes four LED downlights
with a lumen output of 1,370

TEXTURED GLASS INDOOR SCONCES




Tall Indoor Arm Sconce in Frosted Rimelight
IDB0044-18-BS-FR
OAH 17" W 5.7" D 7.5"
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Rimelight Textured Glass (FR)



Short Indoor Arm Sconce in Frosted Granite
IDB0044-14-BS-FG
OAH 13" W 5.7" D 7.5"
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Granite Textured Glass (FG)



Tall Indoor Arm Sconce in Frosted Strata
IDB0044-18-BS-FS
OAH 17" W 5.7" D 7.5"
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Strata Textured Glass (FS)

TEXTURED GLASS COVER SCONCES



Petite Round Cover Sconce
 CSB0044-0A-11-GM-FG
 OAH 7" W 11.4" D 3.8"
 E26 or GU24 Base
 ADA Compliant

As Shown
 Gunmetal translucent finish (GM)
 Frosted Granite Textured Glass (FG)



Petite Square Cover Sconce
 CSB0044-0B-11-GM-SG
 OAH 7" W 11" D 3.8"
 E26 or GU24 Base
 ADA Compliant

As Shown
 Gunmetal translucent finish (GM)
 Smoke Granite Textured Glass (SG)

Petite Cover Sconces are available in Oil Rubbed Bronze (RB), Gunmetal (GM), Matte Black (MB), Polished Nickel (PN) and Polished Brass (PB) finishes.



Tall Cover Sconce in Frosted Strata
 CSB0044-26-BS-FS
 OAH 25.5" W 6" D 4"
 E26 or GU24 Base
 ADA Compliant

As Shown
 Metallic Beige Silver opaque finish (BS)
 Frosted Strata Textured Glass (FS)



Short Cover Sconce in Frosted Rimelight
 CSB0044-13-BS-FR
 OAH 13.5" W 6" D 4"
 E26 or GU24 Base
 ADA Compliant

As Shown
 Metallic Beige Silver opaque finish (BS)
 Frosted Rimelight Textured Glass (FR)

Textured Glass Short and Tall Cover Sconces are available only in opaque finishes.

TEXTURED GLASS VANITY LIGHTS

All Textured Glass Short and Tall Cover Sconces can be ordered as damp rated vanity fixtures and can be mounted either horizontally or vertically. Note that vanity lights are available only in Metallic Beige Silver (BS), Flat Bronze (FB), Matte Black (MB) and Gilded Brass (GB) opaque finishes.



Tall Vanity
VLB0044-26-BS-FG
OAH 25.5" W 6" D 4"
Damp Rated
ADA Compliant

Shown as
Metallic Beige Silver Opaque finish (BS)
Frosted Granite Textured Glass (FG)

TEXTURED GLASS OUTDOOR SCONCES



Outdoor Short Round Cover Sconce
 ODB0030-19-AG-FG
 OAH 19.3" W 7" D 3.5"
 GU10 Base
 ADA Compliant
 Wet Rated


As Shown
 Argento Grey outdoor finish (AG)
 Frosted Granite Textured Glass (FG)

Outdoor Short Panel Cover Sconce
 ODB0031-19-AG-BG
 OAH 19.3" W 7" D 3.5"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Bronze Granite Textured Glass (BG)

Outdoor Tall Round Cover Sconce
 ODB0030-31-SB-SG
 OAH 31.3" W 7" D 3.5"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)
 Smoke Granite Textured Glass (SG)



Outdoor Tall Square Cover Sconce
 ODB0040-23-AG-FG
 OAH 23" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Frosted Granite Textured Glass (FG)

Outdoor Short Square Cover Sconce
 ODB0040-16-SB-BG
 OAH 16.2" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)
 Bronze Granite Textured Glass (BG)

For more information on outdoor fixture products and options, please see the Outdoor Collection beginning on page 116.

TEXTURED GLASS CONFIGURATION

CHB0044-24-BS-FG-001-E2



PRODUCT

-FINISH

-SHADE/LENS

-SUSPENSION

-ELECTRICAL

CHB0044-24

-BS

-FG

-001

-E2

GRANITE
24" DRUM



METALLIC BEIGE
SILVER

FROSTED
GRANITE

STANDARD
ADJUSTABLE STEM



E26 BASE

TRANSLUCENT FINISH OPTIONS




ALL-CLIMATE OUTDOOR FINISHES

OPAQUE FINISH OPTIONS



SHADE | LENS OPTIONS



SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection include stems or cords with canopies as shown below. Height adjustable stems are shipped in 3", 6", 12" and 24" threaded segments. Braided cords in matching color are shipped with 10' of suspension cord per pendant. For OAH information by product, see specifications at the back of this catalog.




STANDARD
ADJUSTABLE
STEM (001)




STANDARD
CORD (C01)



STANDARD
CORD (C01)



STANDARD CORD (C01)



STANDARD CORD
DETAIL (C01)

Textured Glass Drum, Square Chandelier and Linear Suspension are available only with standard adjustable stem (001). Textured Glass Pendants are available with either standard adjustable stem (001) or standard cord (C01). Textured Glass Round and Linear Waterfalls are available only with standard cord (C01).

ELECTRICAL OPTIONS

E26 Base (E2) - Standard
GU 24 Base (G2) - Conforms to 2013 CA Title 24
Integrated LED (L1)
Bulbs are not included.

URBAN LOFT COLLECTION

This versatile collection offers a modern interpretation of the Arts & Crafts movement. Functional components like pins and straps are elevated to decorative details, with the craftsman's work revealed through translucent steel finishes. Beautifully hand-textured, kiln-fired art glass extends the artisan story through shades and diffusers in a selection of colors.

Gritty yet sophisticated, Urban Loft fixtures are equally at home in a converted warehouse flat as they are in a stylish midtown apartment or country retreat. Choose the shade and finish that suits your style.

LED OPTION FOR LINEAR SUSPENSIONS



NEW LED OPTION

Includes four LED downlights with a lumen output of 1,370

Trestle Linear Suspension with LED Option
PLB0026-0A-SN-SG-001-L1
H 5.8" W 44.4" D 5.6", OAH Adjustable

As Shown
Satin Nickel translucent finish (SN)
Smoke Granite Textured Glass (SG)
Integrated LED (L1)
Steel bottom plate



Urban Loft Trestle Linear Suspension
PLB0026-0A-GM-FG-001-E2
H 5.8" W 44.4" D 5.6"
OAH Adjustable

As Shown
Gunmetal translucent finish (GM)
Frosted Granite Textured Glass (FG)
E26 Base (E2)
Acrylic bottom diffuser

URBAN LOFT COLLECTION



Urban Loft Parallel Linear Suspension
PLB0026-0B-GM-SG
H 5.8" W 44.4" D 5.6"
OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Gunmetal translucent finish (GM)
Smoke Granite Textured Glass (SG)
E26 Base (E2)
Acrylic bottom diffuser

Urban Loft Square Chandelier
CHB0026-0A-RB-BG
24" Square x 5.8" H
OAH Adjustable
E26 or GU24 Base

As Shown
Oil Rubbed Bronze translucent finish (RB)
Bronze Granite Textured Glass (BG)





Alchemy Pendant **NEW**
LAB0026-0B-GM-C
16.1" H x 8.5" Diameter
OAH Adjustable
E26 Base

As Shown
Gunmetal translucent finish (GM)
Clear Alchemy glass (C)




Urban Loft Trestle Pendant
LAB0026-0A-RB-IW
5.8" Diameter x 12" H
OAH Adjustable
E26 or GU24 Base

As Shown
Oil Rubbed Bronze translucent finish (RB)
Ivory Wisp Glass (IW)



Urban Loft Trestle Cover Sconce
CSB0026-0D-RB-BG
OAH 21.7" W 5.5" D 3.8"
E26 or GU24 Base
Small Square Glass Shade
ADA Compliant

As Shown
Oil Rubbed Bronze translucent finish (RB)
Bronze Granite Textured Glass (BG)



Urban Loft Angle Cover Sconce
CSB0026-0A-SN-SG
OAH 21.7" W 5.5" D 3.8"
E26 or GU24 Base
Small Square Glass Shade
ADA Compliant

As Shown
Satin Nickel translucent finish (SN)
Smoke Granite Textured Glass (SG)


URBAN LOFT CONFIGURATION

PLB0026-0A-GM-FG-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
PLBB0026-0A	-GM	-FG	-001	-E2
URBAN LOFT TRESTLE LINEAR SUSPENSION	SATIN NICKEL	FROSTED GRANITE	STANDARD ADJUSTABLE STEM	E26 BASE


TRANSLUCENT FINISH OPTIONS



GUNMETAL (GM)




OIL RUBBED BRONZE (RB)




SATIN NICKEL (SN)


OPAQUE FINISH OPTIONS




METALLIC BEIGE
SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)




GILDED BRASS (GB)

SHADE | LENS OPTIONS




FROSTED GRANITE (FG)
TEXTURED GLASS



BRONZE GRANITE (BG)
TEXTURED GLASS



SMOKE GRANITE (SG)
TEXTURED GLASS




IVORY WISP (IW)
GLASS



WHITE LINEN (SH)
FABRIC SHADE

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection include stems and canopies shown at right. Height adjustable stems are shipped in 3", 6", 12" and 24" threaded segments. For OAH information by product, see specifications at the back of this catalog.



ELECTRICAL OPTIONS

E26 Base (E2) - Standard
 GU 24 Base (G2) - Conforms to 2013 CA Title 24
 Integrated LED (L1) - Option for linear suspensions
 Bulbs are not included.

IRONWOOD COLLECTION

'Rect tube' — industrial rectangular-shaped steel tubing — is an unusual choice for organic design, but the results are striking in the Ironwood collection. Our artisans hammer and sculpt this rugged material, transforming each piece into a surprisingly elegant interpretation of the natural world that suits a broad range of interior styles. Each fixture is finished to reveal the unique artisan character of the underlying steel.

Ironwood fixtures offer shades and diffusers in a selection of hand-textured artisan glass colors and beautiful, environmentally compliant translucent finishes that rival plated alternatives in visual appeal.






Ironwood Linear Suspension
PLB0032-0A-GM-FG-001-E2
5.8" H 44.4" W 5.6" D
OAH Adjustable

As Shown
Gunmetal translucent finish (GM)
Frosted Granite Textured Glass (FG)
E26 Base (E2)
Acrylic bottom diffuser

Also available with LED or GU24 lamping option

IRONWOOD COLLECTION



Ironwood Twig Cover Sconce
CSB0032-0A-SN-SG
OAH 24.2" W 6.6" D 3.8"
E26 or GU24 Base
Small Round Glass Shade
ADA Compliant

As Shown
Satin Nickel translucent finish (SN)
Smoke Granite Textured Glass (SG)



Ironwood Twist Cover Sconce
CSB0032-0C-GM-FG
OAH 20" W 11.4" D 3.8"
E26 or GU24 Base
Large Round Glass Shade
ADA Compliant

As Shown
Gunmetal translucent finish (GM)
Frosted Granite Textured Glass (FG)



Ironwood Thistle Cover Sconce
CSB0032-0D-GM-SG
OAH 22.6" W 5.5" D 3.8"
E26 or GU24 Base
Small Round Glass Shade
ADA Compliant

As Shown
Gunmetal translucent finish (GM)
Smoke Granite Textured Glass (SG)



Ironwood Thistle Pendant
LAB0032-0D-GM-FG
H 22.3" W 6" D 6"
OAH Adjustable
E26 or GU24 Base

As Shown
Gunmetal translucent finish (GM)
Frosted Granite Textured Glass (FG)



Ironwood Sprout Cover Sconce
CSB0032-0B-RB-BG
OAH 21.5" W 11.4" D 3.8"
E26 or GU24 Base
Large Round Glass Shade
ADA Compliant

As Shown
Oil Rubbed Bronze translucent finish (RB)
Bronze Granite Textured Glass (BG)

IRONWOOD COLLECTION

Ironwood Square Chandelier
CHB0032-OD-GM-SG
24" Square x 21.3" H, OAH Adjustable
E26 or GU24 Base

As Shown
Gunmetal translucent finish (GM)
Smoke Granite Textured Glass (SG)



Ironwood Square Chandelier
CHB0032-OD-GM-FG
24" Square x 21.3" H, OAH Adjustable
E26 or GU24 Base

As Shown
Gunmetal translucent finish (GM)
Frosted Granite Textured Glass (FG)


IRONWOOD CONFIGURATION

CHB0032-OD-RB-BG-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
CHB0032-OD IRONWOOD SQUARE CHANDELIER	-RB OIL RUBBED BRONZE	-BG BRONZE GRANITE	-001 STANDARD ADJUSTABLE STEM	-E2 E26 BASE


TRANSLUCENT FINISH OPTIONS



GUNMETAL (GM)



OIL RUBBED BRONZE (RB)




SATIN NICKEL (SN)

OPAQUE FINISH OPTIONS




METALLIC BEIGE
SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)




GILDED BRASS (GB)

SHADE | LENS OPTIONS




FROSTED GRANITE (FG)
TEXTURED GLASS



BRONZE GRANITE (BG)
TEXTURED GLASS



SMOKE GRANITE (SG)
TEXTURED GLASS



IVORY WISP (IW)
GLASS



WHITE LINEN (SH)
FABRIC SHADE

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection include stems and canopies shown below. Height adjustable stems are shipped in 3", 6", 12" and 24" threaded segments. For OAH information by product, see specifications at the back of this catalog.



ELECTRICAL OPTIONS

E26 Base (E2) - Standard
GU 24 Base (G2) - Conforms to 2013 CA Title 24
Integrated LED (L1) - Option for linear suspensions
Bulbs are not included.

CARLYLE COLLECTION

Inspired by the classic elegance of its namesake Manhattan hotel, the Carlyle collection subtly nods to sophisticated Art Deco style. Bold geometries, sleek lines and richly hand-polished steel finishes capture a timeless aesthetic that's perfectly suited to a wide range of interiors.

Choose from a selection of options, including domestically hand-textured art glass shades and beautiful environmentally compliant translucent finishes that rival plated alternatives in visual appeal.



Carlyle Square Chandelier
CHB0033-0A-RB-SG
24" Square x 21.3" H, OAH Adjustable
E26 or GU24 Base

As Shown
Oil Rubbed Bronze translucent finish (RB)
Smoke Granite Textured Glass (SG)



Carlyle Square Chandelier
CHB0033-0A-RB-FG
24" Square x 21.3" H, OAH Adjustable
E26 or GU24 Base

As Shown
Oil Rubbed Bronze translucent finish (RB)
Frosted Granite Textured Glass (FG)



Carlyle Square Chandelier
CHB0033-0A-SN-BG
24" Square x 21.3" H, OAH Adjustable
E26 or GU24 Base

As Shown
Satin Nickel translucent finish (SN)
Bronze Granite Textured Glass (BG)

Carlyle Square Chandelier
CHB0033-0A-GM-FG
24" Square x 21.3" H, OAH Adjustable
E26 or GU24 Base

As Shown
Gunmetal translucent finish (GM)
Frosted Granite Textured Glass (FG)



CARLYLE COLLECTION



Carlyle Torchlight Ring Chandelier
CHB0033-0B-GM-O-001-E1-A103
14.7" H x 29.9" Diameter, OAH Adjustable
Standard Adjustable Stem (001)
E12 Base (E1)

As Shown
Gunmetal translucent finish (GM)
Exposed Lamping (O)
Smoke Granite Textured Glass accent (A103)




Carlyle Torchlight Ring Chandelier
CHB0033-0B-RB-CS-001-E1-A104
15.9" H x 30.4" Diameter, OAH Adjustable
Standard Adjustable Stem (001)
E12 Base (E1)

As Shown
Oil Rubbed Bronze translucent finish (RB)
Clear Seeded glass cylinders (CS)
Ivory Wisp Glass accent (A104)



Carlyle Torchlight Ring Chandelier
CHB0033-0B-GM-O-001-E1-A102
14.7" H x 29.9" Diameter, OAH Adjustable
Standard Adjustable Stem (001)
E12 Base (E1)

As Shown
Gunmetal translucent finish (GM)
Exposed lamping (O)
Bronze Granite Textured Glass accent (A102)



Carlyle Torchlight Ring Chandelier
CHB0033-0B-SN-SH-001-E1-A101
15.3" H x 32.9" Diameter, OAH Adjustable
Standard Adjustable Stem (001)
E12 Base (E1)

As Shown
Satin Nickel translucent finish (SN)
White Linen Shade (SH)
Clear Granite Textured Glass accent (A101)

The Carlyle Torchlight Chandelier includes a matching round canopy and height-adjustable stem (001) that ships in 3", 6", 12" and 24" threaded segments. For OAH information, see Specifications.

CARLYLE COLLECTION



Carlyle Corona Linear Suspension
PLB0033-0B-RB-FS
H 6.3" x W 44" x D 4.8", OAH Adjustable
Integrated LED

As Shown
Oil Rubbed Bronze translucent finish (RB)
Frosted Seeded Glass cylinders (FS)



Carlyle Corona 36" Ring Chandelier
CHB0033-0D-RB-LA
6.3" H x 34" Diameter, OAH Adjustable
Integrated LED

As Shown
Oil Rubbed Bronze translucent finish (RB)
Light Art Glass cylinders (LA)



Carlyle Semi-Flush
CLB0033-0A-RB-F
20.9" Diameter x 7" OAH
E26 or GU24 Base
Frosted Glass

As Shown
Oil Rubbed Bronze translucent finish (RB)

Carlyle Corona fixtures in 24" and 48" diameters are also available. All Corona fixtures include matching canopies and adjustable cable suspension (CA1). For OAH information by product, see Specifications.



Carlyle Quattro Cover Sconce
CSB0033-0C-GB-IW
OAH 19.6" W 11" D 3.6"
E26 or GU24 Base
Large Square Glass Shade
ADA Compliant

As Shown
Gilded Brass opaque finish (GB)
Ivory Wisp glass (IW)



Carlyle Circlet Cover Sconce
CSB0033-0E-RB-SH
OAH 15.5" W 11.4" D 3.8"
E26 or GU24 Base
Large Round White Linen Shade
ADA Compliant

As Shown
Oil Rubbed Bronze translucent finish (RB)



Carlyle Round Link Cover Sconce
CSB0033-0D-GM-SG
OAH 15.6" W 11.4" D 3.8"
E26 or GU24 Base
Large Round Glass Shade
ADA Compliant

As Shown
Gunmetal translucent finish (GM)
Smoke Granite Textured Glass (SG)



Carlyle Quattro Cover Sconce
CSB0033-0C-GM-FG
OAH 19.6" W 11" D 3.6"
E26 or GU24 Base
Large Square Glass Shade
ADA Compliant

As Shown
Gunmetal translucent finish (GM)
Frosted Granite Textured Glass (FG)



Vertex Cover Sconce
CSB0033-0A-SN-FG
OAH 19.1" W 11" D 3.8"
E26 or GU24 Base
Large Square Glass Shade
ADA Compliant

As Shown
Satin Nickel translucent finish (SN)
Frosted Granite Textured Glass (FG)



Carlyle Square Link Cover Sconce
CSB0033-0B-SN-FG
OAH 18.6" W 11" D 3.8"
E26 or GU24 Base
ADA Compliant

As Shown
Satin Nickel translucent finish (SN)
Frosted Granite textured glass (FG)


CARLYLE CONFIGURATION

CHB0033-0A-SN-FG-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-OAH	-ELECTRICAL
CHB0033-0A CARLYLE SQUARE CHANDELIER	-SN SATIN NICKEL	-FG FROSTED GRANITE	-001 MED ADJ.	-E2 E26 BASE


TRANSLUCENT FINISH OPTIONS



GUNMETAL (GM)



OIL RUBBED BRONZE (RB)




SATIN NICKEL (SN)


OPAQUE FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)




GILDED BRASS (GB)

SHADE | LENS OPTIONS


Carlyle Torchlight Chandelier is available with exposed lamping (O), Clear Seeded Glass Cylinders (CS), or White Linen Shades (SH).

Carlyle Corona Chandelier is available with Frosted Seeded Glass Cylinders (FS) or Light Art Glass Cylinders (LA).

Carlyle Square Chandelier and Cover Sconce fixtures are available in the following glass shade/lens styles: Frosted Granite (FG), Bronze Granite (BG), Smoke Granite (SG) and Ivory Wisp (IW).



EXPOSED LAMPING (O)



CLEAR SEEDED GLASS CYLINDER (CS)



FROSTED SEEDED GLASS CYLINDER (FS)



LIGHT ART GLASS CYLINDER (LA)



WHITE LINEN FABRIC SHADE (SH)




FROSTED GRANITE TEXTURED GLASS (FG)



BRONZE GRANITE TEXTURED GLASS (BG)



SMOKE GRANITE TEXTURED GLASS (SG)



IVORY WISP GLASS (IW)

ACCENT OPTIONS

Carlyle Torchlight Chandelier is available in the four glass banding accents options shown on page 52.

ELECTRICAL OPTIONS

E26 Base (E2) - Standard
E12 Base (E1) - Standard for Torchlight Ring Chandelier
GU24 Base (G2) - Conforms to 2013 CA Title 24
Bulbs are not included.

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

See Carlyle collection product pages or Specifications for details.

SCRIPT COLLECTION

We've reinvented the artistry of old world scrollwork in this series of inspired sconce designs. Slender contours of steel are hand-sculpted into graceful organic scrolls and whimsical serifs, creating a modern interpretation of a time-honored aesthetic that complements transitional and contemporary interiors.

Script fixtures offer a choice of two finishes and shades in three artisan-textured glass colors or crisp white linen.

Script Rhumba Cover Sconce
CSB0029-0B-BS-FG
OAH 20.7" W 5.5" D 3.8"
Small Round Glass Shade
ADA Compliant
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Granite Textured Glass (FG)



Script Mayfair Cover Sconce
CSB0029-0A-FB-BG
OAH 23" W 7.3" D 3.8"
E26 or GU24 Base
Small Round Glass Shade
ADA Compliant

As Shown
Flat Bronze opaque finish (FB)
Bronze Granite Textured Glass (BG)



Script Clef Cover Sconce
CSB0029-0D-BS-SG
OAH 18.3" W 6" D 3.8"
E26 or GU24 Base
Small Round Glass Shade
ADA Compliant

As Shown
Metallic Beige Silver opaque finish (BS)
Smoke Granite Textured Glass (SG)



Script Royal Cover Sconce
CSB0029-0C-BS-IW
OAH 19.3" W 11.4" D 3.8"
E26 or GU24 Base
Large Round Glass Shade
ADA Compliant

As Shown
Metallic Beige Silver opaque finish (BS)
Ivory Wisp Glass (IW)


SCRIPT CONFIGURATION

CSB0029-OC-BS-SG-E2




PRODUCT	-FINISH	-SHADE/LENS	-ELECTRICAL
CSB0029-OC	-BS	-SG	-E2
SCRIPT ROYAL COVER SCONCE	METALLIC BEIGE SILVER	SMOKE GRANITE	E26 BASE

OPAQUE FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS




FROSTED GRANITE (FG)
TEXTURED GLASS



BRONZE GRANITE (BG)
TEXTURED GLASS



SMOKE GRANITE (SG)
TEXTURED GLASS



IVORY WISP (IW)
GLASS



WHITE LINEN SHADE (SH)

ELECTRICAL OPTIONS

E26 Base (E2) - Standard
 GU 24 Base (G2) - Conforms to 2013 CA Title 24
 Bulbs are not included.

BEZEL/GEM COLLECTION

Inspired by the idea of lighting as 'jewelry for the home', this enchanting collection features sparking LED-lit 'gems' of artisan blown glass in ring and waterfall chandeliers, linear suspensions, pendants and sconces. Choose from 4 glass colors and seven finish colors.





Bezel 12-Gem Ring Chandelier
CHB0039-0C-RB-B
7.1" H x 37.8" Diameter, OAH Adjustable
Integrated LED

As Shown
Oil Rubbed Bronze translucent finish (RB)
Bronze Gem blown glass (B)

BEZEL CHANDELIERS

These Bezel rings and the linear suspensions on pages 62 and 63 each feature artisan blown gems set on a hand-polished base of finished steel. Ample integrated LED lighting, both up and down, makes Bezel chandeliers ideal for kitchen and dining applications.

In addition to the ring fixtures shown here, a 48" diameter size with 16 gems is also available. See Specifications for details.



Bezel 8-Gem Ring Chandelier
CHB0039-0B-SN-C
7.1" H x 27.4" Diameter, OAH Adjustable
Integrated LED

As Shown
Satin Nickel translucent finish (SN)
Clear Gem blown glass (C)



Bezel 4-Gem Ring Chandelier
CHB0039-0A-SN-S
8.5" H x 28" Diameter, OAH Adjustable
Integrated LED

As Shown
Satin Nickel translucent finish (SN)
Smoke Gem blown glass (S)

BEZEL LINEAR SUSPENSIONS



Bezel 3-Gem Linear Suspension
PLB00039-0A-GM-S
H 8.5" W 34" D 7.5", OAH Adjustable
Integrated LED

As Shown
Gunmetal translucent finish (GM)
Smoke Gem blown glass (S)



Bezel 6-Gem Linear Suspension
PLB00039-0B-RB-F
H 7.1" W 44" D 6.5", OAH Adjustable
Integrated LED

As Shown
Oil Rubbed Bronze translucent finish (RB)
Frosted Gem blown glass (F)



Bezel 6-Gem Linear Suspension
PLB00039-0B-RB-B
H 7.1" W 44" D 6.5", OAH Adjustable
Integrated LED

As Shown
Oil Rubbed Bronze translucent finish (RB)
Bronze Gem blown glass (B)

Bezel 9-Gem Linear Suspension **NEW**
PLB00039-0C-MB-S
H 8.5" W 59" D 10", OAH Adjustable
Integrated LED

As Shown
Matte Black opaque finish (MB)
Smoke Gem blown glass (S)



Bezel 9-Gem Linear Suspension **NEW**
PLB00039-0C-GM-C
H 8.5" W 59" D 10", OAH Adjustable
Integrated LED

As Shown
Gunmetal translucent finish (GM)
Clear Gem blown glass (C)



GEM PENDANTS AND WATERFALLS

8-Gem Round Waterfall
CHB00039-08-FB-B
11" H x 28.1" Diameter, OAH Adjustable
Integrated LED

As Shown
Flat Bronze opaque finish (FB)
Bronze Gem blown glass (B)




3-Gem Round Waterfall
CHB00039-03-MB-S
11" H x 17.6" Diameter, OAH Adjustable
Integrated LED

As Shown
Matte Black opaque finish (MB)
Smoke Gem blown glass (S)



7-Gem Linear Waterfall
PLB00039-07-BS-C
H 11" W 46.4" D 14.5" OAH Adjustable
Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Clear Gem blown glass (C)



GEM PENDANTS & WATERFALLS

Gem pendants can be ordered either individually or grouped together in waterfall fixtures beneath a single canopy. Choose from six waterfall configurations, including 3-, 8- and 11-piece round canopy waterfalls, 9- and 12-piece square canopy waterfalls and a 7-piece linear canopy waterfall. All single pendants and waterfalls are offered in the 4 Gem blown glass colors shown. See Specifications or the website for more product details.



Frosted Gem Pendant **NEW**
LAB0039-01-MB-F



Smoke Gem Pendant
LAB0039-01-MB-S



Clear Gem Pendant
LAB0039-01-BS-C



Bronze Gem Pendant
LAB0039-01-FB-B

Bezel Medium Indoor Sconce
IDB0039-10-MB-B
OAH 9.3" W 6.3" D 8.3"
Integrated LED

As Shown
Matte Black opaque finish (MB)
Bronze Gem blown glass (B)



Bezel sconces can be mounted with glass facing either up or down.



Bezel Large Indoor Sconce (at left)
IDB0039-11-MB-C
OAH 10.7" W 8.2" D 8.9"
Integrated LED

As Shown
Matte Black opaque finish (MB)
Clear Gem blown glass (C)



Bezel Medium Indoor Sconce (at right)
IDB0039-10-MB-S
OAH 9.3" W 6.3" D 8.3"
Integrated LED

As Shown
Matte Black opaque finish (MB)
Smoke Gem blown glass (S)


BEZEL/GEM CONFIGURATION

CHB0039-OC-RB-B-CA1-L1




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
CHB0039-OC	-RB	-B	-CA1	-L1
BEZEL 12-GEM RING CHANDELIER	OIL RUBBED BRONZE	BRONZE GEM GLASS	STANDARD ADJUSTABLE CABLE	INTEGRATED LED


TRANSLUCENT FINISH OPTIONS



GUNMETAL (GM)



OIL RUBBED BRONZE (RB)




SATIN NICKEL (SN)

OPAQUE FINISH OPTIONS




METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS



GEM CLEAR (C)



GEM SMOKE (S)




GEM BRONZE (B)



GEM FROSTED (F)

SUSPENSION OPTIONS

Bezel ring fixtures and linear suspensions include adjustable cable suspension (CA1) with canopies, as shown at right. For pendant and waterfall chandelier suspension options, see the product pages or Specifications.



ELECTRICAL OPTIONS

Integrated LED (L1) is standard for all Bezel and Gem fixtures.

OPTIC BLOWN GLASS COLLECTION

The captivating qualities of optic blown glass make it ideal for decorative contemporary lighting. Subtle angles and variations in the wall thickness create a magical dance of light and color. Our artisans work with up to five pounds of glass to individually blow and craft each shade.

Coppa and Ellisse shades are wrapped with molten glass to create their optic effect, while Hedra shades acquire their unique look during the first moments of the glass cooling process. Three glass colors are offered in sconces, pendants and a wide variety of multi-shade ceiling fixtures.

OPTIC BLOWN GLASS SCONCES



Hedra Arm Sconce **NEW**
IDB0045-12-MB-S
H 12" W 9.2" D 9.2"
Integrated LED

As Shown
Matte Black opaque finish (MB)
Smoke Hedra Glass (S)



Coppa Arm Sconce
IDB0036-11-BS-OC
OAH 10.9" W 8" D 8.4"
E26 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Optic Clear Coppa blown glass (OC)



Ellisse Arm Sconce
IDB0035-16-FB-OB
OAH 16.3" W 6.5" D 7.6"
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Optic Bronze Ellisse blown glass (OB)

Ellisse 5-Piece Round Waterfall
CHB0035-05-FB-OC
11.6" H x 20.5" Diameter, OAH Adjustable
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Optic Clear Ellisse blown glass (OC)

OPTIC BLOWN GLASS WATERFALLS

These versatile ceiling fixtures bring surprising interest to every room. Add drama to a bath vanity or eye-pleasing functional light to a kitchen island, bedside table or stairwell. Our Optic Blown Glass shades — offered individually as pendants or grouped together in waterfalls beneath a single canopy — address a wide variety of applications.

Waterfall chandeliers are available in round, square and linear canopy configurations of 3-12 shades.

OPTIC BLOWN GLASS WATERFALLS



Hedra 3-Piece Round Waterfall **NEW**
CHB0045-03-MB-C
12.3" H x 21.2" Diameter, OAH Adjustable
Integrated LED

As Shown
Matte Black opaque finish (MB)
Clear Hedra blown glass (C)

Hedra shades are available in 3-, 8-, and 11-piece round canopy waterfalls, 9- and 12-piece square canopy waterfalls and 7-piece linear canopy waterfalls.



Coppa 5-piece Round Waterfall
CHB0036-05-FB-OC
8.1" H x 22" Diameter, OAH Adjustable
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Optic Clear Coppa blown glass (OC)

Coppa and Ellisse shades are available in 3-, 5-, 8-, and 11-piece round canopy waterfalls, 9- and 12-piece square canopy waterfalls and 5- and 7-piece linear canopy waterfalls.



Ellisse 5-Piece Linear Waterfall
PLB0035-05-FB-OB
H 11.6" W 38.3" D 10.4", OAH Adjustable
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Optic Bronze Ellisse blown glass (OB)

OPTIC BLOWN GLASS PENDANTS




Clear Hedra Pendant **NEW**
LAB0045-01-MB-C



Smoke Hedra Pendant **NEW**
LAB0045-01-MB-S



Bronze Hedra Pendant **NEW**
LAB0045-01-MB-B



Frosted Hedra Pendant **NEW**
LAB0045-01-MB-F



Optic Clear Coppa Pendant
LAB0036-01-BS-OC



Optic Smoke Coppa Pendant
LAB0036-01-MB-OS



Optic Bronze Coppa Pendant
LAB0036-01-FB-OB



Optic Clear Ellisse Pendant
LAB0035-01-BS-OC



Optic Smoke Ellisse Pendant
LAB0035-01-MB-OS



Optic Bronze Ellisse Pendant
LAB0035-01-FB-OB

Optic Blown Glass shades are offered in the 10 glass styles shown here. Hedra pendants include integrated LED. Ellisse and Coppa pendants include E26 Bases.

OPTIC BLOWN GLASS CHANDELIERS



Ellisse 11-Piece Linear Suspension
PLB0035-46-MB-OC
H 35.6" W 47" D 16.5", OAH adjustable
E26 Base

As Shown
Matte Black opaque finish (MB)
Optic Clear Ellisse blown glass (OC)



Coppa 11-Piece Linear Suspension
PLB0036-46-BS-OC
H 27.1" W 48.5" D 18", OAH Adjustable
E26 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Optic Clear Coppa blown glass (OC)

OPTIC BLOWN GLASS CHANDELIERS



Coppa Ring Chandelier
CHB0036-30-FB-OC
29.8" H x 36.1" Diameter, OAH Adjustable
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Optic Clear Coppa blown glass (OC)

Ellisse Ring Chandelier
CHB0035-30-FB-OC
35.2" H x 34.6" Diameter, OAH Adjustable
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Optic Clear Ellisse blown glass (OC)





Ellisse 11 Piece Linear Suspension
PLB0035-46-BS-OC
See page 72

OPTIC BLOWN GLASS CONFIGURATION

CHB0036-05-FB-OC-C01-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
CHB0036-05 COPPA 5-PC ROUND WATERFALL	-FB FLAT BRONZE	-OC OPTIC CLEAR COPPA	-C01 STANDARD ADJUSTABLE CORD	-E2 E26 (MEDIUM) BASE


OPAQUE FINISH OPTIONS



METALLIC BEIGE
SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

Blown Glass fixture canopies are offered in four finishes, with complementary braided cords and sockets.

SHADE | LENS OPTIONS

See all 10 shade styles on page 71.

SUSPENSION OPTIONS

Pendants and waterfalls in this collection include cords with canopies (C01) as shown below. Cords are shipped with 10' of suspension cord per pendant. Linear suspension and ring chandeliers include height adjustable stems shipped in 3", 6", 12" and 24" threaded segments. Linear suspensions and ring chandeliers include height-adjustable stems and canopies as shown on pages 72 and 73. For OAH information by product, see Specifications.




STANDARD
CORD (C01)



STANDARD
CORD (C01)



STANDARD
CORD (C01)



STANDARD CORD
DETAIL (C01)

ELECTRICAL OPTIONS

E26 Base (E2) - Standard for Ellisse and Coppa Optic Blown Glass fixtures
 Integrated LED (LED) - Standard for Hedra Blown Glass fixtures
 Bulbs are not included.

APOTHECARY COLLECTION

Science meets art in this sleek modern collection showcasing crisp, crystal-clear glass shades subtly reminiscent of 19th century apothecary jars. Ceiling fixtures feature sparking cascades of three different glass shades in groups of 3 to 12 lights, and single pendants and sconces are available in each shade style.

Apothecary fixtures are offered in Clear, Bronze and Smoke glass colors. Pair any fixture with your favorite vintage bulb.



Apothecary 3-Piece Round Waterfall
CHB0041-03-MB-C
17.4" Diameter, OAH Adjustable
Glass Shades, Mixed
E26 Base

As Shown
Matte Black opaque finish (MB)
Clear Apothecary glass (C)

5-, 8- and 11-piece round waterfalls also available



Apothecary 5-Piece Linear Waterfall
PLB0041-05-FB-C
37.8" W x 10.4" D, OAH Adjustable
Glass Shades, Mixed
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Clear Apothecary glass (C)

7-piece linear waterfalls also available



Apothecary 9-Piece Square Waterfall
(Modified)
CU-CHB0041-09-BS-C
29.6" W x 29.6" D, OAH Adjustable
Glass Shades, Mixed
E26 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Clear Apothecary glass (C)

12-piece square waterfall also available

APOTHECARY COLLECTION

Apothecary pendants and sconces are available in three glass shade sizes.



Apothecary 10" H Single Pendant
LAB0041-10-MB-C
10.4" H x 5" Diameter, OAH Adjustable
Glass Shade
E26 Base

As Shown
Matte Black opaque finish (MB)
Clear Apothecary glass (C)



Apothecary 14" H Single Pendant
LAB0041-14-BS-C
16.3" H x 6" Diameter, OAH Adjustable
Glass Shade
E26 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Clear Apothecary glass (C)



Apothecary 8" H Single Pendant
LAB0041-08-FB-C
10.4" H x 8" Diameter, OAH Adjustable
Glass Shade
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Clear Apothecary glass (C)



Apothecary 16" H Arm Sconce
IDB0041-16-FB-C
15.6" H x 5" W x 6.9" D
Glass Shade
E26 Base

As Shown
Flat Bronze opaque finish (FB)
Clear Apothecary glass (C)



Apothecary 20" H Arm Sconce
IDB0041-20-MB-C
19.6" H x 6" W x 7.4" D
Glass Shade
E26 Base

As Shown
Matte Black opaque finish (MB)
Clear Apothecary glass (C)




Apothecary 14" H Arm Sconce
IDB0041-14-BS-C
13.5" H x 8" W x 8.5" D
Glass Shade
E26 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Clear Apothecary glass (C)


APOTHECARY CONFIGURATION

LAB0041-10-MB-C-C01-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
LAB0041-10	-MB	-C	-C01	-E2
APOTHECARY 10" SINGLE PENDANT	MATTE BLACK	CLEAR GLASS SHADE	STANDARD CORD	E26 BASE


OPAQUE FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

Apothecary fixture canopies are offered in four finishes, each with complementary cords and sockets.

SHADE | LENS OPTIONS



CLEAR (C)



BRONZE (B)



SMOKE (S)

Apothecary waterfall fixtures include a standard mix of the three glass sizes shown on page 78 and are offered in the three glass colors at left.

SUSPENSION OPTIONS

Hanging fixtures in this collection include cords with canopies (C01) as shown below. Cords are shipped with 10' of suspension cord per pendant. For OAH information by product, see specifications at the back of this catalog.




STANDARD CORD (C01)



STANDARD CORD (C01)



STANDARD CORD (C01)



STANDARD CORD DETAIL (C01)

ELECTRICAL OPTIONS

E26 Base (E2) - Standard for all Apothecary fixtures
Bulbs are not included.

BAMBOO COLLECTION

Sparkling smooth columns of fire-polished glass take center stage in this sleek and sophisticated contemporary lighting collection. American artisans carefully hand-form and craft each piece of bamboo glass to achieve its distinctive luminous quality and dramatically refract light against surrounding surfaces.

Our broad selection of Bamboo fixtures lets you showcase this remarkable look in surprising ways throughout your home, from waterfall chandeliers and staggered glass flush mounts to linear dining lights and wall sconces.

BAMBOO 3- AND 5-PIECE FLUSH MOUNTS
Available with standard sized (MM) or mixed size (AA) cylinders.



Bamboo 3-Piece Standard Flush Mount
CLB0018-03-BS-MM
9" Diameter, 15.4" OAH
Bamboo Glass - Standard size (MM)
GU10 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)



Bamboo 5-Piece Mixed Glass Flush Mount
CLB0018-05-BS-AA
12" Diameter, 17.5" OAH
Bamboo Glass - Mixed size (AA)
GU10 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)



BAMBOO ROUND AND SQUARE CANOPY WATERFALL CHANDELIERS
Available with standard sized (MM) cylinders.

Bamboo 5-Piece Round Waterfall Chandelier
CHB0018-05-BS-MM
12" Diameter (canopy), OAH Adjustable
Bamboo Glass - Standard size (MM)
GU10 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)

Also available:
3-, 8- and 11-piece Round Waterfalls
9- and 12-piece Square Waterfalls
See Specifications for details

BAMBOO SINGLE PENDANT



Bamboo Pendant
LAB0018-01-BS-MM
6" Diameter (canopy), OAH Adjustable
Bamboo Glass - Standard size (MM)
GU10 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)

BAMBOO 5- AND 7-PIECE LINEAR CANOPY WATERFALLS
Available with standard sized (MM) cylinders.



Bamboo 5-Piece Linear Waterfall
PLB0018-05-BS-MM
31" W x 6" D (canopy), OAH Adjustable
Bamboo Glass - Standard size (MM)
GU10 or Integrated LED


As Shown
Metallic Beige Silver opaque finish (BS)

BAMBOO COLLECTION



Bamboo Single Sconce
IDB0018-01-BS-MM
OAH 14.6" W 5.5" D 3.2"
Bamboo Glass - Standard size (MM)
GU10 or Integrated LED
ADA Compliant

As Shown
Metallic Beige Silver opaque finish (BS)



Bamboo Double Sconce
IDB0018-02-BS-MM
OAH 23.7" W 5.5" D 3.2"
Bamboo Glass - Standard size (MM)
GU10 or Integrated LED
ADA Compliant

As Shown
Metallic Beige Silver opaque finish (BS)


BAMBOO CONFIGURATION

CHB0018-05-BS-MM-C01-G1




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
CHB0018-05	-BS	-MM	-C01	-G1
BAMBOO 5-PIECE WATERFALL CHANDELIER	METALLIC BEIGE SILVER	MEDIUM SIZE (STANDARD)	STANDARD CORD	GU10 BASE

OPAQUE FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS

All Bamboo fixtures feature clear fire-polished glass cylinders. Most include medium cylinders (MM) that are 14.2" in height. Mixed glass sizes (AA) are available on CLB0018-03-XX-AA and CLB0018-05-XX-AA flush mount fixtures only and include 12.9", 14.2" and 16.4" cylinder heights.

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)




STANDARD CORD (C01)



STANDARD CORD (C01)



STANDARD CORD (C01)



STANDARD CORD DETAIL (C01)

All Bamboo hanging fixtures are available only with braided cord in matching color (C01) that includes 10' of suspension cord.


ELECTRICAL OPTIONS

GU10 Base (G1) - Standard
 Integrated LED (L1)
 Bulbs are not included.

DOWNTOWN MESH COLLECTION

When common materials are used in uncommon ways, the result is often magical. Who would guess that slotted heavy gauge steel mesh — the same rugged stuff that's used for sorting rocks in quarries — could transform the look of a light fixture?

The Downtown Mesh Collection captures the intrigue of this industrial material by evoking a sleek urban aesthetic that transcends its utilitarian nature. Depending upon your preferred fixture and style, pair the heavy gauge mesh diffuser with frosted artisan glass or a crisp white linen shade. Or omit the shade and add vintage-style Edison bulbs for a more gritty industrial look.



Downtown Mesh Linear Suspension
PLB0020-45-BS-0-E2
H 12.1" W 44.6" D 11.6"
OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder - exposed lamping (0)
E26 Base (E2)



Downtown Mesh Linear Suspension
PLB0020-45-BS-F
H 12.1" W 44.6" D 11.6"
OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Cylinders (F)
E26 Base (E2)

Photo courtesy of LMK Interiors, Lafayette, CA

DOWNTOWN MESH COLLECTION

LARGE SCALE DRUM
Available in 38" and 48" diameters, with Linen Shade or Frosted Glass Cylinders



Downtown Mesh 38" Drum With
Frosted Glass Cylinders
CHB0020-38-BS-F
11.2" H x 38" Diameter, OAH Adjustable
E26, GU24 or Integrated LED


As Shown
Metallic Beige Silver opaque finish (BS)
E26 Base (E2)



Downtown Mesh 48" Drum With Shade
CHB0020-48-FB-SH
14.5" H x 48" Diameter, OAH Adjustable
E26 or GU24 Base
White Linen Shade (SH)

As Shown
Flat Bronze opaque finish (FB)

DOWNTOWN MESH COLLECTION



Downtown Mesh 24" Drum
CHB0020-24-BS-F
11.2" H x 24" Diameter, OAH Adjustable
E26, GU24 or Integrated LED


As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinder (F)
E26 Base (E2)



Downtown Mesh 19" Drum With Shade
CHB0020-19-FB-SH
13.4" H x 19.3" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Flat Bronze opaque finish (FB)
White Linen Shade (SH)

A 14" D semi-flush mount is also available in this style.
See Specifications for details.



Downtown Mesh 24" Drum
CHB0020-24-BS-O-E2
11.2" H x 24" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder - exposed lamping (O)
E26 Base (E2)

DOWNTOWN MESH: BEHIND THE DESIGN

Inspiration comes from many places. In the case of Downtown Mesh, it was from a dumpster.

While working on a personal project in 2012, one of our product designers pulled a large piece of this rugged stuff from an industrial recycling bin. Intrigued by the interplay of ripple and parallel wires in the screen material, he set to work bending and shaping it in round and rectangular forms.

A few months later, the Downtown Mesh Collection was introduced, and today it's still one of our best selling Hammerton Studio Collections for both interior and exterior applications.



Downtown Mesh Oversized Pendant **NEW**
LAB0020-16-BS-F
16.2" H x 11.5" Square, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted cylinder (F)
E26 Base (E2)

Downtown Mesh Pendant
LAB0020-11-BS-0-001-E2
H 11" W4.1" D 4"
OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder – exposed lamping (0)
Standard Adjustable Stem (001)
E26 Base (E2)

DOWNTOWN MESH COLLECTION

Downtown Mesh Pendant
LAB0020-11-BS-F-001-E2
H 11" W4.1" D 4"
OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted cylinder (F)
Standard Adjustable Stem (001)
E26 Base (E2)

DOWNTOWN MESH COLLECTION

Downtown Mesh Indoor Sconce
IDB0020-11-BS-F-E2
OAH 16.1" W 5" D 6.4"
E26, GU24 or Integrated LED


As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinder (F)
E26 Base (E2)

Also available wet-rated for outdoor use.
See page 124



Downtown Mesh Indoor Sconce
IDB0020-11-BS-0-E2
OAH 16.1" W 5" D 6.4"
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No lens - exposed lamping (O)
E26 Base (E2)



Downtown Mesh Cover Sconce
CSB0020-13-FB-F
OAH 13" W 7.9" D 3.8"
E12 Base
ADA Compliant

As Shown
Flat Bronze opaque finish (FB)
Frosted Glass Lens (F)



Downtown Mesh Cover Sconce
CSB0020-13-FB-0
OAH 13" W 7.9" D 3.8"
E12 Base
ADA Compliant

As Shown
Flat Bronze opaque finish (FB)
No lens - exposed lamping (O)


DOWNTOWN MESH CONFIGURATION

CHB0020-19-BS-F-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
CHB0020-19	-BS	-F	-001	-E2
DOWNTOWN MESH 19" SINGLE DRUM	METALLIC BEIGE SILVER	FROSTED GLASS CYLINDER	STANDARD ADJUSTABLE STEM	E26 BASE

OPAQUE FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS

The Downtown Mesh Drum with Shade and Semi-Flush with Shade ship with a White Linen Shade (SH) only. Downtown Mesh Single Drum, Pendant, Waterfall, Indoor Sconce and Cover Sconce fixtures can be ordered as specified with a Frosted Glass Cylinder or Lens (F) or with no cylinder or lens (O). The Downtown Mesh Outdoor Arm Sconce can be ordered only with a Frosted Cylinder. For all outdoor options, see the Outdoor Collection.

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection include stems or cords with canopies as shown below. Height adjustable stems are shipped in 3", 6", 12" and 24" threaded segments. Braided cords in matching color are shipped with 10' of suspension cord per pendant. For OAH information by product, see specifications at the back of this catalog.



STANDARD ADJUSTABLE STEM (001)




STANDARD CORD (C01)



STANDARD CORD (C01)



STANDARD ADJUSTABLE STEM (001)



STANDARD CORD DETAIL (C01)

Downtown Mesh Single Drum and Single Drum with Shade are available only with a standard adjustable stem (001). Downtown Mesh Pendant is available with either a standard adjustable stem (001) or a standard cord (C01). Downtown Mesh Round and Linear Waterfalls are available only with standard cord (C01).

ELECTRICAL OPTIONS

E26 Base (E2) - Standard
 E12 Base (E1) - Standard for Short Cover Sconce
 GU 24 Base (G2) - Conforms to 2013 CA Title 24
 Integrated LED (L1)
 Bulbs are not included.

TWEED COLLECTION

A contemporary reinterpretation of the iconic fabric shade, our new Tweed Collection showcases diffusers crisply crafted from loosely woven straps of heavy gauge steel.

Distinctive yet familiar, the look is surprisingly versatile. When paired with vintage bulbs, Tweed fixtures take on a gritty urban aesthetic; when layered with a white linen shade or frosted cylinder, they exude surprising warmth. Choose the shade and finish that suits your space and style.

LARGE SCALE DRUMS
Available in 36" and 48" diameters, with White Linen Shade or Frosted Glass Cylinders



Tweed 36" Drum with Shade
CHB0037-36-BS-SH
14.5" H x 35.9" Diameter, OAH Adjustable
E26 or GU24 Base
White Linen Shade

As Shown
Metallic Beige Silver opaque finish (BS)



Tweed 48" Drum
CHB0037-48-FB-F
11.7" H x 47.8" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Flat Bronze opaque finish (FB)
Frosted glass cylinders (F)
E26 Base (E2)

TEXTURED GLASS COLLECTION

Tweed 24" Drum with Shade
CHB0037-24-BS-SH
13.8" H x 24.5" Diameter, OAH Adjustable
E26 or GU24 Base
White Linen Shade (SH)

As Shown
Metallic Beige Silver opaque finish (BS)

A 14" D semi-flush mount is also available
in this style. See Specifications for details.



Tweed 24" Single Drum
CHB0037-24-BS-O-E2
11.5" H x 24.5" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Exposed lamping (O)
E26 Base (E2)



Tweed 24" Single Drum
CHB0037-24-FB-F
11.5" H x 24.5" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Flat Bronze opaque finish (FB)
Frosted glass cylinder (F)
E26 Base (E2)

TWEED COLLECTION

Tweed Linear Suspension
PLB0037-45-GB-0-E2
H 9.8" x W 45" x D 7.8", OAH Adjustable
E26 or GU24 Base

As Shown
Gilded Brass opaque finish (GB)
Exposed lamping (O)
E26 Base (E2)



Tweed Linear Suspension is also available with Frosted Glass Cylinders (F)



Tweed Linear Suspension
PLB0037-45-BS-F
H 9.8" x W 45" x D 7.8", OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinders (F)

TWEED COLLECTION



Tweed Oversized Pendant
LAB0037-16-BS-O-E2
16" H x 12" Diameter
OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
Exposed lamping (O)
E26 Base (E2)



Tweed Oversized Pendant
LAB0037-16-FB-F
16" H x 12" Diameter
OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Flat Bronze opaque finish (FB)
Frosted Glass Cylinder (F)
E26 Base (E2)

TWEED OUTDOOR

Available in 16", 23" and 29" heights




Outdoor Tall Square Cover Sconce
ODB0040-23-SB-M3
OAH 23" W 5" D 3.7"
GU10 Base
ADA Compliant
Wet Rated

As Shown
Statuary Bronze outdoor finish (SB)
Tweed Mesh (M3)



Outdoor Short Square Cover Sconce
ODB0040-16-AG-M3
OAH 16.2" W 5" D 3.7"
GU10 Base
ADA Compliant
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Tweed Mesh (M3)



Tweed 24" Drum with Shade
CHB0037-24-BS-SH
13.8" H x 24.5" Diameter, OAH Adjustable
E26 or GU24 Base
White Linen Shade (SH)

As Shown
Metallic Beige Silver opaque finish (BS)


TWEED CONFIGURATION

CHB0037-24-BS-SH-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-OAH	-ELECTRICAL
CHB0037-24	-BS	-SH	-001	-E2
TWEED 24" DRUM WITH SHADE	METALLIC BEIGE SILVER	WHITE LINEN SHADE	STANDARD ADJUSTABLE STEM	STANDARD BASE


OPAQUE FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE/LENS OPTIONS

The Tweed Drum with Shade ships with a white linen shade (SH) only. Tweed Single Drum, Oversized Pendant and Linear Suspension fixtures can be ordered as specified with frosted glass cylinders (F) or with no cylinders (O).

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection include stems with canopies as shown below. Height adjustable stems are shipped in 3", 6", 12" and 24" threaded segments. For OAH information by product, see specifications at the back of this catalog.



ELECTRICAL OPTIONS

E26 Base (E2) - Standard
 GU24 Base (G2) - Conforms to 2013 CA Title 24
 Integrated LED (L1)
 Bulbs are not included.

UPTOWN MESH COLLECTION

As a diffuser material, there's no match for fine woven steel mesh. Mesh emits strength and softness, volume and airiness, warmth and sophistication... all simultaneously. Substitutes like perforated or stamped steel can't begin to match its ethereal elegance.

The Uptown Mesh collection from Hammerton Studio showcases the sleek urban sophistication of this remarkable material. Depending upon your preferred fixture and style, pair the fine mesh diffuser with frosted artisan glass or a white linen shade. Or skip the shade for a more minimal take.



Uptown Mesh 7-Piece Linear Waterfall
PLB0019-07-BS-O-E2
H 12.1" W 45.3" D 11.7"
OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder - exposed lamping (O)
E26 Base (E2)

Also available:
5-piece linear waterfall
3-, 5-, 8- and 11-piece round waterfalls
9- and 12-piece square waterfalls
See Specifications for details



Uptown Mesh Linear Suspension
PLB0019-43-BS-F-E2
H 14.2" W 43.3" D 5.5"
OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinders (F)
E26 Base (E2)

Photo courtesy of
LMK Interiors, Lafayette, CA

UPTOWN MESH DRUMS



Uptown Mesh 18" Drum
CHB0019-18-BS-O-E2
11.3" H x 18.2" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder - exposed lamping (O)
E26 Base (E2)

Available with or without Frosted
Glass Cylinder



Uptown Mesh 24" Drum
CHB0019-24-BS-F-E2
11.3" H x 24" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinder (F)
E26 Base (E2)

Available with or without Frosted
Glass Cylinder



Uptown Mesh Drum With Shade
CHB0019-30-BS-SH-E2
13.8" H x 30" Diameter, OAH Adjustable
E26, GU24 or Integrated LED
White Linen Shade (SH)

As Shown
Metallic Beige Silver opaque finish (BS)
E26 Base (E2)

Also available:
18" and 24" diameter drums with shade
14" diameter semi-flush mount with shade

UPTOWN MESH COLLECTION



Uptown Mesh Cover Sconce
CSB0019-11-BS-F
OAH 11" W 7.8" D 3.9"
E12 Base
ADA Compliant

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Lens (F)



Uptown Mesh Indoor Arm Sconce
IDB0019-11-BS-F-E2
OAH 16.2" W 5.5" D 7"
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinder (F)
E26 Base (E2)

Both Uptown Mesh Sconces are available with exposed lamping (O).



Uptown Mesh Oversized Pendant **NEW**
LAB0019-16-BS-O-E2
16" H x 12" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder - exposed lamping (O)
E26 Base (E2)



Uptown Mesh Oversized Pendant **NEW**
LAB0019-16-BS-F-E2
16" H x 12" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinder (F)
E26 Base (E2)

UPTOWN MESH PENDANTS & WATERFALLS

Uptown Mesh Pendant
LAB0019-11-BS-F-001-E2
12.1" H x 5.3" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinder (F)
Standard Adjustable Stem (001)
E26 Base (E2)

Also available with cord suspension (CO1)



Uptown Mesh Pendant
LAB0019-11-BS-O-001-E2
12.1" H x 5.3" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder - exposed lamping (O)
Standard Adjustable Stem (001)
E26 Base (E2)



Uptown Mesh 3-Piece Round Waterfall
CHB0019-03-BS-O-E2
17.8" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)
No cylinder - exposed lamping (O)
E26 Base (E2)



Also available:
5- and 7-piece linear waterfalls
5-, 8- and 11-piece round waterfalls
9- and 12-piece square waterfalls
See Specifications for details


UPTOWN MESH CONFIGURATION

PLB0019-43-BS-F-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
PLB0019-43	-BS	-F	-001	-E2
UPTOWN MESH LINEAR SUSPENSION	METALLIC BEIGE SILVER	FROSTED GLASS CYLINDERS	STANDARD ADJUSTABLE STEM	E26 BASE

OPAQUE FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS

The Uptown Mesh Drum with Shade and Semi-Flush with Shade ship with a white linen shade (SH) only. Uptown Mesh Single Drum, Pendant, Waterfall, Indoor Sconce and Cover Sconce fixtures can be ordered as specified with a frosted glass cylinder or lens (F) or with no cylinder or lens (O).

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection include stems or cords with canopies as shown below. Height adjustable stems are shipped in 3", 6", 12" and 24" threaded segments. Braided cords in matching color are shipped with 10' of suspension cord per pendant. For OAH information by product, see Specifications at the back of this catalog.



STANDARD
ADJUSTABLE
STEM (001)



STANDARD
CORD (C01)




STANDARD
CORD (C01)



STANDARD CORD (C01)



STANDARD ADJUSTABLE
STEM (001)



STANDARD CORD
DETAIL (C01)

Uptown Mesh Single Drum, Single Drum with Shade and Linear Suspension are available only with standard adjustable stem (001). Uptown Mesh Pendant is available with either a standard adjustable stem (001) or a standard cord (C01). Uptown Mesh Round and Linear Waterfalls are available only with standard cord (C01).

ELECTRICAL OPTIONS

E26 Base (E2) - Standard
 GU 24 Base (G2) - Conforms to 2013 CA Title 24
 Integrated LED (L1)
 Bulbs are not included.

MODELLO COLLECTION

Inspired by popular fabric styles, our take on the shrouded drum features layers of beautifully finished steel, precision-cut into two eye-pleasing designs. Modello Square offers a fresh interpretation of the iconic Roman key pattern, while Modello Ellipse playfully evokes the orbital paths of celestial bodies.

Modello's unique appeal comes from its combination of a common symmetrical form — a drum — with an uncommon, asymmetrical decorative design. Look closely, and you'll notice that no pattern repeat is visible.



Modello Ellipse Pattern Chandelier
CHB0024-24-BS-SH
13.9" H x 24" Diameter, OAH Adjustable
E26 or GU24 Base
White Linen Shade

As Shown
Metallic Beige Silver opaque finish (BS)

Modello Square Pattern Chandelier
CHB0023-24-FB-SH
13.9" H x 24" Diameter, OAH Adjustable
E26 or GU24 Base
White Linen Shade

As Shown
Flat Bronze opaque finish (FB)


MODELLO CONFIGURATION

CHB0024-24-BS-SH-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
CHB0024-24	-BS	-SH	-001	-E2
MODELLO ELLIPSE PATTERN CHANDELIER	METALLIC BEIGE SILVER	LINEN SHADE	STANDARD ADJUSTABLE STEM	E26 BASE

OPAQUE FINISH OPTIONS




METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS

Modello fixtures include a white linen shade (SH).

SUSPENSION OPTIONS

Modello fixtures ship with a standard adjustable stem (001) and round canopy as shown:



ELECTRICAL OPTIONS

E26 Base (E2) - Standard
GU 24 Base (G2) - Conforms to 2013 CA Title 24
Bulbs are not included.

SKYLINE COLLECTION

This distinctive design nods to the modern skyscraper. Subtly tapered layers of laser-cut metal evoke an architectural aesthetic that exudes cool urban sophistication.

Skyline pairs its beautifully finished frame with artisan frosted glass diffusers and white linen shades. Like the collection's namesake, each fixture is engineered and built with meticulous precision, evident in its perfectly spaced panels and seamlessly crafted construction. The look is clean, crisp and contemporary — perfect for today's most popular interior styles.



Skyline Indoor Arm Sconce
IDB0021-11-MB-F-L1
OAH 15.9" W 6.4" D 7.6"
Frosted Glass Cylinder (F)
E26, GU24 or Integrated LED

As Shown
Matte Black opaque finish (MB)
Integrated LED (L1)



Skyline Pendant
LAB0021-11-GB-F-L1
6.4" Square x 11"H, OAH Adjustable
Frosted Glass Cylinder (F)
E26, GU24 or Integrated LED

As Shown
Gilded Brass opaque finish (GB)
integrated LED (L1)



Skyline Indoor Cover Sconce
CSB0021-13-BS-F
OAH 12.8" W 10.1" D 3.9"
Frosted Glass Lens (F)
E12 Base
ADA Compliant

As Shown
Metallic Beige Silver opaque finish (BS)



Skyline Linear Suspension
PLB0021-49-FB-F-E2
H 12.3" W 49.3" D 13.3"
OAH Adjustable
Frosted Glass Cylinders (F)
E26, GU24 or Integrated LED

As Shown
Flat Bronze opaque finish (FB)
E26 Base (E2)



SKYLINE COLLECTION

Skyline Square Chandelier
CHB0021-22-BS-SH
22" Square x 13.1"H, OAH Adjustable
E26 or GU24 Base
White Linen Shade (SH)

As Shown
Metallic Beige Silver opaque finish (BS)



Skyline Semi-Flush with Shade
CLB0021-17-BS-SH
17" Square x 7.4"H, 9.8" OAH
White Linen Shade (SH)
E26 or GU24 Base

As Shown
Metallic Beige Silver opaque finish (BS)


SKYLINE CONFIGURATION

PLB0021-49-FB-F-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
PLB0021-49	-FB	-F	-001	-E2
SKYLINE LINEAR SUSPENSION	FLAT BRONZE	FROSTED GLASS CYLINDER	STANDARD ADJUSTABLE STEM	E26 BASE

FINISH OPTIONS



METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS

The Skyline Chandelier and Semi-Flush with Shade ship with a White Linen Shade (SH) only. All other Skyline fixtures ship with a Frosted Glass Cylinder or Lens (F) only.

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection ship with standard adjustable stems and these canopies:



ELECTRICAL OPTIONS

E26 Base (E2) - Standard
 E12 Base (E1) - Standard for Cover Sconce
 GU 24 Base (G2) - Conforms to 2013 CA Title 24
 Integrated LED (L1)
 Bulbs are not included.

TEMPEST COLLECTION

Swirling bands of smooth steel bring an urban aesthetic to this popular collection. What gives Tempest fixtures their bold look? Heavy 12-gauge steel, handcrafted construction, and a sophisticated asymmetrical design.

No thin metals. No stenciled patterns. No repeats.

The Tempest collection layers its signature steel bands with either a frosted glass diffuser or a crisp linen shade. Or go with vintage bulbs, clear or frosted globes, or any lamping option that suits your style.



Tempest 18" Drum
CHB0013-18-FB-0-E2
11.3" H x 18.3" Diameter, OAH Adjustable
E26 or GU24 Base

As Shown
Flat Bronze opaque finish (FB)
No cylinder - exposed lamping (0)



Tempest 24" Single Drum
CHB0013-24-FB-F
11.3" H x 24.3" Diameter, OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Flat Bronze opaque finish (FB)
Frosted Glass Cylinder (F)



Tempest 30" Drum with Shade
CHB0013-30-FB-SH
14.4" H x 30.3" Diameter, OAH adjustable
White Linen Shade (SH)
E26 or GU24 Base

As Shown
Flat Bronze opaque finish (FB)
E26 Base (E2)

TEXTURED GLASS COLLECTION



Tempest 48" Drum with Shade
CHB0013-48-FB-SH
14.4" H x 48.2" Diameter, OAH adjustable
White Linen Shade (SH)
E26 or GU24 Base

As Shown
Flat Bronze opaque finish (FB)

LARGE SCALE DRUMS

Available in 36" and 48" diameters, with
White Linen Shade or Frosted Glass Cylinders



Tempest 36" Drum
CHB0013-36-BS-F
11.3" H x 36.2" Diameter, OAH adjustable
Frosted Glass Cylinders (F)
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)





Tempest 3-Piece Round Waterfall
CHB0013-03-FB-F
H 12.2" W18" D 18"
OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Flat Bronze opaque finish (FB)
Frosted Glass Cylinders (F)
E-26 Base (E2)

Also available:
5, 8 and 11-piece Round Waterfalls
9- and 12-piece Square Waterfalls
5- and 7-piece Linear Waterfalls
See Specifications for details

TEMPEST COLLECTION




Tempest Oversized Pendant **NEW**
LAB0013-16-BS-F
16.2" H x 12.3" Diameter
OAH Adjustable
E26, GU24 or Integrated LED

As Shown
Metallic Beige Silver opaque finish (BS)
Frosted Glass Cylinder (F)
E26 Base (E2)



Tempest Pendant
LAB0013-11-FB-O-001
11" H x 6.2" Diameter
OAH Adjustable
E26 or GU24 Base

As Shown
Flat Bronze opaque finish (FB)
No cylinder - exposed lamping (O)
Standard Adjustable Stem (001)
E26 Base (E2)



Tempest Indoor Sconce
IDB0013-11-MB-L1
OAH 16.3" W 6.2" D 7.4"
E26, GU24 or Integrated LED

As Shown
Matte Black opaque finish (MB)
Frosted Glass Cylinder (F)
Integrated LED (L1)



Tempest Short Cover Sconce
CSB0013-12-FB-F
OAH 12" W 7.5" D 4"
E12 Base
ADA Compliant

As Shown
Flat Bronze opaque finish (FB)
Frosted Glass Lens (F)

Tempest Cover Sconces are also available with exposed lamping (O).

Tempest Long Cover Sconce
CSB0013-24-FB-F
OAH 24" W 7.5" D 4"
E26, GU24 or Integrated LED
ADA Compliant

As Shown
Flat Bronze opaque finish (FB)
Frosted Glass Lens (F)

TEMPEST COLLECTION



Tempest Semi-Flush with Shade
CLB0013-14-FB-SH
14.3" Diameter x 7.6" H, 10.1" OAH
E26 or GU24 Base
White Linen Shade (SH)

As Shown
Flat Bronze opaque finish (FB)




TEMPEST CONFIGURATION

CHB0013-24-FB-F-001-E2




PRODUCT	-FINISH	-SHADE/LENS	-SUSPENSION	-ELECTRICAL
CHB0013-24	-FB	-F	-001	-E2
TEMPEST 24" SINGLE DRUM	FLAT BRONZE	FROSTED GLASS CYLINDER	STANDARD ADJUSTABLE STEM	E26 BASE

OPAQUE FINISH OPTIONS




METALLIC BEIGE SILVER (BS)



FLAT BRONZE (FB)



MATTE BLACK (MB)



GILDED BRASS (GB)

SHADE | LENS OPTIONS

The Tempest Drum with Shade and Semi-Flush with Shade ship with a White Linen Shade (SH) only. Tempest Single Drum, Pendant, Waterfall, Indoor Sconce and Cover Sconce fixtures can be ordered as specified with a Frosted Glass Cylinder or Lens (F) or with no cylinder or lens (O).

SUSPENSION OPTIONS (HANGING FIXTURES ONLY)

Hanging fixtures in this collection include stems or cords with canopies as shown below. Height adjustable stems are shipped in 3", 6", 12" and 24" threaded segments. Braided cords in matching color are shipped with 10' of suspension cord per pendant. For OAH information by product, see specifications at the back of this catalog.



STANDARD ADJUSTABLE STEM (001)



STANDARD CORD (C01)



STANDARD CORD (C01)



STANDARD CORD (C01)



STANDARD CORD DETAIL (C01)

Tempest Single Drum and Single Drum with Shade are available only with a standard adjustable stem (001). Tempest Pendant is available with either a standard adjustable stem (001) or a standard cord (C01). Tempest Round and Linear Waterfalls are available only with standard cord (C01).

ELECTRICAL OPTIONS

E26 Base (E2) - Standard
 GU 24 Base (G2) - Conforms to 2013 CA Title 24
 Integrated LED (L1)
 Bulbs are not included.

OUTDOOR COLLECTION

For outdoor lighting that's guaranteed to provide lasting beauty with the highest standard of UV and corrosion resistance, look no further.

Hammerton Studio outdoor fixtures withstand all harsh climates, including coastal, tropical, mountain and desert. They're constructed in aluminum with a rugged marine grade pretreatment and finished with super durable, high performance architectural AAMA 2604 powder coats — the same quality and grade of finish that's widely used on aluminum-clad skyscrapers.

This durable design is combined with beautifully handcrafted materials, including kiln-fused textured glass lenses, artisan blown & chilled glass shades and authentic woven mesh. And, like all Hammerton Studio products, our outdoor fixtures are 100% guaranteed for as long as you own them.



Signal Torch Sconce
ODB0043-0H-AG-C
H 23.9" W 6.4" D 8.2"
E26 Base
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Clear Chilled Glass (C)



Tower Torch Sconce
ODB0043-0F-AG-C
H 23.8" W 5.5" D 8.4"
E26 Base
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Clear Chilled Glass (C)

OUTDOOR CHILLED GLASS

Old world lantern silhouettes are reinterpreted in this new collection of outdoor sconces, each hand blown by Hammerton glass artisans. The unique glass texture creates a magical optical effect when paired with vintage bulbs. Each glass design is offered in both a torch sconce and an arm sconce.



Villa Torch Sconce
ODB0043-OD-TB-C
H 23" W 7.4" D 7.7"
E26 Base
Wet Rated

As Shown
Textured Black outdoor finish (TB)
Clear Chilled Glass (C)



Beacon Torch Sconce
ODB0043-OB-AG-C
H 21.8" W 6.9" D 9.1"
E26 Base
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Clear Chilled Glass (C)

OUTDOOR CHILLED GLASS COLLECTION



Tower Arm Sconce
ODB0043-0E-AG-C
H 16.1" W 5.5" D 8.4"
E26 Base
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Clear Chilled Glass (C)




Villa Arm Sconce
ODB0043-0C-TB-C
H 15.4" W 7.4" D 7.7"
E26 Base
Wet Rated

As Shown
Textured Black outdoor finish (TB)
Clear Chilled Glass (C)



Signal Arm Sconce
ODB0043-0G-AG-C
H 16.1" W 6.4" D 8.8"
E26 Base
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Clear Chilled Glass (C)



Beacon Arm Sconce
ODB0043-0A-SB-C
H 14" W 6.9" D 9.1"
E26 Base
Wet Rated

As Shown
Statuary Bronze outdoor finish (SB)
Clear Chilled Glass (C)

Outdoor Chilled Glass shades are offered in both torch and arm sconce styles.

Landmark Torch Sconce
ODB0043-0K-SB-C
H 23.9" W 7.3" D 8.7"
E26 Base
Wet Rated

As Shown
Statuary Bronze outdoor finish (SB)
Clear Chilled Glass (C)



Landmark Arm Sconce
ODB0043-0J-SB-C
H 16.1" W 7.3" D 9.3"
E26 Base
Wet Rated

As Shown
Statuary Bronze outdoor finish (SB)
Clear Chilled Glass (C)

OUTDOOR COLLECTION



Short Square Mesh Cover Sconce
 ODB0040-16-AG-M1P
 OAH 16.2" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Medium Mesh in Platina (M1P)



Short Square Mesh Cover Sconce
 ODB0040-16-SB-M2
 OAH 16.2" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)
 Downtown Mesh (M2)




Short Square Glass Cover Sconce
 ODB0040-16-AG-BG
 OAH 16.2" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Bronze Granite textured glass (BG)



X-Tall Square Mesh Cover Sconce
 ODB0040-29-TB-M3
 OAH 29" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Textured Black outdoor finish (TB)
 Tweed Mesh (M3)



Tall Square Glass Cover Sconce
 ODB0040-23-SB-FG
 OAH 23" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)
 Frosted Granite Textured Glass (FG)



Tall Square Mesh Cover Sconce
 ODB0040-23-AG-M2P
 OAH 23" W 5" D 3.7"
 GU10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Downtown Mesh in Platina (M2P)

OUTDOOR SQUARE COVER SCONCES

Slim design and a breadth of mesh and glass diffuser options make this Square Cover Sconce a versatile go-to fixture for most outdoor applications. Available in 16", 23" or 29" heights, three mesh styles, three textured glass colors and three finishes as shown here and on pages 126-7.

Tall Square Mesh Cover Sconce
ODB0040-23-AG-M3
OAH 23" W 5" D 3.7"
GU10 Base
ADA Compliant
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Tweed Mesh (M3)



OUTDOOR COLLECTION



Flat Glass Panel Cover Sconce
 ODB0031-19-AG-FG
 OAH 19.3" W 7" D 3.5"
 GU 10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Frosted Granite Textured Glass (FG)



Short Round Glass Cover Sconce
 ODB0030-19-AG-FG
 OAH 19.3" W 7" D 3.5"
 GU 10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Frosted Granite Textured Glass (FG)



Short Round Glass Cover Sconce
 ODB0030-19-AG-SG
 OAH 19.3" W 7" D 3.5"
 GU 10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Smoke Granite Textured Glass (SG)



Flat Glass Panel Cover Sconce
 ODB0031-19-AG-BG
 OAH 19.3" W 7" D 3.5"
 GU 10 Base
 ADA Compliant
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Bronze Granite Textured Glass (BG)



Tall Round Glass Cover Sconce
 ODB0030-31-SB-BG
 OAH 31.3" W 7" D 3.5"
 GU 10 Base
 ADA Compliant
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)
 Bronze Granite Textured Glass (BG)




Tall Round Glass Cover Sconce
 ODB0030-31-SB-SG
 OAH 31.3" W 7" D 3.5"
 GU 10 Base
 ADA Compliant
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)
 Smoke Granite Textured Glass (SG)

OUTDOOR PANEL & ROUND COVER SCONCES

40% wider than the Square Cover Sconce and with similar options, these outdoor fixtures make a big design statement. Outdoor panel and round cover sconces are available in 19" and 30" heights, three finishes and four diffuser options as shown here and on pages 126-7.



Flat Mesh Panel Cover Sconce
ODB0031-19-AG-M1
OAH 19.3" W 7" D 3.5"
GU 10 Base
ADA Compliant
Wet Rated

As Shown
Argento Grey outdoor finish (AG)
Medium Mesh (M1)



Tall Round Mesh Cover Sconce
ODB0030-31-SB-M1
OAH 31.3" W 7" D 3.5"
GU 10 Base
ADA Compliant
Wet Rated

As Shown
Statuary Bronze outdoor finish (SB)
Medium Mesh (M1)



Short Round Mesh Cover Sconce
ODB0030-19-SB-M1
OAH 19.3" W 7" D 3.5"
GU 10 Base
ADA Compliant
Wet Rated

As Shown
Statuary Bronze outdoor finish (SB)
Medium Mesh (M1)

OUTDOOR COLLECTION



Downtown Mesh Outdoor Arm Sconce
 ODB0038-11-AG-M2
 OAH 16.1" W 5" D 6.4"
 E26 or GU24 Base
 Frosted Glass Cylinder
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)



Skyline Outdoor Arm Sconce
 ODB0021-11-TB-F-E2
 OAH 15.9" W 6.4" D 7.6"
 Frosted Glass Cylinder (F)
 E26 Base (E2)
 Wet Rated

As Shown
 Textured Black outdoor finish (TB)



Double Box Sconce in Mesh
 ODB0027-18-AG-M1
 OAH 18" W 6" D 6.4"
 E26 or GU24 Base
 Wet Rated

As Shown
 Argento Grey outdoor finish (AG)
 Medium Mesh (M1)



Double Box Sconce in Mesh
 ODB0027-18-SB-M1P
 OAH 18" W 6" D 6.4"
 E26 or GU24 Base
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)
 Medium Mesh in Platina (M1P)



Double Box Sconce
 ODB0027-18-SB
 OAH 18" W 6" D 6.4"
 E26 or GU24 Base
 Wet Rated

As Shown
 Statuary Bronze outdoor finish (SB)


Double Box Sconce in Mesh
ODB0027-18-SB-M1
OAH 18" W 6" D 6.4"
E26 or GU24 Base
Wet Rated


As Shown
Statuary Bronze outdoor finish (SB)
Medium Mesh (M1)


OUTDOOR COLLECTION


ORDERING BY PRODUCT TYPE

Many Hammerton Studio outdoor fixtures offer a wide range of lens options, so use the charts below to help you easily configure these products in your preferred style.

ROUND COVER SCNCES	Lens Type	Tall (31")	Short (19")
	Frosted Granite	ODB0030-31-XX-FG	ODB0030-19-XX-FG
	Smoke Granite	ODB0030-31-XX-SG	ODB0030-19-XX-SG
	Bronze Granite	ODB0030-31-XX-BG	ODB0030-19-XX-BG
	Medium Mesh	ODB0030-31-XX-M1	ODB0030-19-XX-M1
	Med. Mesh - Platina	ODB0030-31-XX-MIP	ODB0030-19-XX-MIP
	Dimensions	OAH 31.3" W 7" D 3.5"	OAH 19.3" W 7" D 3.5"
	Electrical Options	GU10 Base (G1)	

SQUARE COVER SCNCES	Lens Type	Tall (23")	Short (16")
	Frosted Granite	ODB0040-23-XX-FG	ODB0040-16-XX-FG
	Smoke Granite	ODB0040-23-XX-SG	ODB0040-16-XX-SG
	Bronze Granite	ODB0040-23-XX-BG	ODB0040-16-XX-BG
	Medium Mesh	ODB0040-23-XX-M1	ODB0040-16-XX-M1
	Med. Mesh - Platina	ODB0040-23-XX-MIP	ODB0040-16-XX-MIP
	Downtown Mesh	ODB0040-23-XX-M2	ODB0040-16-XX-M2
	Downtown Mesh - Platina	ODB0040-23-XX-M2P	ODB0040-16-XX-M2P
	Tweed Mesh	ODB0040-23-XX-M3	ODB0040-16-XX-M3
	Tweed Mesh - Platina	ODB0040-23-XX-M3P	ODB0040-16-XX-M3P
	Dimensions	OAH 23" W 5.7" D 3.7"	OAH 16.2" W 5.7" D 3.7"
Electrical Options	GU10 Base (G1)		

FLAT PANEL SCNCES	Lens Type	19" (One Size Only)
	Frosted Granite	ODB0031-19-XX-FG
	Smoke Granite	ODB0031-19-XX-SG
	Bronze Granite	ODB0031-19-XX-BG
	Medium Mesh	ODB0031-19-XX-M1
	Med. Mesh - Platina	ODB0031-19-XX-MIP
	Dimensions	OAH 19.3" W 7" D 3.5"
Electrical Options	GU10 Base (G1)	

DOUBLE BOX SCNCES	Outer Lens*	18" (One Size Only)
	Clear Seeded Glass	ODB0027-18-XX
	Medium Mesh	ODB0027-18-XX-M1
	Medium Mesh - Platina	ODB0027-18-XX-M1P
	Dimensions	OAH 18" W 6" D 6.4"
	Electrical Options	E26(E2) or GU24 (G2)

* Standard Inner lens is Frosted Seeded Glass

The Skyline Arm Sconce ODB0021-11-XX and the Downtown Mesh Arm Sconce ODB0038-11-XX are offered only with a frosted glass cylinder in your choice of the three outdoor finishes at right.

OUTDOOR CONFIGURATION

ODB0030-19-AG-SG-G1



PRODUCT	-FINISH	-SHADE/LENS	-ELECTRICAL
ODB0030-19	-AG	-SG	-G1
OUTDOOR SHORT ROUND COVER	ARGENTO GREY	SMOKE GRANITE	GU10 BASE


FINISH OPTIONS



ARGENTO GREY (AG)



TEXTURED BLACK (TB)



STATUARY BRONZE (SB)

SHADE/LENS OPTIONS

Please see the configuration charts at left to view the lens options available for each product.



FROSTED GRANITE (FG) TEXTURED GLASS



BRONZE GRANITE (BG) TEXTURED GLASS



SMOKE GRANITE (SG) TEXTURED GLASS



MEDIUM MESH (M1) *



MEDIUM MESH IN PLATINA (M1P)



DOWNTOWN MESH (M2) *



DOWNTOWN MESH IN PLATINA (M2P)



TWEED MESH (M3) *



TWEED IN PLATINA (M3P)

*Shown in Statuary Bronze. Mesh not specified in Platina will be finished in the color that is specified for the fixture.

ELECTRICAL OPTIONS

GU10 Base (G1) - Standard for Round, Flat Panel and Square Cover Sconce
 E26 Base (E2) - Standard for Double Box Cover Sconce and Downtown Mesh Arm Sconce
 GU24 Base (G2) - Conforms to 2013 CA Title 24 - Optional for Double Box Cover Sconce, Downtown Mesh Arm Sconce and Skyline Arm Sconce only
 Bulbs are not included.



Beacon Arm Sconce
ODB0043-0A-SB-C
H 14" W 6.9" D 9.1"
E26 Base
Wet Rated

As Shown
Statuary Bronze outdoor finish (SB)
Clear Chilled Glass (C)






Tweed Linear Suspension
PLB0037-45-GB-0
H 9.8" x W 45" x D 7.8"
OAH Adjustable
E26 or GU24 Base


As Shown
Gilded Brass opaque finish (GB)
Exposed lamping (O)
E26 Base (E2)


HAMMERTON STUDIO SPECIFICATIONS


CHB0013-03			Tempest Round Waterfall-03	
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 18.2" Depth: 18.2" Wt: 20 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 16 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,025 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CHB0013-05			Tempest Round Waterfall-05	
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 20.3" Depth: 20.3" Wt: 30 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CHB0013-08			Tempest Round Waterfall-08	
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 27.9" Depth: 27.9" Wt: 55 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 2,735 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CHB0013-09			Tempest Square Waterfall-09	
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 28" Depth: 28" Wt: 79 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 47 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 3,080 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CHB0013-11			Tempest Round Waterfall-11	
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 34" Depth: 34" Wt: 98 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 57 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 3,765 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS

CHB0013-12		Tempest Square Waterfall-12		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 33.9" Depth: 33.9" Wt: 113 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 62 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 4,105 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cord, Adjustable 15.7"-133.7"</p>		

CHB0013-18		Tempest Drum-18		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 18" Depth: 18.3" Wt: 21 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 100 Watts, A19 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 18.4"-72.4"</p>		

CHB0013-18-SH		Tempest Drum with Linen Shade-18		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 18" Depth: 18.3" Wt: 22 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>White Linen Shade</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 20.5"-74.5"</p>		

CHB0013-24		Tempest Drum-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24" Depth: 24.3" Wt: 27 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 100 Watts, A19 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 18.4"-72.4"</p>		

CHB0013-24-SH		Tempest Drum with Linen Shade-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24" Depth: 24.3" Wt: 28 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>White Linen Shade</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 21"-75"</p>		

HAMMERTON STUDIO SPECIFICATIONS

CHB0013-30		Tempest Drum-30		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	** Integrated LED, 21 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</i>	<i>Frosted Glass</i> No Lens, Exposed Lamping
	Width: 30"	<i>Gilded Brass</i>	*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i>	
	Depth: 30.2"	<i>Matte Black</i>		
	Wt: 32 lb	<i>Metallic Beige Silver</i>	E26 Base, 100 Watts, A19 <i>Dimmable</i>	
	Mtg Pkt: Y		Overall Height Options <i>Rod, Adjustable in 3" Increments, 18.4"-72.4"</i>	
	Rating: Dry			
	Elec Qty: 1			
	Voltage: 120			
	Top: Open			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		







CHB0013-30-SH		Tempest Drum with Linen Shade-30		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i>	<i>White Linen Shade</i>
	Width: 30"	<i>Gilded Brass</i>	E26 Base, 60 Watts, A19 <i>Dimmable</i>	
	Depth: 30.3"	<i>Matte Black</i>		
	Wt: 33 lb	<i>Metallic Beige Silver</i>	Overall Height Options <i>Rod, Adjustable in 3" Increments, 21.1"-75.1"</i>	
	Mtg Pkt: Y			
	Rating: Dry			
	Elec Qty: 4			
	Voltage: 120			
	Top: Open			
	Bottom: Fabric			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		

CHB0013-36		Tempest Drum-36		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	** Integrated LED, 21 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,365 lm</i>	<i>Frosted Glass</i> No Lens, Exposed Lamping
	Width: 36.2"	<i>Gilded Brass</i>	*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i>	
	Depth: 36.2"	<i>Matte Black</i>		
	Wt: 50 lb	<i>Metallic Beige Silver</i>	E26 Base, 60 Watts, B11 <i>Dimmable</i>	
	Mtg Pkt: S		Overall Height Options <i>Rod, Adjustable in 3" Increments, 20.2"-74.2"</i>	
	Rating: Dry			
	Elec Qty: 4			
	Voltage: 120			
	Top: Open			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		






CHB0013-36-SH		Tempest Drum with Linen Shade-36		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i>	<i>White Linen Shade</i>
	Width: 36.2"	<i>Gilded Brass</i>	E26 Base, 60 Watts, A19 <i>Dimmable</i>	
	Depth: 36.2"	<i>Matte Black</i>		
	Wt: 50 lb	<i>Metallic Beige Silver</i>	Overall Height Options <i>Rod, Adjustable in 3" Increments, 23.3"-77.3"</i>	
	Mtg Pkt: S			
	Rating: Dry			
	Elec Qty: 4			
	Voltage: 120			
	Top: Open			
	Bottom: Fabric			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		

CHB0013-48		Tempest Drum-48		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	** Integrated LED, 21 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,435 lm</i>	<i>Frosted Glass</i> No Lens, Exposed Lamping
	Width: 48.2"	<i>Gilded Brass</i>	*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i>	
	Depth: 48.2"	<i>Matte Black</i>		
	Wt: 70 lb	<i>Metallic Beige Silver</i>	E26 Base, 60 Watts, B11 <i>Dimmable</i>	
	Mtg Pkt: S		Overall Height Options <i>Rod, Adjustable in 3" Increments, 20.2"-74.2"</i>	
	Rating: Dry			
	Elec Qty: 8			
	Voltage: 120			
	Top: Open			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		






HAMMERTON STUDIO SPECIFICATIONS

CHB0013-48-SH		Tempest Drum with Linen Shade-48		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 48.2" Depth: 48.2" Wt: 70 lb Mtg Pkt: S Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Fabric</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retrofit</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i></p>	<p><i>White Linen Shade</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0018-03		Bamboo Round Waterfall-03		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 9" Depth: 9" Wt: 10 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>Integrated LED, 16 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 1,025 lm</i></p>	<p><i>Bamboo Glass</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0018-05		Bamboo Round Waterfall-05		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 12" Depth: 12" Wt: 15 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependent</i></p>	<p><i>Bamboo Glass</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0018-08		Bamboo Round Waterfall-08		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24.4" Depth: 24.4" Wt: 33 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>Integrated LED, 41 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 2,735 lm</i></p>	<p><i>Bamboo Glass</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0018-08		Bamboo Round Waterfall-08		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24.4" Depth: 24.4" Wt: 33 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>Integrated LED, 41 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 2,735 lm</i></p>	<p><i>Bamboo Glass</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0018-09		Bamboo Square Waterfall-09		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24.4" Depth: 24.4" Wt: 54 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>Integrated LED, 47 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 3,080 lm</i></p>	<p><i>Bamboo Glass</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


HAMMERTON STUDIO SPECIFICATIONS


CHB0018-11		Bamboo Round Waterfall-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 30.5" Depth: 30.5" Wt: 67 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent</p> <p>Integrated LED, 57 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 3,765 lm</p>	<p>Bamboo Glass</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0018-12		Bamboo Square Waterfall-12		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 30.3" Depth: 30.3" Wt: 79 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent</p> <p>Integrated LED, 62 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 4,105 lm</p>	<p>Bamboo Glass</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0019-03		Uptown Mesh Round Waterfall-03		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 17.8" Depth: 17.8" Wt: 14 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 16 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,025 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0019-05		Uptown Mesh Round Waterfall-05		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 19.8" Depth: 19.8" Wt: 19 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0019-08		Uptown Mesh Round Waterfall-08		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 27.4" Depth: 27.4" Wt: 38 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 2,735 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


HAMMERTON STUDIO SPECIFICATIONS


CHB0019-09		Uptown Mesh Square Waterfall-09		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 27.3" Depth: 27.3" Wt: 60 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 47 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 3,080 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p> <p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0019-11		Uptown Mesh Round Waterfall-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 33.4" Depth: 33.4" Wt: 75 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 57 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 3,765 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p> <p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0019-12		Uptown Mesh Square Waterfall-12		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 33.3" Depth: 33.3" Wt: 88 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 62 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 4,105 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p> <p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0019-18		Uptown Mesh Drum-18		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 18.3" Depth: 18.3" Wt: 11 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 100 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 18.4"-72.4"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0019-18-SH		Uptown Mesh Drum with Linen Shade-18		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 18.3" Depth: 18.3" Wt: 11 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 19.9"-73.9"</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


HAMMERTON STUDIO SPECIFICATIONS

CHB0019-24		Uptown Mesh Drum-24	
Specifications	Finish Options	Electrical Options	Lens/Shade Options
 <p>Ht: See Opt Width: 24.3" Depth: 24.3" Wt: 13 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 100 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 18.4"-72.4"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	






CHB0019-24-SH		Uptown Mesh Drum with Linen Shade-24	
Specifications	Finish Options	Electrical Options	Lens/Shade Options
 <p>Ht: See Opt Width: 24.3" Depth: 24.3" Wt: 13 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 20.4"-74.4"</p>	<p>White Linen Shade</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	

CHB0019-30-SH		Uptown Mesh Drum with Linen Shade-30	
Specifications	Finish Options	Electrical Options	Lens/Shade Options
 <p>Ht: See Opt Width: 30.3" Depth: 30.3" Wt: 17 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 20.9"-74.9"</p>	<p>White Linen Shade</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	






CHB0020-03		Downtown Mesh Round Waterfall-03	
Specifications	Finish Options	Electrical Options	Lens/Shade Options
 <p>Ht: See Opt Width: 16.5" Depth: 16.5" Wt: 17 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 16 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,025 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p> <p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	

CHB0020-05		Downtown Mesh Round Waterfall-05	
Specifications	Finish Options	Electrical Options	Lens/Shade Options
 <p>Ht: See Opt Width: 18.4" Depth: 18.4" Wt: 25 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p> <p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	






HAMMERTON STUDIO SPECIFICATIONS

CHB0020-08		Downtown Mesh Round Waterfall-08		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 26" Depth: 26" Wt: 47 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p>** Integrated LED, 41 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 2,735 lm</i></p> <p>*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i></p> <p>E26 Base, 60 Watts, B11 <i>Dimmable</i></p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-09		Downtown Mesh Square Waterfall-09		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 25.7" Depth: 25.7" Wt: 70 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p>** Integrated LED, 47 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 3,080 lm</i></p> <p>*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i></p> <p>E26 Base, 60 Watts, B11 <i>Dimmable</i></p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-11		Downtown Mesh Round Waterfall-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 31.8" Depth: 31.8" Wt: 87 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p>** Integrated LED, 57 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 3,765 lm</i></p> <p>*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i></p> <p>E26 Base, 60 Watts, B11 <i>Dimmable</i></p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-12		Downtown Mesh Square Waterfall-12		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 31.7" Depth: 31.7" Wt: 101 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p>** Integrated LED, 62 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 4,105 lm</i></p> <p>*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i></p> <p>E26 Base, 60 Watts, B11 <i>Dimmable</i></p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-19		Downtown Mesh Drum-19		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 19.3" Depth: 19.3" Wt: 14 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p>** Integrated LED, 21 W, CCT:2700 K <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 1,365 lm</i></p> <p>*GU24 Base, 13 Watts, CFL/LED Retro <i>Dimmable, Lamping Dependant</i></p> <p>E26 Base, 100 Watts, A19 <i>Dimmable</i></p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		






HAMMERTON STUDIO SPECIFICATIONS

CHB0020-19-SH		Downtown Mesh Drum with Linen Shade-19		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 19.3" Depth: 19.3" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 20.5"-74.5"</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-24		Downtown Mesh Drum-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24" Depth: 24" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 100 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 18.2"-72.2"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-24-SH		Downtown Mesh Drum with Linen Shade-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24" Depth: 24" Wt: 16 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 21"-75"</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-31-SH		Downtown Mesh Drum with Linen Shade-31		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 31" Depth: 31" Wt: 18 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 21.5"-75.5"</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-38		Downtown Mesh Drum-38		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 38.4" Depth: 38.4" Wt: 50 lb Mtg Pkt: S Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, B11 Dimmable</p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 20.1"-74.1"</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		






HAMMERTON STUDIO SPECIFICATIONS

CHB0020-38-SH		Downtown Mesh Drum with Linen Shade-38		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 38.4" Depth: 38.4" Wt: 50 lb Mtg Pkt: S Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i></p>	<p><i>White Linen Shade</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-48		Downtown Mesh Drum-48		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 47.9" Depth: 47.9" Wt: 60 lb Mtg Pkt: S Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>** Integrated LED, 21 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Ambient - 1,435 lm</i></p> <p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>E26 Base, 60 Watts, B11</i> <i>Dimmable</i></p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0020-48-SH		Downtown Mesh Drum with Linen Shade-48		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 47.9" Depth: 47.9" Wt: 60 lb Mtg Pkt: S Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Fabric</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i></p>	<p><i>White Linen Shade</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0021-22-SH		Skyline Chandelier-22		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 21.8" Depth: 21.8" Wt: 20 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i></p>	<p><i>White Linen Shade</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0023-24-SH		Modelo Chandelier-Square Pattern-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 23.8" Depth: 24" Wt: 28 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i></p> <p><i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i></p>	<p><i>White Linen Shade</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		






HAMMERTON STUDIO SPECIFICATIONS

CHB0024-24-SH		Modello Chandelier-Ellipse Pattern-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 23.8" Depth: 24" Wt: 28 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0026-0A		Urban Loft Square Chandelier-0A		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24" Depth: 24" Wt: 30 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Frosted Acrylic</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0032-0D		Ironwood Square Chandelier-0D		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24" Depth: 24" Wt: 30 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Frosted Acrylic</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0033-0A		Carlyle Square Chandelier-0A		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24" Depth: 24" Wt: 30 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Frosted Acrylic</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0033-0B-0		Torchlight Ring Chandelier with Candle Cover		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 29.9" Depth: 29.9" Wt: 25 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: N/A Bottom: N/A</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>E12 Base, 60 Watts, B9.5 Dimmable</p>	<p>No Shade, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
		<p>Overall Height Options</p> <p>Rod, Adjustable in 3" Increments, 19.7"-67.7"</p>		<p>Accent Options</p> <p>Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Ivory Wisp Glass</p>






HAMMERTON STUDIO SPECIFICATIONS

CHB0033-0B-Cylinder		Torchtlight Ring Chandelier with Cylinder Shade		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 30.4" Depth: 30.4" Wt: 25 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: N/A Bottom: N/A</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>E12 Base, 60 Watts, B9.5 Dimmable</p>	<p>Clear Seeded Glass Cylinder Frosted Seeded Glass Cylinder Light Glass Cylinder</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
Overall Height Options		Rod, Adjustable in 3" Increments, 19.7"-67.7"		
Accent Options		<p>Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Ivory Wisp Glass</p>		
CHB0033-0B-SH		Torchtlight Ring Chandelier with Linen Shade		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 32.9" Depth: 32.9" Wt: 25 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: N/A Bottom: N/A</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>E12 Base, 60 Watts, B9.5 Dimmable</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
Overall Height Options		Rod, Adjustable in 3" Increments, 19.7"-67.7"		
Accent Options		<p>Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Ivory Wisp Glass</p>		
CHB0033-0C		Corona Ring Chandelier-0C		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 23" Depth: 23" Wt: 30 lb Mtg Pkt: T Rating: Dry Elec Qty: 12 Voltage: 120 Top: Open Bottom: Frosted Glass</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>Integrated LED, 31 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 970 lm; Down - 1,370 lm</p>	<p>Frosted Seeded Glass Cylinder Light Glass Cylinder</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
Overall Height Options		Cable, Adjustable 15"-146"		
CHB0033-0D		Corona Ring Chandelier-0D		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 34" Depth: 34" Wt: 45 lb Mtg Pkt: Z Rating: Dry Elec Qty: 16 Voltage: 120 Top: Open Bottom: Frosted Glass</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,595 lm; Down - 1,370 lm</p>	<p>Frosted Seeded Glass Cylinder Light Glass Cylinder</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
Overall Height Options		Cable, Adjustable 24"-146"		
CHB0033-0E		Corona Ring Chandelier-0E		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 45" Depth: 45" Wt: 65 lb Mtg Pkt: Z Rating: Dry Elec Qty: 20 Voltage: 120 Top: Open Bottom: Frosted Glass</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,945 lm; Down - 1,370 lm</p>	<p>Frosted Seeded Glass Cylinder Light Glass Cylinder</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
Overall Height Options		Cable, Adjustable 36"-145"		


HAMMERTON STUDIO SPECIFICATIONS


CHB0035-03		Ellisse Round Waterfall-03		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 18.5" Depth: 18.5" Wt: 20 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0035-05		Ellisse Round Waterfall-05		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 20.5" Depth: 20.5" Wt: 30 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0035-08		Ellisse Round Waterfall-08		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 28.3" Depth: 28.3" Wt: 55 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0035-09		Ellisse Square Waterfall-09		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 28.1" Depth: 28.1" Wt: 79 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0035-11		Ellisse Round Waterfall-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 34.1" Depth: 34.1" Wt: 98 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


HAMMERTON STUDIO SPECIFICATIONS


CHB0035-12	Ellisse Square Waterfall-12			
	Specifications Ht: See Opt Width: 34.2" Depth: 34.2" Wt: 113 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Bottom: Open	Finish Options Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Electrical Options E26 Base, 40 Watts, A19 Dimmable Overall Height Options Cord, Adjustable 15"-133"	Lens/Shade Options Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0035-30	Ellisse Chandelier-30			
	Specifications Ht: See Opt Width: 34.6" Depth: 34.6" Wt: 60 lb Mtg Pkt: S Rating: Dry Elec Qty: 6 Voltage: 120 Top: Closed Bottom: Open	Finish Options Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Electrical Options E26 Base, 40 Watts, A19 Dimmable Overall Height Options Rod, Adjustable in 3" Increments, 43.2"-97.2"	Lens/Shade Options Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0036-03	Coppa Round Waterfall-03			
	Specifications Ht: See Opt Width: 20" Depth: 20" Wt: 16 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Bottom: Open	Finish Options Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Electrical Options E26 Base, 40 Watts, A19 Dimmable Overall Height Options Cord, Adjustable 11.6"-129.6"	Lens/Shade Options Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0036-05	Coppa Round Waterfall-05			
	Specifications Ht: See Opt Width: 22" Depth: 22" Wt: 22 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Bottom: Open	Finish Options Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Electrical Options E26 Base, 40 Watts, A19 Dimmable Overall Height Options Cord, Adjustable 11.6"-129.6"	Lens/Shade Options Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0036-08	Coppa Round Waterfall-08			
	Specifications Ht: See Opt Width: 29.7" Depth: 29.7" Wt: 42 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Closed Bottom: Open	Finish Options Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Electrical Options E26 Base, 40 Watts, A19 Dimmable Overall Height Options Cord, Adjustable 11.6"-129.6"	Lens/Shade Options Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

HAMMERTON STUDIO SPECIFICATIONS

CHB0036-09		Coppa Square Waterfall-09		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 29.6" Depth: 29.6" Wt: 65 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cord, Adjustable 11.6"-129.6"</p>		






CHB0036-11		Coppa Round Waterfall-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 35.7" Depth: 35.7" Wt: 80 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cord, Adjustable 11.6"-129.6"</p>		

CHB0036-12		Coppa Square Waterfall-12		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 35.6" Depth: 35.6" Wt: 94 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cord, Adjustable 11.6"-129.6"</p>		

CHB0036-30		Coppa Chandelier-30		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 36.1" Depth: 36.1" Wt: 55 lb Mtg Pkt: S Rating: Dry Elec Qty: 6 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 37.8"-91.8"</p>		






CHB0037-24		Tweed Drum-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24.5" Depth: 24.5" Wt: 25 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>** Integrated LED, 21 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 1,365 lm</i></p> <p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependant</i></p> <p><i>E26 Base, 100 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 18.7"-72.7"</p>		

HAMMERTON STUDIO SPECIFICATIONS

CHB0037-24-SH		Tweed Drum with Linen Shade-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 24.5" Depth: 24.5" Wt: 25 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0037-36		Tweed Drum-36		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 35.9" Depth: 35.9" Wt: 50 lb Mtg Pkt: S Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0037-36-SH		Tweed Drum with Linen Shade-36		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 35.9" Depth: 35.9" Wt: 50 lb Mtg Pkt: S Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0037-48		Tweed Drum-48		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 47.6" Depth: 47.6" Wt: 65 lb Mtg Pkt: S Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,435 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0037-48-SH		Tweed Drum with Linen Shade-48		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 47.6" Depth: 47.6" Wt: 65 lb Mtg Pkt: S Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Fabric</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>White Linen Shade</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


HAMMERTON STUDIO SPECIFICATIONS

CHB0039-03		Gem Round Waterfall-03		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 20.1" Depth: 20.1" Wt: 14 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Bottom: Closed Glass	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Integrated LED, 16 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,025 lm	Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options		Cord, Adjustable 14.6"-132.6"		
CHB0039-08		Gem Round Waterfall-08		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 28.1" Depth: 28.1" Wt: 37 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Closed Bottom: Closed Glass	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 2,735 lm	Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options		Cord, Adjustable 14.6"-132.6"		
CHB0039-09		Gem Square Waterfall-09		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 30.1" Depth: 30.1" Wt: 58 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Closed Bottom: Closed Glass	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Integrated LED, 47 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 3,080 lm	Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options		Cord, Adjustable 14.6"-132.6"		
CHB0039-0A		Bezel Ring Chandelier-0A		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 28" Depth: 28" Wt: 32 lb Mtg Pkt: T Rating: Dry Elec Qty: 8 Voltage: 120 Top: Closed Glass Bottom: Frosted Glass	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	Integrated LED, 31 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 740 lm; Down - 1,370 lm	Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options		Cable, Adjustable 15"-146"		
CHB0039-0B		Bezel Ring Chandelier-0B		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 27.4" Depth: 27.4" Wt: 36 lb Mtg Pkt: T Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Glass Bottom: Frosted Glass	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	Integrated LED, 31 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 970 lm; Down - 1,370 lm	Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options		Cable, Adjustable 15"-146"		

CHB0039-0C		Bezel Ring Chandelier-0C		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 37.4" Depth: 37.4" Wt: 52 lb Mtg Pkt: Z Rating: Dry Elec Qty: 16 Voltage: 120 Top: Closed Glass Bottom: Frosted Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i></p>	<p><i>Integrated LED, 41 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Ambient - 1,595 lm; Down - 1,370 lm</i></p>	<p><i>Blown Glass Gem - Bronze</i> <i>Blown Glass Gem - Clear</i> <i>Blown Glass Gem - Frosted</i> <i>Blown Glass Gem - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0039-0D		Bezel Ring Chandelier-0D		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 48.7" Depth: 48.7" Wt: 76 lb Mtg Pkt: Z Rating: Dry Elec Qty: 20 Voltage: 120 Top: Closed Glass Bottom: Frosted Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i></p>	<p><i>Integrated LED, 41 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Ambient - 1,945 lm; Down - 1,370 lm</i></p>	<p><i>Blown Glass Gem - Bronze</i> <i>Blown Glass Gem - Clear</i> <i>Blown Glass Gem - Frosted</i> <i>Blown Glass Gem - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0039-11		Gem Round Waterfall-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 35.6" Depth: 35.6" Wt: 74 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 57 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 3,765 lm</i></p>	<p><i>Blown Glass Gem - Bronze</i> <i>Blown Glass Gem - Clear</i> <i>Blown Glass Gem - Frosted</i> <i>Blown Glass Gem - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0039-12		Gem Square Waterfall-12		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 35.6" Depth: 35.6" Wt: 85 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 62 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 4,105 lm</i></p>	<p><i>Blown Glass Gem - Bronze</i> <i>Blown Glass Gem - Clear</i> <i>Blown Glass Gem - Frosted</i> <i>Blown Glass Gem - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CHB0041-03		Apothecary Round Chandelier-03		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 17.3" Depth: 17.4" Wt: 16 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

HAMMERTON STUDIO SPECIFICATIONS

CHB0041-05 Apothecary Round Chandelier-05



Specifications	
Ht:	See Opt
Width:	18.8"
Depth:	20.7"
Wt:	20 lb
Mtg Pkt:	W
Rating:	Dry
Elec Qty:	5
Voltage:	120
Top:	Closed
Bottom:	Open

Finish Options	
<i>Flat Bronze</i>	
<i>Gilded Brass</i>	
<i>Matte Black</i>	
<i>Metallic Beige Silver</i>	


Electrical Options	
<i>E26 Base, 40 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Bronze</i>	
<i>Blown Glass - Clear</i>	
<i>Blown Glass - Smoke</i>	

Overall Height Options
Cord, Adjustable 19.8"-137.8"

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CHB0041-08 Apothecary Round Chandelier-08



Specifications	
Ht:	See Opt
Width:	26.0"
Depth:	29.0"
Wt:	35 lb
Mtg Pkt:	R
Rating:	Dry
Elec Qty:	8
Voltage:	120
Top:	Closed
Bottom:	Open

Finish Options	
<i>Flat Bronze</i>	
<i>Gilded Brass</i>	
<i>Matte Black</i>	
<i>Metallic Beige Silver</i>	


Electrical Options	
<i>E26 Base, 40 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Bronze</i>	
<i>Blown Glass - Clear</i>	
<i>Blown Glass - Smoke</i>	

Overall Height Options
Cord, Adjustable 19.8"-137.8"

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CHB0041-09 Apothecary Square Chandelier-09



Specifications	
Ht:	See Opt
Width:	29.6"
Depth:	29.6"
Wt:	60 lb
Mtg Pkt:	R
Rating:	Dry
Elec Qty:	9
Voltage:	120
Top:	Closed
Bottom:	Open

Finish Options	
<i>Flat Bronze</i>	
<i>Gilded Brass</i>	
<i>Matte Black</i>	
<i>Metallic Beige Silver</i>	


Electrical Options	
<i>E26 Base, 40 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Bronze</i>	
<i>Blown Glass - Clear</i>	
<i>Blown Glass - Smoke</i>	

Overall Height Options
Cord, Adjustable 19.8"-137.8"

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CHB0041-11 Apothecary Round Chandelier-11



Specifications	
Ht:	See Opt
Width:	32.6"
Depth:	34.1"
Wt:	70 lb
Mtg Pkt:	R
Rating:	Dry
Elec Qty:	11
Voltage:	120
Top:	Closed
Bottom:	Open

Finish Options	
<i>Flat Bronze</i>	
<i>Gilded Brass</i>	
<i>Matte Black</i>	
<i>Metallic Beige Silver</i>	


Electrical Options	
<i>E26 Base, 40 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Bronze</i>	
<i>Blown Glass - Clear</i>	
<i>Blown Glass - Smoke</i>	

Overall Height Options
Cord, Adjustable 19.8"-137.8"

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CHB0041-12 Apothecary Square Chandelier-12



Specifications	
Ht:	See Opt
Width:	33.6"
Depth:	33.6"
Wt:	85 lb
Mtg Pkt:	R
Rating:	Dry
Elec Qty:	12
Voltage:	120
Top:	Closed
Bottom:	Open

Finish Options	
<i>Flat Bronze</i>	
<i>Gilded Brass</i>	
<i>Matte Black</i>	
<i>Metallic Beige Silver</i>	

Electrical Options	
<i>E26 Base, 40 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Bronze</i>	
<i>Blown Glass - Clear</i>	
<i>Blown Glass - Smoke</i>	


Overall Height Options
Cord, Adjustable 19.8"-137.8"

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*


HAMMERTON STUDIO SPECIFICATIONS

CHB0042-03		Parallel Glass Round Waterfall-03		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 16 W, CCT:2700 K</i>	<i>Granite Glass - Bronze</i>
	Width: 16.5"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Granite Glass - Clear</i>
Depth: 16.5"	Wt: 14 lb	<i>Matte Black</i>	<i>Source: Down - 1,025 lm</i>	<i>Granite Glass - Smoke</i>
Mtg Pkt: W	Rating: Dry	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Clear</i>
Elec Qty: 3	Voltage: 120			
Top: Closed	Bottom: Frosted Glass			
			Overall Height Options	
			<i>Cord, Adjustable 17.3"-135.3"</i>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CHB0042-08		Parallel Glass Round Waterfall-08		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 41 W, CCT:2700 K</i>	<i>Granite Glass - Bronze</i>
	Width: 24.0"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Granite Glass - Clear</i>
Depth: 24.0"	Wt: 46 lb	<i>Matte Black</i>	<i>Source: Down - 2,735 lm</i>	<i>Granite Glass - Smoke</i>
Mtg Pkt: R	Rating: Dry	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Clear</i>
Elec Qty: 8	Voltage: 120			
Top: Closed	Bottom: Frosted Glass			
			Overall Height Options	
			<i>Cord, Adjustable 17.3"-135.3"</i>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CHB0042-09		Parallel Glass Square Waterfall-09		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 47 W, CCT:2700 K</i>	<i>Granite Glass - Bronze</i>
	Width: 26.0"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Granite Glass - Clear</i>
Depth: 26.0"	Wt: 60 lb	<i>Matte Black</i>	<i>Source: Down - 3,080 lm</i>	<i>Granite Glass - Smoke</i>
Mtg Pkt: R	Rating: Dry	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Clear</i>
Elec Qty: 9	Voltage: 120			
Top: Closed	Bottom: Frosted Glass			
			Overall Height Options	
			<i>Cord, Adjustable 17.3"-135.3"</i>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CHB0042-11		Parallel Glass Round Waterfall-11		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 57 W, CCT:2700 K</i>	<i>Granite Glass - Bronze</i>
	Width: 32.5"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Granite Glass - Clear</i>
Depth: 32.5"	Wt: 75 lb	<i>Matte Black</i>	<i>Source: Down - 3,765 lm</i>	<i>Granite Glass - Smoke</i>
Mtg Pkt: R	Rating: Dry	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Clear</i>
Elec Qty: 11	Voltage: 120			
Top: Closed	Bottom: Frosted Glass			
			Overall Height Options	
			<i>Cord, Adjustable 17.3"-135.3"</i>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CHB0042-12		Parallel Glass Square Waterfall-12		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 62 W, CCT:2700 K</i>	<i>Granite Glass - Bronze</i>
	Width: 32.5"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Granite Glass - Clear</i>
Depth: 32.5"	Wt: 90 lb	<i>Matte Black</i>	<i>Source: Down - 4,105 lm</i>	<i>Granite Glass - Smoke</i>
Mtg Pkt: R	Rating: Dry	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Clear</i>
Elec Qty: 12	Voltage: 120			
Top: Closed	Bottom: Frosted Glass			
			Overall Height Options	
			<i>Cord, Adjustable 17.3"-135.3"</i>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		


HAMMERTON STUDIO SPECIFICATIONS

CHB0042-24		Parallel Ring Chandelier-24		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 23.9" Depth: 23.9" Wt: 24 lb Mtg Pkt: T Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Bottom: Frosted Glass</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>Integrated LED, 31 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,430 lm; Down - 720 lm</p>	<p>Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Rimelight Glass - Clear</p>	
		<p>Overall Height Options Cable, Adjustable 14.6"-124.6"</p>		


*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

CHB0042-33		Parallel Ring Chandelier-33		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 32.7" Depth: 32.7" Wt: 30 lb Mtg Pkt: T Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Bottom: Frosted Glass</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>Integrated LED, 31 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,430 lm; Down - 720 lm</p>	<p>Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Rimelight Glass - Clear</p>	
		<p>Overall Height Options Cable, Adjustable 17.1"-124.6"</p>		


*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

CHB0044-03		Textured Glass Round Waterfall-03		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 17.8" Depth: 17.8" Wt: 22 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass Rimelight Glass - Frosted Strata Glass - Frosted</p>	
		<p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>		

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

CHB0044-05		Textured Glass Round Waterfall-05		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 19.8" Depth: 19.8" Wt: 32 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass Rimelight Glass - Frosted Strata Glass - Frosted</p>	
		<p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>		

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

CHB0044-08		Textured Glass Round Waterfall-08		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 27.4" Depth: 27.4" Wt: 58 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent</p> <p>E26 Base, 60 Watts, A19 Dimmable</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass Rimelight Glass - Frosted Strata Glass - Frosted</p>	
		<p>Overall Height Options Cord, Adjustable 15.5"-133.5"</p>		

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

HAMMERTON STUDIO SPECIFICATIONS

CHB0044-09 Textured Glass Square Waterfall-09

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 28.0" Depth: 28.0" Wt: 83 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Open Bottom: Open	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
		Overall Height Options <i>Cord, Adjustable 15.5"-133.5"</i>		

CHB0044-11 Textured Glass Round Waterfall-11

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 33.4" Depth: 33.4" Wt: 102 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Open Bottom: Open	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
		Overall Height Options <i>Cord, Adjustable 15.5"-133.5"</i>		

CHB0044-12 Textured Glass Square Waterfall-12

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 33.9" Depth: 33.9" Wt: 118 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Open Bottom: Open	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
		Overall Height Options <i>Cord, Adjustable 15.5"-133.5"</i>		






CHB0044-23 Textured Glass Chandelier-23

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 24" Depth: 24" Wt: 20 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Frosted Acrylic	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 75 Watts, A19</i> <i>Dimmable</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
		Overall Height Options <i>Rod, Adjustable in 3" Increments, 12.4"-66.4"</i>		






CHB0044-24 Textured Glass Chandelier-24

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 24.2" Depth: 24.2" Wt: 28 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Frosted Acrylic	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 75 Watts, A19</i> <i>Dimmable</i>	<i>Granite Glass - Frosted</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
		Overall Height Options <i>Rod, Adjustable in 3" Increments, 14.4"-68.4"</i>		

HAMMERTON STUDIO SPECIFICATIONS


CHB0044-30		Textured Glass Chandelier-30		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 30.2" Depth: 30.2" Wt: 36 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Frosted Acrylic</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependant</i></p> <p><i>E26 Base, 75 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Granite Glass - Frosted</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
CHB0045-03		Hedra Round Waterfall-03		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 21.2" Depth: 21.2" Wt: 16 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 16 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 1,025 lm</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
CHB0045-08		Hedra Round Waterfall-08		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 30.7" Depth: 30.7" Wt: 38 lb Mtg Pkt: R Rating: Dry Elec Qty: 8 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 41 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 2,735 lm</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
CHB0045-09		Hedra Square Waterfall-09		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 30.5" Depth: 30.5" Wt: 59 lb Mtg Pkt: R Rating: Dry Elec Qty: 9 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 47 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 3,080 lm</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
CHB0045-11		Hedra Round Waterfall-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 36.5" Depth: 36.5" Wt: 81 lb Mtg Pkt: R Rating: Dry Elec Qty: 11 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 57 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 3,765 lm</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i></p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		

HAMMERTON STUDIO SPECIFICATIONS


CHB0045-12		Hedra Square Waterfall-12		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 36.7" Depth: 36.7" Wt: 105 lb Mtg Pkt: R Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 62 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 4,105 lm</i></p> <p>Overall Height Options <i>Cord, Adjustable 15.9"-133.9"</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i></p>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CLB0013-14-SH		Tempest Semi-Flush-14		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 10.1" Width: 14.2" Depth: 14.2" Wt: 8 lb Mtg Pkt: Y Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Fabric</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependant</i></p> <p><i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i></p>	<p><i>White Linen Shade</i></p>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CLB0018-03		Bamboo Flush Mount-03		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 14.9" Width: 9" Depth: 9" Wt: 8 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>** Integrated LED, 16 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 1,025 lm</i></p> <p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependant</i></p>	<p><i>Bamboo Glass</i></p>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CLB0018-03-AA		Bamboo Flush Mount-03-Mixed Glass		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 17.5" Width: 9" Depth: 9" Wt: 8 lb Mtg Pkt: W Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>** Integrated LED, 16 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 1,025 lm</i></p> <p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependant</i></p>	<p><i>Bamboo Glass Mixed Length</i></p>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
CLB0018-05		Bamboo Flush Mount-05		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 14.9" Width: 12" Depth: 12" Wt: 12 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>GU10 Base, 10 Watts, MR16 LED Retrofit</i> <i>Dimmable, Lamping Dependant</i></p>	<p><i>Bamboo Glass</i></p>	
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		

HAMMERTON STUDIO SPECIFICATIONS


CLB0018-05-AA Bamboo Flush Mount-05-Mixed Glass

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 17.5" Width: 12" Depth: 12" Wt: 12 lb Mtg Pkt: W Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Metal Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent	Bamboo Glass Mixed Length
<small>*Electrical option conforms to CA Title 24 2013 Standard</small>		<small>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</small>		


CLB0019-14-SH Uptown Mesh Semi-Flush-14

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 10.1" Width: 14.3" Depth: 14.3" Wt: 5 lb Mtg Pkt: Y Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Fabric	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	White Linen Shade
<small>*Electrical option conforms to CA Title 24 2013 Standard</small>		<small>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</small>		


CLB0020-14-SH Downtown Mesh Semi-Flush-14

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 10.1" Width: 14.5" Depth: 14.5" Wt: 5 lb Mtg Pkt: Y Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Fabric	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	White Linen Shade
<small>*Electrical option conforms to CA Title 24 2013 Standard</small>		<small>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</small>		






CLB0021-17-SH Skyline Semi-Flush-17

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 9.8" Width: 16.6" Depth: 16.6" Wt: 5 lb Mtg Pkt: Y Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Fabric	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	White Linen Shade
<small>*Electrical option conforms to CA Title 24 2013 Standard</small>		<small>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</small>		

CLB0033-0A Carlisle Semi-Flush-0A

	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 7" Width: 20.9" Depth: 20.9" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: N/A	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Frosted Glass
<small>*Electrical option conforms to CA Title 24 2013 Standard</small>		<small>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</small>		





HAMMERTON STUDIO SPECIFICATIONS

CLB0037-14-SH		Tweed Semi-Flush-14		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 10.2" Width: 14.6" Depth: 14.6" Wt: 10 lb Mtg Pkt: Y Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Fabric	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	White Linen Shade
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0013-12		Tempest Cover Sconce-12		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 12" Width: 7.5" Depth: 4" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E12 Base, 60 Watts, B9.5 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0013-24		Tempest Cover Sconce-24		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 24" Width: 7.5" Depth: 4" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0019-11		Uptown Mesh Cover Sconce-11		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 11" Width: 7.6" Depth: 3.9" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E12 Base, 60 Watts, B9.5 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0020-13		Downtown Mesh Cover Sconce-13		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 13" Width: 7.9" Depth: 3.8" Wt: 8 lb Mtg Pkt: U Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E12 Base, 60 Watts, B9.5 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS


CSB0021-13		Skyline Cover Sconce-13		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 12.8" Width: 10.1" Depth: 3.9" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E12 Base, 60 Watts, B9.5 Dimmable	Frosted Glass
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
CSB0026-0A		Urban Loft Angle Cover Sconce-0A		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 21.7" Width: 5.5" Depth: 3.8" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
CSB0026-0A-SH		Urban Loft Angle Cover Sconce-0A-Linen Shade		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 21.7" Width: 5.5" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant	White Linen Shade
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
CSB0026-0D		Urban Loft Trestle Cover Sconce-0D		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 21.7" Width: 5.5" Depth: 3.8" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
CSB0026-0D-SH		Urban Loft Trestle Cover Sconce-0D-Linen Shade		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 21.7" Width: 5.5" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant	White Linen Shade
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	


HAMMERTON STUDIO SPECIFICATIONS


CSB0029-0A		Script Mayfair Cover Sconce-0A		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 23" Width: 7.3" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0029-0A-SH		Script Mayfair Cover Sconce-0A-Linen Shade		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 23" Width: 7.3" Depth: 3.5" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent	White Linen Shade
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0029-0B		Script Rhumba Cover Sconce-0B		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 20.7" Width: 5.5" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0029-0B-SH		Script Rhumba Cover Sconce-0B-Linen Shade		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 20.7" Width: 5.5" Depth: 3.5" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent	White Linen Shade
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0029-0C		Script Royal Cover Sconce-0C		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 19.3" Width: 11.4" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS

CSB0029-OC-SH		Script Royal Cover Sconce-OC-Linen Shade			
Specifications	Finish Options	Electrical Options	Lens/Shade Options		
 <p>ADA Compliant</p>	Ht: 19.3"	<i>Flat Bronze</i>	*GU24 Base, 13 Watts, CFL/LED Retro	White Linen Shade	
	Width: 11.4"	<i>Gilded Brass</i>	<i>Dimmable, Lamping Dependent</i>		
	Depth: 3.5"	<i>Matte Black</i>			
	Wt: 5 lb	<i>Metallic Beige Silver</i>	E26 Base, 13 Watts, CFL/LED Retro		
	Mtg Pkt: U		<i>Dimmable, Lamping Dependent</i>		
	Rating: Dry				
	Elec Qty: 1				
	Voltage: 120				
	Top: Open				
	Bottom: Closed Metal				
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>			

CSB0029-OD		Script Clef Cover Sconce-OD			
Specifications	Finish Options	Electrical Options	Lens/Shade Options		
 <p>ADA Compliant</p>	Ht: 18.1"	<i>Flat Bronze</i>	*GU24 Base, 13 Watts, CFL/LED Retro	Granite Glass - Bronze	
	Width: 5.5"	<i>Gilded Brass</i>	<i>Dimmable, Lamping Dependent</i>	Granite Glass - Frosted	
	Depth: 3.8"	<i>Matte Black</i>		Granite Glass - Smoke	
	Wt: 5 lb	<i>Metallic Beige Silver</i>	E26 Base, 60 Watts, A19	Ivory Wisp Glass	
	Mtg Pkt: U		<i>Dimmable</i>		
	Rating: Dry				
	Elec Qty: 1				
	Voltage: 120				
	Top: Open				
	Bottom: Closed Metal				
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>			

CSB0029-OD-SH		Script Clef Cover Sconce-OD-Linen Shade			
Specifications	Finish Options	Electrical Options	Lens/Shade Options		
 <p>ADA Compliant</p>	Ht: 18.1"	<i>Flat Bronze</i>	*GU24 Base, 13 Watts, CFL/LED Retro	White Linen Shade	
	Width: 5.5"	<i>Gilded Brass</i>	<i>Dimmable, Lamping Dependent</i>		
	Depth: 3.5"	<i>Matte Black</i>			
	Wt: 5 lb	<i>Metallic Beige Silver</i>	E26 Base, 13 Watts, CFL/LED Retro		
	Mtg Pkt: U		<i>Dimmable, Lamping Dependent</i>		
	Rating: Dry				
	Elec Qty: 1				
	Voltage: 120				
	Top: Open				
	Bottom: Closed Metal				
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>			

CSB0032-OA		Ironwood Twig Cover Sconce-OA			
Specifications	Finish Options	Electrical Options	Lens/Shade Options		
 <p>ADA Compliant</p>	Ht: 24.2"	<i>Flat Bronze</i>	*GU24 Base, 13 Watts, CFL/LED Retro	Granite Glass - Bronze	
	Width: 6.6"	<i>Gilded Brass</i>	<i>Dimmable, Lamping Dependent</i>	Granite Glass - Frosted	
	Depth: 3.8"	<i>Gunmetal</i>		Granite Glass - Smoke	
	Wt: 5 lb	<i>Matte Black</i>	E26 Base, 60 Watts, A19	Ivory Wisp Glass	
	Mtg Pkt: U	<i>Metallic Beige Silver</i>	<i>Dimmable</i>		
	Rating: Dry	<i>Oil Rubbed Bronze</i>			
	Elec Qty: 1	<i>Satin Nickel</i>			
	Voltage: 120				
	Top: Open				
	Bottom: Closed Metal				
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>			


CSB0032-OA-SH		Ironwood Twig Cover Sconce-OA-Linen Shade			
Specifications	Finish Options	Electrical Options	Lens/Shade Options		
 <p>ADA Compliant</p>	Ht: 24.2"	<i>Flat Bronze</i>	*GU24 Base, 13 Watts, CFL/LED Retro	White Linen Shade	
	Width: 6.6"	<i>Gilded Brass</i>	<i>Dimmable, Lamping Dependent</i>		
	Depth: 3.5"	<i>Gunmetal</i>			
	Wt: 5 lb	<i>Matte Black</i>	E26 Base, 13 Watts, CFL/LED Retro		
	Mtg Pkt: U	<i>Metallic Beige Silver</i>	<i>Dimmable, Lamping Dependent</i>		
	Rating: Dry	<i>Oil Rubbed Bronze</i>			
	Elec Qty: 1	<i>Satin Nickel</i>			
	Voltage: 120				
	Top: Open				
	Bottom: Closed Metal				
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>			

HAMMERTON STUDIO SPECIFICATIONS

CSB0032-0B		Ironwood Sprout Cover Sconce-0B				
Specifications		Finish Options	Electrical Options	Lens/Shade Options		
<p>ADA Compliant</p>	Ht: 21.5" Width: 11.4" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass		
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.			
	CSB0032-0B-SH		Ironwood Sprout Cover Sconce-0B-Linen Shade			
	Specifications		Finish Options	Electrical Options	Lens/Shade Options	
	<p>ADA Compliant</p>	Ht: 21.5" Width: 11.4" Depth: 3.5" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent	White Linen Shade	
		*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
		CSB0032-0C		Ironwood Twist Cover Sconce-0C		
		Specifications		Finish Options	Electrical Options	Lens/Shade Options
		<p>ADA Compliant</p>	Ht: 20" Width: 11.4" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
			*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0032-0C-SH			Ironwood Twist Cover Sconce-0C-Linen Shade			
Specifications			Finish Options	Electrical Options	Lens/Shade Options	
<p>ADA Compliant</p>			Ht: 20" Width: 11.4" Depth: 3.5" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent	White Linen Shade
			*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
	CSB0032-0D		Ironwood Thistle Cover Sconce-0D			
	Specifications		Finish Options	Electrical Options	Lens/Shade Options	
	<p>ADA Compliant</p>		Ht: 22.6" Width: 5.5" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
			*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	

HAMMERTON STUDIO SPECIFICATIONS

CSB0032-OD-SH Ironwood Thistle Cover Sconce-OD-Linen Shade




ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 22.6" Width: 5.5" Depth: 3.5" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>White Linen Shade</i>

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CSB0033-0A Carlyle Vertex Cover Sconce-0A




ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 19.1" Width: 11" Depth: 3.8" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i>

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CSB0033-0A-SH Carlyle Vertex Cover Sconce-0A-Linen Shade




ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 19.1" Width: 11" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>White Linen Shade</i>

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CSB0033-0B Carlyle Square Link Cover Sconce-0B




ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 18.6" Width: 11" Depth: 3.8" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i>

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

CSB0033-0B-SH Carlyle Square Link Cover Sconce-0B-Linen Shade








ADA Compliant






Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 18.6" Width: 11" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	<i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i> <i>E26 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>White Linen Shade</i>

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

HAMMERTON STUDIO SPECIFICATIONS

CSB0033-OC		Carlyle Quattro Cover Sconce-OC		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 19.6" Width: 11" Depth: 3.8" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0033-OC-SH		Carlyle Quattro Cover Sconce-OC-Linen Shade		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 19.6" Width: 11" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent	White Linen Shade
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0033-OD		Carlyle Round Link Cover Sconce-OD		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 15.6" Width: 11.4" Depth: 3.8" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0033-OD-SH		Carlyle Round Link Cover Sconce-OD-Linen Shade		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 15.6" Width: 11.4" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent	White Linen Shade
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
CSB0033-OE		Carlyle Circllet Cover Sconce-OE		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
 <p>ADA Compliant</p>	Ht: 15.5" Width: 11.4" Depth: 3.8" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS

CSB0033-0E-SH		Carlyle Circllet Cover Sconce-0E-Linen Shade		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 15.5" Width: 11.4" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Closed Metal</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> Dimmable, Lamping Dependant</p> <p><i>E26 Base, 13 Watts, CFL/LED Retro</i> Dimmable, Lamping Dependant</p>	<p><i>White Linen Shade</i></p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CSB0044-0A		Textured Glass Round Cover Sconce-0A		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 7" Width: 11.4" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Frosted Acrylic</p>	<p><i>Gunmetal</i> <i>Matte Black</i> <i>Oil Rubbed Bronze</i> <i>Polished Brass</i> <i>Polished Nickel</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> Dimmable, Lamping Dependant</p> <p><i>E26 Base, 60 Watts, A19</i> Dimmable</p>	<p><i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i></p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CSB0044-0B		Textured Glass Square Cover Sconce-0B		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 7" Width: 11" Depth: 3.8" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Frosted Acrylic</p>	<p><i>Gunmetal</i> <i>Matte Black</i> <i>Oil Rubbed Bronze</i> <i>Polished Brass</i> <i>Polished Nickel</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> Dimmable, Lamping Dependant</p> <p><i>E26 Base, 60 Watts, A19</i> Dimmable</p>	<p><i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i></p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CSB0044-13		Textured Glass Cover Sconce-13		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 13.5" Width: 6" Depth: 4" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> Dimmable, Lamping Dependant</p> <p><i>E26 Base, 60 Watts, A19</i> Dimmable</p>	<p><i>Granite Glass - Frosted</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i></p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
CSB0044-26		Textured Glass Cover Sconce-26		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 25.5" Width: 6" Depth: 4" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Gunmetal</i> <i>Matte Black</i> <i>Metallic Beige Silver</i> <i>Oil Rubbed Bronze</i> <i>Satin Nickel</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> Dimmable, Lamping Dependant</p> <p><i>E26 Base, 60 Watts, A19</i> Dimmable</p>	<p><i>Granite Glass - Frosted</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i></p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


HAMMERTON STUDIO SPECIFICATIONS

IDB0013-11	Tempest Indoor Sconce-11			
	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 16.3" Width: 6.2" Depth: 7.4" Wt: 8 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0018-01	Bamboo Single Sconce			
	Specifications	Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 14.2" Width: 5.5" Depth: 3.3" Wt: 4 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependant Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm	Bamboo Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0018-02	Bamboo Double Sconce			
	Specifications	Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 23.2" Width: 5.5" Depth: 3.3" Wt: 6 lb Mtg Pkt: U Rating: Dry Elec Qty: 2 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependant Integrated LED, 11 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 340 lm; Down - 340 lm	Bamboo Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0019-11	Uptown Mesh Indoor Sconce-11			
	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 16.25" Width: 5.5" Depth: 7" Wt: 7 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0020-11	Downtown Mesh Indoor Sconce-11			
	Specifications	Finish Options	Electrical Options	Lens/Shade Options
	Ht: 16.1" Width: 5" Depth: 6.4" Wt: 6 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS

IDB0021-11		Skyline Indoor Sconce-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 15.9" Width: 6.4" Depth: 7.6" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependant</i></p> <p><i>E26 Base, 60 Watts, B11</i> <i>Dimmable</i></p> <p><i>Integrated LED, 5.2 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase or 0-10v to 1%</i> <i>Source: Down - 340 lm</i></p>	<p><i>Frosted Glass</i></p>	


*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

IDB0035-16		Ellisse Indoor Sconce-16		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 16.5" Width: 6.5" Depth: 7.7" Wt: 7 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	


*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

IDB0036-11		Coppa Indoor Sconce-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 11.0" Width: 8" Depth: 9.5" Wt: 6 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>E26 Base, 40 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Optic Blown Glass - Bronze</i> <i>Optic Blown Glass - Clear</i> <i>Optic Blown Glass - Smoke</i></p>	

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

IDB0039-10		Gem Indoor Sconce-10		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 9.3" Width: 6.3" Depth: 8.3" Wt: 6 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 5.2 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase or 0-10v to 1%</i> <i>Source: Down - 340 lm</i></p>	<p><i>Blown Glass Gem - Bronze</i> <i>Blown Glass Gem - Clear</i> <i>Blown Glass Gem - Frosted</i> <i>Blown Glass Gem - Smoke</i></p>	

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.


IDB0039-11		Gem Indoor Sconce-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 10.7" Width: 8.2" Depth: 8.9" Wt: 6 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 5.2 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase or 0-10v to 1%</i> <i>Source: Down - 340 lm</i></p>	<p><i>Blown Glass Gem - Bronze</i> <i>Blown Glass Gem - Clear</i> <i>Blown Glass Gem - Frosted</i> <i>Blown Glass Gem - Smoke</i></p>	


*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.


HAMMERTON STUDIO SPECIFICATIONS


IDB0041-14		Apothecary Indoor Sconce-14		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 13.5" Width: 8.0" Depth: 8.4" Wt: 8 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Blown Glass - Bronze Blown Glass - Clear Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0041-16		Apothecary Indoor Sconce-16		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 15.6" Width: 5.5" Depth: 6.9" Wt: 8 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Blown Glass - Bronze Blown Glass - Clear Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0041-20		Apothecary Indoor Sconce-20		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 19.6" Width: 6.0" Depth: 7.4" Wt: 10 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Blown Glass - Bronze Blown Glass - Clear Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0042-1A		Parallel Glass Indoor Sconce-1A		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 15.4" Width: 5.3" Depth: 3.6" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Frosted Glass	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm	Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Rimelight Glass - Clear
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
IDB0044-14		Textured Glass Wall Sconce-14		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 13" Width: 5.8" Depth: 7.5" Wt: 6 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass Rimelight Glass - Frosted Strata Glass - Frosted
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS






IDB0044-18		Textured Glass Wall Sconce-18		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 17" Width: 5.8" Depth: 7.5" Wt: 7 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependant</i></p> <p><i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i></p>	<p><i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

IDB0045-11		Hedra Indoor Sconce-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 10.7" Width: 7.8" Depth: 8.6" Wt: 5 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 5.2 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase or 0-10v to 1%</i> <i>Source: Down - 340 lm</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


IDB0045-12		Hedra Indoor Sconce-10		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 12" Width: 9.2" Depth: 9.2" Wt: 6 lb Mtg Pkt: U Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>Integrated LED, 5.2 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase or 0-10v to 1%</i> <i>Source: Down - 340 lm</i></p>	<p><i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


LAB0013-11		Tempest Pendant-Rod Suspended-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 6.2" Depth: 6" Wt: 8 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>** Integrated LED, 5.2 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase or 0-10v to 1%</i> <i>Source: Down - 340 lm</i></p> <p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependant</i></p> <p><i>E26 Base, 60 Watts, B11</i> <i>Dimmable</i></p> <p>Overall Height Options Rod, Adjustable in 3" Increments, 18.4"-72.4"</p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


LAB0013-11-C		Tempest Pendant-Cord Suspended-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 6.2" Depth: 6" Wt: 6 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p><i>Flat Bronze</i> <i>Gilded Brass</i> <i>Matte Black</i> <i>Metallic Beige Silver</i></p>	<p><i>** Integrated LED, 5.2 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase or 0-10v to 1%</i> <i>Source: Down - 340 lm</i></p> <p><i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependant</i></p> <p><i>E26 Base, 60 Watts, B11</i> <i>Dimmable</i></p> <p>Overall Height Options Cord, Adjustable 14.9"-132.9"</p>	<p><i>Frosted Glass</i> <i>No Lens, Exposed Lamping</i></p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

LAB0013-16		Tempest Oversized Pendant-Rod Suspended-16		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 12" Depth: 12.3" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm	Frosted Glass No Lens, Exposed Lamping
	Overall Height Options Rod, Adjustable in 3" Increments, 23.3"-77.3"		*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
LAB0018-01		Bamboo Pendant		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 6" Depth: 6" Wt: 5 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm	Bamboo Glass
	Overall Height Options Cord, Adjustable 16.6"-134.6"		*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
LAB0019-11		Uptown Mesh Pendant-Rod Suspended-11		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 5.3" Depth: 5.5" Wt: 7 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	Overall Height Options Rod, Adjustable in 3" Increments, 18.3"-72.3"		*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
LAB0019-11-C		Uptown Mesh Pendant-Cord Suspended-11		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 5.3" Depth: 5.5" Wt: 6 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	Overall Height Options Cord, Adjustable 14.8"-132.8"		*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
LAB0019-16		Uptown Mesh Oversized Pendant-Rod Suspended-16		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 12.0" Depth: 12.2" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm	Frosted Glass No Lens, Exposed Lamping
	Overall Height Options Rod, Adjustable in 3" Increments, 23.3"-77.4"		*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS

LAB0020-11		Downtown Mesh Pendant-Rod Suspended-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 4.1" Depth: 4" Wt: 9 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 18.2"-72.2"</p>		






LAB0020-11-C		Downtown Mesh Pendant-Cord Suspended-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 4.1" Depth: 4" Wt: 7 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cord, Adjustable 14.7"-132.7"</p>		

LAB0020-16		Downtown Mesh Oversized Pendant-Rod Suspended-16		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 11.5" Depth: 11.6" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, A19 Dimmable</p> <p>Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 23.3"-77.3"</p>		

LAB0021-11		Skyline Pendant-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 6.4" Depth: 6.4" Wt: 5 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p> <p>Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm</p>	<p>Frosted Glass</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 18.1"-72.1"</p>		

LAB0026-0A		Urban Loft Trestle Pendant-0A		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 5.8" Depth: 5.8" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 27.3"-72.3"</p>		

HAMMERTON STUDIO SPECIFICATIONS

LAB0026-0B		Urban Loft Alchemy Pendant-0B		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>E26 Base, 60 Watts, A19</i>	<i>Blown Glass - Bronze</i>
	Width: 8.5"	<i>Gilded Brass</i>	<i>Dimmable</i>	<i>Blown Glass - Clear</i>
	Depth: 8.5"	<i>Gunmetal</i>		<i>Blown Glass - Smoke</i>
	Wt: 10 lb	<i>Matte Black</i>		
	Mtg Pkt: Y	<i>Metallic Beige Silver</i>		
	Rating: Dry	<i>Oil Rubbed Bronze</i>		
	Elec Qty: 1	<i>Satin Nickel</i>		
	Voltage: 120			
	Top: Open			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
LAB0032-0D		Ironwood Thistle Pendant-0D		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i>	<i>Granite Glass - Bronze</i>
	Width: 5.8"	<i>Gilded Brass</i>	<i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Frosted</i>
	Depth: 5.8"	<i>Gunmetal</i>		<i>Granite Glass - Smoke</i>
	Wt: 10 lb	<i>Matte Black</i>	<i>E26 Base, 60 Watts, A15</i>	<i>Ivory Wisp Glass</i>
	Mtg Pkt: Y	<i>Metallic Beige Silver</i>	<i>Dimmable</i>	
	Rating: Dry	<i>Oil Rubbed Bronze</i>		
	Elec Qty: 1	<i>Satin Nickel</i>		
	Voltage: 120			
	Top: Open			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
LAB0035-01		Ellisse Pendant		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>E26 Base, 40 Watts, A19</i>	<i>Optic Blown Glass - Bronze</i>
	Width: 6.5"	<i>Gilded Brass</i>	<i>Dimmable</i>	<i>Optic Blown Glass - Clear</i>
	Depth: 6.5"	<i>Matte Black</i>		<i>Optic Blown Glass - Smoke</i>
	Wt: 7 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: Y			
	Rating: Dry			
	Elec Qty: 1			
	Voltage: 120			
	Top: Closed			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
LAB0036-01		Coppa Pendant		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>E26 Base, 40 Watts, A19</i>	<i>Optic Blown Glass - Bronze</i>
	Width: 8"	<i>Gilded Brass</i>	<i>Dimmable</i>	<i>Optic Blown Glass - Clear</i>
	Depth: 8"	<i>Matte Black</i>		<i>Optic Blown Glass - Smoke</i>
	Wt: 5 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: Y			
	Rating: Dry			
	Elec Qty: 1			
	Voltage: 120			
	Top: Closed			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		
LAB0037-16		Tweed Oversized Pendant-16		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i>	<i>Frosted Glass</i>
	Width: 12.2"	<i>Gilded Brass</i>	<i>Dimmable, Lamping Dependent</i>	<i>No Lens, Exposed Lamping</i>
	Depth: 12"	<i>Matte Black</i>		
	Wt: 17 lb	<i>Metallic Beige Silver</i>	<i>E26 Base, 60 Watts, A19</i>	
	Mtg Pkt: Y		<i>Dimmable</i>	
	Rating: Dry		<i>Integrated LED, 21 W, CCT:2700 K</i>	
	Elec Qty: 1		<i>Dimmable, Forward/Reverse Phase to 1%</i>	
	Voltage: 120		<i>Source: Down - 1,365 lm</i>	
	Top: Open			
	Bottom: Open			
<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>		

HAMMERTON STUDIO SPECIFICATIONS

LAB0039-01		Gem Pendant-01		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 7.8" Depth: 8.4" Wt: 5 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm	Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 13.8"-131.8"				
LAB0041-08		Apothecary Pendant-08		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 8" Depth: 8" Wt: 8 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Blown Glass - Bronze Blown Glass - Clear Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 13.1"-131.9"				
LAB0041-10		Apothecary Pendant-10		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 6" Depth: 6" Wt: 7 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Blown Glass - Bronze Blown Glass - Clear Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 15"-133.8"				
LAB0041-14		Apothecary Pendant-14		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 6" Depth: 6" Wt: 10 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Blown Glass - Bronze Blown Glass - Clear Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 19.1"-137.9"				
LAB0042-01		Parallel Glass Pendant-01		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 4.3" Depth: 2.3" Wt: 5 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Frosted Glass	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm	Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Rimelight Glass - Clear
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 16.5"-134.5"				

HAMMERTON STUDIO SPECIFICATIONS

LAB0044-08		Textured Glass Pendant-Rod Suspended-08		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Bronze</i>
	Width: 6.3"	<i>Gilded Brass</i>		<i>Granite Glass - Frosted</i>
	Depth: 5.7"	<i>Gunmetal</i>		<i>Granite Glass - Smoke</i>
	Wt: 6 lb	<i>Matte Black</i>	<i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Ivory Wisp Glass</i>
	Mtg Pkt: Y	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Frosted</i>
	Rating: Dry	<i>Oil Rubbed Bronze</i>		<i>Strata Glass - Frosted</i>
	Elec Qty: 1	<i>Satin Nickel</i>		
	Voltage: 120			
	Top: Open			
	Bottom: Open			
		Overall Height Options <i>Rod, Adjustable in 3" Increments, 14.1"-68.1"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
LAB0044-08-C		Textured Glass Pendant-Cord Suspended-08		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Bronze</i>
	Width: 6.3"	<i>Gilded Brass</i>		<i>Granite Glass - Frosted</i>
	Depth: 5.7"	<i>Matte Black</i>		<i>Granite Glass - Smoke</i>
	Wt: 5 lb	<i>Metallic Beige Silver</i>	<i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Ivory Wisp Glass</i>
	Mtg Pkt: Y			<i>Rimelight Glass - Frosted</i>
	Rating: Dry			<i>Strata Glass - Frosted</i>
	Elec Qty: 1			
	Voltage: 120			
	Top: Open			
	Bottom: Open			
		Overall Height Options <i>Cord, Adjustable 14.7"-132.7"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
LAB0044-12		Textured Glass Pendant-Rod Suspended-12		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Bronze</i>
	Width: 6.3"	<i>Gilded Brass</i>		<i>Granite Glass - Frosted</i>
	Depth: 5.7"	<i>Gunmetal</i>		<i>Granite Glass - Smoke</i>
	Wt: 7 lb	<i>Matte Black</i>	<i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Ivory Wisp Glass</i>
	Mtg Pkt: Y	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Frosted</i>
	Rating: Dry	<i>Oil Rubbed Bronze</i>		<i>Strata Glass - Frosted</i>
	Elec Qty: 1	<i>Satin Nickel</i>		
	Voltage: 120			
	Top: Open			
	Bottom: Open			
		Overall Height Options <i>Rod, Adjustable in 3" Increments, 18.1"-72.1"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
LAB0044-12-C		Textured Glass Pendant-Cord Suspended-12		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Bronze</i>
	Width: 6.3"	<i>Gilded Brass</i>		<i>Granite Glass - Frosted</i>
	Depth: 5.7"	<i>Matte Black</i>		<i>Granite Glass - Smoke</i>
	Wt: 6 lb	<i>Metallic Beige Silver</i>	<i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Ivory Wisp Glass</i>
	Mtg Pkt: Y			<i>Rimelight Glass - Frosted</i>
	Rating: Dry			<i>Strata Glass - Frosted</i>
	Elec Qty: 1			
	Voltage: 120			
	Top: Open			
	Bottom: Open			
		Overall Height Options <i>Cord, Adjustable 14.7"-132.7"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
LAB0044-16		Textured Glass Oversized Pendant-Rod Suspended-16		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Bronze</i>
	Width: 16"	<i>Gilded Brass</i>		<i>Granite Glass - Frosted</i>
	Depth: 12.4"	<i>Gunmetal</i>		<i>Granite Glass - Smoke</i>
	Wt: 25 lb	<i>Matte Black</i>	<i>E26 Base, 60 Watts, A19</i> <i>Dimmable</i>	<i>Rimelight Glass - Frosted</i>
	Mtg Pkt: Y	<i>Metallic Beige Silver</i>		
	Rating: Dry	<i>Oil Rubbed Bronze</i>		
	Elec Qty: 1	<i>Satin Nickel</i>	<i>Integrated LED, 21 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 1,365 lm</i>	
	Voltage: 120			
	Top: Open			
	Bottom: Open			
		Overall Height Options <i>Rod, Adjustable in 3" Increments, 22.1"-76.1"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

HAMMERTON STUDIO SPECIFICATIONS


LAB0045-01		Hedra Pendant-01		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 9.2" Depth: 8.0" Wt: 6 lb Mtg Pkt: Y Rating: Dry Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*Integrated LED, 5.2 W, CCT:2700 K Dimmable, Forward/Reverse Phase or 0-10v to 1% Source: Down - 340 lm	Blown Glass - Bronze Blown Glass - Clear Blown Glass - Frosted Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
ODB0021-11		Outdoor Skyline Sconce-11		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 15.9" Width: 6.4" Depth: 7.6" Wt: 5 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Open	Argento Grey Statuary Bronze Textured Black	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, B11 Dimmable	Frosted Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
ODB0027-18-Glass		Outdoor Double Box Cover Sconce with Glass		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 18" Width: 6" Depth: 6.4" Wt: 10 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Glass - Clear Seeded/Frosted Seeded
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
ODB0027-18-M1		Outdoor Double Box Cover Sconce with Medium Mesh		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 18" Width: 6" Depth: 6.4" Wt: 10 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, A19 Dimmable	Med Mesh Platina/Frosted Seeded Glas. Medium Mesh/Frosted Seeded Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
ODB0030-19-Glass		Outdoor Short Round Cover Sconce with Glass		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: 19.3" Width: 7" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
ADA Compliant				

HAMMERTON STUDIO SPECIFICATIONS

ODB0030-19-M1		Outdoor Short Round Cover Sconce with Medium Mesh		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 19.3" Width: 7" Depth: 3.5" Wt: 8 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Medium Mesh - Finished to Match Medium Mesh - Platina Finish
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
ODB0030-31-Glass		Outdoor Tall Round Cover Sconce with Glass		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 31.3" Width: 7" Depth: 3.5" Wt: 20 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
ODB0030-31-M1		Outdoor Tall Round Cover Sconce with Medium Mesh		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 31.3" Width: 7" Depth: 3.5" Wt: 17 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Medium Mesh - Finished to Match Medium Mesh - Platina Finish
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
ODB0031-19-Glass		Outdoor Short Panel Cover Sconce with Glass		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 19.3" Width: 7" Depth: 3.5" Wt: 10 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	
ODB0031-19-M1		Outdoor Short Panel Cover Sconce with Medium Mesh		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
<p>ADA Compliant</p>	Ht: 19.3" Width: 7" Depth: 3.5" Wt: 8 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Medium Mesh - Finished to Match Medium Mesh - Platina Finish
	<i>*Electrical option conforms to CA Title 24 2013 Standard</i>		<i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i>	

HAMMERTON STUDIO SPECIFICATIONS


ODB0038-11 Outdoor Downtown Mesh Sconce



Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 16.2" Width: 5" Depth: 6.4" Wt: 8 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, B11 Dimmable	Frosted Glass

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

ODB0040-16-Glass Outdoor Short Square Cover Sconce with Glass




ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 16.2" Width: 5" Depth: 3.7" Wt: 10 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

ODB0040-16-M1 Outdoor Short Square Cover Sconce with Medium Mesh




ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 16.2" Width: 5" Depth: 3.7" Wt: 8 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Medium Mesh - Finished to Match Medium Mesh - Platina Finish

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

ODB0040-16-M2 Outdoor Short Square Cover Sconce with Downtown Mesh




ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 16.2" Width: 5" Depth: 3.7" Wt: 8 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Downtown Mesh - Finished to Match Downtown Mesh - Platina Finish

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

ODB0040-16-M3 Outdoor Short Square Cover Sconce with Tweed Mesh








ADA Compliant

Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 16.2" Width: 5" Depth: 3.7" Wt: 8 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Tweed Mesh - Finished to Match Tweed Mesh - Platina Finish


*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

HAMMERTON STUDIO SPECIFICATIONS

ODB0040-23-Glass		Outdoor Tall Square Cover Sconce with Glass		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 23" Width: 5" Depth: 3.7" Wt: 20 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0040-23-M1		Outdoor Tall Square Cover Sconce with Medium Mesh		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 23" Width: 5" Depth: 3.7" Wt: 17 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent</p>	<p>Medium Mesh - Finished to Match Medium Mesh - Platina Finish</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0040-23-M2		Outdoor Tall Square Cover Sconce with Downtown Mesh		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 23" Width: 5" Depth: 3.7" Wt: 17 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent</p>	<p>Downtown Mesh - Finished to Match Downtown Mesh - Platina Finish</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0040-23-M3		Outdoor Tall Square Cover Sconce with Tweed Mesh		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 23" Width: 5" Depth: 3.7" Wt: 17 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent</p>	<p>Tweed Mesh - Finished to Match Tweed Mesh - Platina Finish</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0040-29-Glass		Outdoor XL Square Cover Sconce with Glass		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>ADA Compliant</p>	<p>Ht: 28.6" Width: 5" Depth: 3.7" Wt: 20 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent</p>	<p>Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke</p>
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

HAMMERTON STUDIO SPECIFICATIONS


ODB0040-29-M1 Outdoor XL Square Cover Sconce with Medium Mesh



Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 28.6" Width: 5" Depth: 3.7" Wt: 17 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Medium Mesh - Finished to Match Medium Mesh - Platina Finish

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.


ODB0040-29-M2 Outdoor XL Square Cover Sconce with Downtown Mesh



Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 28.6" Width: 5" Depth: 3.7" Wt: 17 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Downtown Mesh - Finished to Match Downtown Mesh - Platina Finish

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.


ODB0040-29-M3 Outdoor XL Square Cover Sconce with Tweed Mesh



Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 28.6" Width: 5" Depth: 3.7" Wt: 17 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Metal Bottom: Open	Argento Grey Statuary Bronze Textured Black	GU10 Base, 35 Watts, MR16 Halogen/LED Dimmable, Lamping Dependent	Tweed Mesh - Finished to Match Tweed Mesh - Platina Finish

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.


ODB0043-0A Outdoor Beacon Arm Sconce-0A



Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 14.0" Width: 6.9" Depth: 9.1" Wt: 12 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass	Argento Grey Statuary Bronze Textured Black	E26 Base, 75 Watts, A19 Dimmable	Blown Glass - Clear

*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.






ODB0043-0B Outdoor Beacon Torch Sconce-0B



Specifications	Finish Options	Electrical Options	Lens/Shade Options
Ht: 21.8" Width: 6.9" Depth: 9.1" Wt: 15 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Glass Bottom: Closed	Argento Grey Statuary Bronze Textured Black	E26 Base, 75 Watts, A19 Dimmable	Blown Glass - Clear


*Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.

HAMMERTON STUDIO SPECIFICATIONS

ODB0043-0C		Outdoor Villa Arm Sconce-0C		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 15.4" Width: 7.4" Depth: 7.7" Wt: 12 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Blown Glass - Clear</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0043-0D		Outdoor Villa Torch Sconce-0D		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 23.0" Width: 7.4" Depth: 7.7" Wt: 15 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Glass Bottom: Closed</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Blown Glass - Clear</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0043-0E		Outdoor Tower Arm Sconce-0E		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 16.1" Width: 5.5" Depth: 8.4" Wt: 12 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Blown Glass - Clear</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0043-0F		Outdoor Tower Torch Sconce-0F		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 23.8" Width: 5.5" Depth: 8.4" Wt: 15 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Glass Bottom: Closed</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Blown Glass - Clear</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
ODB0043-0G		Outdoor Signal Arm Sconce-0G		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: 16.1" Width: 6.4" Depth: 8.8" Wt: 12 lb Mtg Pkt: U Rating: Wet Elec Qty: 1 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p>Argento Grey Statuary Bronze Textured Black</p>	<p>E26 Base, 75 Watts, A19 Dimmable</p>	<p>Blown Glass - Clear</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

HAMMERTON STUDIO SPECIFICATIONS

ODB0043-0H Outdoor Signal Torch Sconce-0H



Specifications	
Ht:	23.9"
Width:	6.4"
Depth:	8.8"
Wt:	15 lb
Mtg Pkt:	U
Rating:	Wet
Elec Qty:	1
Voltage:	120
Top:	Closed Glass
Bottom:	Closed

Finish Options	
<i>Argento Grey</i>	
<i>Statuary Bronze</i>	
<i>Textured Black</i>	

Electrical Options	
<i>E26 Base, 75 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Clear</i>	

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lampping option available.*

ODB0043-0J Outdoor Landmark Arm Sconce-0J



Specifications	
Ht:	16.1"
Width:	7.3"
Depth:	9.3"
Wt:	12 lb
Mtg Pkt:	U
Rating:	Wet
Elec Qty:	1
Voltage:	120
Top:	Closed
Bottom:	Closed Glass

Finish Options	
<i>Argento Grey</i>	
<i>Statuary Bronze</i>	
<i>Textured Black</i>	

Electrical Options	
<i>E26 Base, 75 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Clear</i>	

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lampping option available.*

ODB0043-0K Outdoor Landmark Torch Sconce-0K



Specifications	
Ht:	23.9"
Width:	7.3"
Depth:	9.3"
Wt:	15 lb
Mtg Pkt:	U
Rating:	Wet
Elec Qty:	1
Voltage:	120
Top:	Closed Glass
Bottom:	Closed


Finish Options	
<i>Argento Grey</i>	
<i>Statuary Bronze</i>	
<i>Textured Black</i>	

Electrical Options	
<i>E26 Base, 75 Watts, A19</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Blown Glass - Clear</i>	

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lampping option available.*

PLB0013-05 Tempest Linear Waterfall-05



Specifications	
Ht:	See Opt
Width:	38"
Depth:	10.3"
Wt:	39 lb
Mtg Pkt:	X
Rating:	Dry
Elec Qty:	5
Voltage:	120
Top:	Open
Bottom:	Open

Finish Options	
<i>Flat Bronze</i>	
<i>Gilded Brass</i>	
<i>Matte Black</i>	
<i>Metallic Beige Silver</i>	


Electrical Options	
<i>*GU24 Base, 13 Watts, CFL/LED Retro</i>	
<i>Dimmable, Lamping Dependent</i>	
<i>E26 Base, 60 Watts, B11</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Frosted Glass</i>	
<i>No Lens, Exposed Lamping</i>	

Overall Height Options	
<i>Cord, Adjustable 15.7"-133.7"</i>	

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lampping option available.*

PLB0013-07 Tempest Linear Waterfall-07



Specifications	
Ht:	See Opt
Width:	46"
Depth:	12.3"
Wt:	57 lb
Mtg Pkt:	R
Rating:	Dry
Elec Qty:	7
Voltage:	120
Top:	Open
Bottom:	Open

Finish Options	
<i>Flat Bronze</i>	
<i>Gilded Brass</i>	
<i>Matte Black</i>	
<i>Metallic Beige Silver</i>	






Electrical Options	
<i>** Integrated LED, 36 W, CCT:2700 K</i>	
<i>Dimmable, Forward/Reverse Phase to 1%</i>	
<i>Source: Down - 2,395 lm</i>	
<i>*GU24 Base, 13 Watts, CFL/LED Retro</i>	
<i>Dimmable, Lamping Dependent</i>	
<i>E26 Base, 60 Watts, B11</i>	
<i>Dimmable</i>	

Lens/Shade Options	
<i>Frosted Glass</i>	
<i>No Lens, Exposed Lamping</i>	






Overall Height Options	
<i>Cord, Adjustable 15.7"-133.7"</i>	

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lampping option available.*

HAMMERTON STUDIO SPECIFICATIONS






PLB0018-03		Bamboo Linear Waterfall-03		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 19" Depth: 6" Wt: 10 lb Mtg Pkt: Y Rating: Dry Elec Qty: 3 Voltage: 120 Top: Closed Metal Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent Integrated LED, 16 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,025 lm	Bamboo Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0018-05		Bamboo Linear Waterfall-05		
	Ht: See Opt Width: 31" Depth: 6" Wt: 15 lb Mtg Pkt: Y Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Metal Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent Integrated LED, 16 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,025 lm	Bamboo Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0018-07		Bamboo Linear Waterfall-07		
	Ht: See Opt Width: 42.7" Depth: 8.7" Wt: 37 lb Mtg Pkt: R Rating: Dry Elec Qty: 7 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent Integrated LED, 36 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 2,395 lm	Bamboo Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0018-A5		Bamboo Linear Waterfall-A5		
	Ht: See Opt Width: 34.6" Depth: 6.7" Wt: 25 lb Mtg Pkt: X Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	GU10 Base, 10 Watts, MR16 LED Retrofit Dimmable, Lamping Dependent Integrated LED, 16 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,025 lm	Bamboo Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0019-05		Uptown Mesh Linear Waterfall-05		
	Ht: See Opt Width: 37.2" Depth: 9.7" Wt: 29 lb Mtg Pkt: X Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependent E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS


PLB0019-07		Uptown Mesh Linear Waterfall-07		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 45.3" Depth: 11.7" Wt: 42 lb Mtg Pkt: R Rating: Dry Elec Qty: 7 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 36 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 2,395 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
PLB0019-43		Uptown Mesh Linear Suspension-43		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 43.3" Depth: 5.3" Wt: 19 lb Mtg Pkt: X Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
PLB0020-04		Downtown Mesh Linear Waterfall-04		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 42" Depth: 6" Wt: 25 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
PLB0020-05		Downtown Mesh Linear Waterfall-05		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 36" Depth: 8" Wt: 34 lb Mtg Pkt: X Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		
PLB0020-07		Downtown Mesh Linear Waterfall-07		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 44.1" Depth: 10" Wt: 50 lb Mtg Pkt: R Rating: Dry Elec Qty: 7 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 36 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 2,395 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

PLB0020-45		Downtown Mesh Linear Suspension-45		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 44.6" Depth: 11.6" Wt: 21 lb Mtg Pkt: X Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass No Lens, Exposed Lamping
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0021-49		Skyline Linear Suspension-49		
	Ht: See Opt Width: 49.3" Depth: 13.3" Wt: 40 lb Mtg Pkt: X Rating: Dry Elec Qty: 4 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm *GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, B11 Dimmable	Frosted Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0026-OA		Urban Loft Trestle Linear Suspension-OA		
	Ht: See Opt Width: 44.4" Depth: 5.6" Wt: 40 lb Mtg Pkt: X Rating: Dry Elec Qty: 6 Voltage: 120 Top: Open Bottom: Frosted Acrylic	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, A19 Dimmable Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,440 lm; Down - 1,370 lm	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0026-OB		Urban Loft Parallel Linear Suspension-OB		
	Ht: See Opt Width: 44.4" Depth: 5.6" Wt: 40 lb Mtg Pkt: X Rating: Dry Elec Qty: 6 Voltage: 120 Top: Open Bottom: Frosted Acrylic	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, A19 Dimmable Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,440 lm; Down - 1,370 lm	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0032-OA		Ironwood Linear Suspension-OA		
	Ht: See Opt Width: 44.4" Depth: 5.6" Wt: 40 lb Mtg Pkt: X Rating: Dry Elec Qty: 6 Voltage: 120 Top: Open Bottom: Frosted Acrylic	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, A19 Dimmable Integrated LED, 41 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,440 lm; Down - 1,370 lm	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS


PLB0033-0B		Corona Linear Suspension-0B		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 44" Depth: 4.8" Wt: 28 lb Mtg Pkt: X Rating: Dry Elec Qty: 10 Voltage: 120 Top: Open Bottom: Frosted Glass	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	Integrated LED, 36 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,075 lm; Down - 1,370 lm	Frosted Seeded Glass Cylinder Light Glass Cylinder
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cable, Adjustable 14.5"-146.5"				
PLB0035-05		Ellisse Linear Waterfall-05		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 38.5" Depth: 10.5" Wt: 39 lb Mtg Pkt: X Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 15"-133"				
PLB0035-07		Ellisse Linear Waterfall-07		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 12.5" Depth: 46.5" Wt: 57 lb Mtg Pkt: R Rating: Dry Elec Qty: 7 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 15"-133"				
PLB0035-46		Ellisse Linear Suspension-11		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 47.0" Depth: 16.5" Wt: 115 lb Mtg Pkt: S Rating: Dry Elec Qty: 11 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Rod, Adjustable in 3" Increments, 43.3"-97.3"				
PLB0036-05		Coppa Linear Waterfall-05		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 40" Depth: 12" Wt: 31 lb Mtg Pkt: X Rating: Dry Elec Qty: 5 Voltage: 120 Top: Closed Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	E26 Base, 40 Watts, A19 Dimmable	Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
Overall Height Options Cord, Adjustable 11.6"-129.6"				

PLB0036-07		Coppa Linear Waterfall-07		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 14" Depth: 48" Wt: 46 lb Mtg Pkt: R Rating: Dry Elec Qty: 7 Voltage: 120 Top: Closed Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>E26 Base, 40 Watts, A19 Dimmable</p>	<p>Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cord, Adjustable 11.6"-129.6"</p>		

PLB0036-46		Coppa Linear Suspension-11		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 48.5" Depth: 18" Wt: 100 lb Mtg Pkt: S Rating: Dry Elec Qty: 11 Voltage: 120 Top: Closed Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>E26 Base, 40 Watts, A19 Dimmable</p>	<p>Optic Blown Glass - Bronze Optic Blown Glass - Clear Optic Blown Glass - Smoke</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 34.8"-88.8"</p>		

PLB0037-45		Tweed Linear Suspension-45		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 45" Depth: 7.8" Wt: 35 lb Mtg Pkt: X Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>** Integrated LED, 21 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 1,365 lm</p> <p>*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant</p> <p>E26 Base, 60 Watts, B11 Dimmable</p>	<p>Frosted Glass No Lens, Exposed Lamping</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Rod, Adjustable in 3" Increments, 16.5"-70.5"</p>		

PLB0039-07		Gem Linear Waterfall-07		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 46.7" Depth: 13.7" Wt: 41 lb Mtg Pkt: R Rating: Dry Elec Qty: 7 Voltage: 120 Top: Closed Bottom: Closed Glass</p>	<p>Flat Bronze Gilded Brass Matte Black Metallic Beige Silver</p>	<p>Integrated LED, 36 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Down - 2,395 lm</p>	<p>Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cord, Adjustable 14.6"-132.6"</p>		

PLB0039-0A		Bezel Linear Suspension-0A		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
 <p>Ht: See Opt Width: 34.2" Depth: 7.6" Wt: 25 lb Mtg Pkt: X Rating: Dry Elec Qty: 7 Voltage: 120 Top: Closed Glass Bottom: Frosted Glass</p>	<p>Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel</p>	<p>Integrated LED, 32 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 755 lm; Down - 1,370 lm</p>	<p>Blown Glass Gem - Bronze Blown Glass Gem - Clear Blown Glass Gem - Frosted Blown Glass Gem - Smoke</p>	
<p><i>*Electrical option conforms to CA Title 24 2013 Standard</i></p>		<p><i>** Electrical option must be paired with a lens/shade option. No exposed lamping option available.</i></p>		
		<p>Overall Height Options Cable, Adjustable 14.5"-146.5"</p>		

HAMMERTON STUDIO SPECIFICATIONS

PLB0039-0B		Bezel Linear Suspension-0B		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 36 W, CCT:2700 K</i>	<i>Blown Glass Gem - Bronze</i>
	Width: 44"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Blown Glass Gem - Clear</i>
	Depth: 6.5"	<i>Gunmetal</i>	<i>Source: Ambient - 1,075 lm; Down - 1,370 lm</i>	<i>Blown Glass Gem - Frosted</i>
	Wt: 35 lb	<i>Matte Black</i>		<i>Blown Glass Gem - Smoke</i>
	Mtg Pkt: X	<i>Metallic Beige Silver</i>		
	Rating: Dry	<i>Oil Rubbed Bronze</i>		
	Elec Qty: 10	<i>Satin Nickel</i>		
	Voltage: 120			
	Top: Closed Glass			
	Bottom: Frosted Glass			
		Overall Height Options <i>Cable, Adjustable 14.5"-146.5"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

PLB0039-0C		Bezel Linear Suspension-0C		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 37 W, CCT:2700 K</i>	<i>Blown Glass Gem - Bronze</i>
	Width: 59"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Blown Glass Gem - Clear</i>
	Depth: 10"	<i>Gunmetal</i>	<i>Source: Ambient - 1,170 lm; Down - 1,370 lm</i>	<i>Blown Glass Gem - Frosted</i>
	Wt: 55 lb	<i>Matte Black</i>		<i>Blown Glass Gem - Smoke</i>
	Mtg Pkt: X	<i>Metallic Beige Silver</i>		
	Rating: Dry	<i>Oil Rubbed Bronze</i>		
	Elec Qty: 13	<i>Satin Nickel</i>		
	Voltage: 120			
	Top: Closed Glass			
	Bottom: Frosted Glass			
		Overall Height Options <i>Cable, Adjustable 14.5"-146.5"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

PLB0041-05		Apothecary Linear Suspension-05		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>E26 Base, 40 Watts, A19</i>	<i>Blown Glass - Bronze</i>
	Width: 10.4"	<i>Gilded Brass</i>	<i>Dimmable</i>	<i>Blown Glass - Clear</i>
	Depth: 37.8"	<i>Matte Black</i>		<i>Blown Glass - Smoke</i>
	Wt: 30 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: X			
	Rating: Dry			
	Elec Qty: 5			
	Voltage: 120			
	Top: Closed			
	Bottom: Open			
		Overall Height Options <i>Cord, Adjustable 19.8"-137.8"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


PLB0041-07		Apothecary Linear Suspension-07		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>E26 Base, 40 Watts, A19</i>	<i>Blown Glass - Bronze</i>
	Width: 13.9"	<i>Gilded Brass</i>	<i>Dimmable</i>	<i>Blown Glass - Clear</i>
	Depth: 47.9"	<i>Matte Black</i>		<i>Blown Glass - Smoke</i>
	Wt: 40 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: R			
	Rating: Dry			
	Elec Qty: 7			
	Voltage: 120			
	Top: Closed			
	Bottom: Open			
		Overall Height Options <i>Cord, Adjustable 19.8"-137.8"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		

PLB0042-07		Parallel Glass Waterfall-07		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 36 W, CCT:2700 K</i>	<i>Granite Glass - Bronze</i>
	Width: 44.2"	<i>Gilded Brass</i>	<i>Dimmable, Forward/Reverse Phase to 1%</i>	<i>Granite Glass - Clear</i>
	Depth: 8.4"	<i>Matte Black</i>	<i>Source: Down - 2,395 lm</i>	<i>Granite Glass - Smoke</i>
	Wt: 43 lb	<i>Metallic Beige Silver</i>		<i>Rimelight Glass - Clear</i>
	Mtg Pkt: R			
	Rating: Dry			
	Elec Qty: 7			
	Voltage: 120			
	Top: Closed			
	Bottom: Frosted Glass			
		Overall Height Options <i>Cord, Adjustable 17.3"-135.3"</i>		
*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.		


HAMMERTON STUDIO SPECIFICATIONS

PLB0042-44		Parallel Oval Chandelier		
Specifications		Finish Options	Electrical Options	Lens/Shade Options
	Ht: See Opt Width: 44.0" Depth: 24.0" Wt: 47 lb Mtg Pkt: T Rating: Dry Elec Qty: 12 Voltage: 120 Top: Closed Bottom: Frosted Glass	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	Integrated LED, 31 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,430 lm; Down - 720 lm	Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Rimelight Glass - Clear
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0042-47		Parallel Linear Suspension		
	Ht: See Opt Width: 48.0" Depth: 5.0" Wt: 32 lb Mtg Pkt: X Rating: Dry Elec Qty: 7 Voltage: 120 Top: Closed Bottom: Frosted Glass	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	Integrated LED, 37 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,370 lm; Down - 1,030 lm	Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Rimelight Glass - Clear
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0042-48		Parallel Curved Linear Suspension		
	Ht: See Opt Width: 48.0" Depth: 7.8" Wt: 35 lb Mtg Pkt: X Rating: Dry Elec Qty: 7 Voltage: 120 Top: Closed Bottom: Frosted Glass	Flat Bronze Gilded Brass Gunmetal Matte Black Metallic Beige Silver Oil Rubbed Bronze Satin Nickel	Integrated LED, 37 W, CCT:2700 K Dimmable, Forward/Reverse Phase to 1% Source: Ambient - 1,370 lm; Down - 1,030 lm	Granite Glass - Bronze Granite Glass - Clear Granite Glass - Smoke Rimelight Glass - Clear
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0044-04		Textured Glass Linear Waterfall-04		
	Ht: See Opt Width: 42" Depth: 6" Wt: 30 lb Mtg Pkt: Y Rating: Dry Elec Qty: 4 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass Rimelight Glass - Frosted Strata Glass - Frosted
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	
PLB0044-05		Textured Glass Linear Waterfall-05		
	Ht: See Opt Width: 38.2" Depth: 9.8" Wt: 41 lb Mtg Pkt: X Rating: Dry Elec Qty: 5 Voltage: 120 Top: Open Bottom: Open	Flat Bronze Gilded Brass Matte Black Metallic Beige Silver	*GU24 Base, 13 Watts, CFL/LED Retro Dimmable, Lamping Dependant E26 Base, 60 Watts, A19 Dimmable	Granite Glass - Bronze Granite Glass - Frosted Granite Glass - Smoke Ivory Wisp Glass Rimelight Glass - Frosted Strata Glass - Frosted
	*Electrical option conforms to CA Title 24 2013 Standard		** Electrical option must be paired with a lens/shade option. No exposed lamping option available.	


HAMMERTON STUDIO SPECIFICATIONS

PLB0044-07		Textured Glass Linear Waterfall-07		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	Width: 46.3"	<i>Gilded Brass</i>		
	Depth: 11.8"	<i>Matte Black</i>	Overall Height Options <i>Cord, Adjustable 15.5"-133.5"</i>	
	Wt: 60 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: R			
	Rating: Dry			
	Elec Qty: 7			
	Voltage: 120			
	Top: Open			
	Bottom: Open			


**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

PLB0044-44		Textured Glass Linear Suspension-44		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
	Ht: See Opt	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Bronze</i> <i>Granite Glass - Frosted</i> <i>Granite Glass - Smoke</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	Width: 44.4"	<i>Gilded Brass</i>		
	Depth: 5.6"	<i>Gunmetal</i>	Overall Height Options <i>Rod, Adjustable in 3" Increments, 12"-66"</i>	
	Wt: 35 lb	<i>Matte Black</i>		
	Mtg Pkt: X	<i>Metallic Beige Silver</i>		
	Rating: Dry	<i>Oil Rubbed Bronze</i>		
	Elec Qty: 6	<i>Satin Nickel</i>		
	Voltage: 120			
	Top: Open			
	Bottom: Frosted Acrylic			

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*


PLB0045-07		Hedra Linear Waterfall-07		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
	Ht: See Opt	<i>Flat Bronze</i>	<i>Integrated LED, 36 W, CCT:2700 K</i> <i>Dimmable, Forward/Reverse Phase to 1%</i> <i>Source: Down - 2,395 lm</i>	<i>Blown Glass - Bronze</i> <i>Blown Glass - Clear</i> <i>Blown Glass - Frosted</i> <i>Blown Glass - Smoke</i>
	Width: 47.5"	<i>Gilded Brass</i>		
	Depth: 15.0"	<i>Matte Black</i>		
	Wt: 53 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: R			
	Rating: Dry			
	Elec Qty: 7			
	Voltage: 120			
	Top: Closed			
	Bottom: Closed Glass			

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

VLB0044-13		Textured Glass Vanity-13		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
	Ht: 6"	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Frosted</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	Width: 13.5"	<i>Gilded Brass</i>		
	Depth: 4"	<i>Matte Black</i>	Overall Height Options <i>Cord, Adjustable 15.9"-133.9"</i>	
	Wt: 5 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: U			
	Rating: Damp			
	Elec Qty: 2			
	Voltage: 120			
	Top: N/A			
	Bottom: N/A			

ADA Compliant

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

VLB0044-26		Textured Glass Vanity-26		
Specifications	Finish Options	Electrical Options	Lens/Shade Options	
	Ht: 6"	<i>Flat Bronze</i>	<i>*GU24 Base, 13 Watts, CFL/LED Retro</i> <i>Dimmable, Lamping Dependent</i>	<i>Granite Glass - Frosted</i> <i>Ivory Wisp Glass</i> <i>Rimelight Glass - Frosted</i> <i>Strata Glass - Frosted</i>
	Width: 25.5"	<i>Gilded Brass</i>		
	Depth: 4"	<i>Matte Black</i>	Overall Height Options <i>Cord, Adjustable 15.9"-133.9"</i>	
	Wt: 10 lb	<i>Metallic Beige Silver</i>		
	Mtg Pkt: U			
	Rating: Damp			
	Elec Qty: 4			
	Voltage: 120			
	Top: N/A			
	Bottom: N/A			

ADA Compliant

**Electrical option conforms to CA Title 24 2013 Standard ** Electrical option must be paired with a lens/shade option. No exposed lamping option available.*

Tempest 30" Drum with Shade
CHB0013-30-GB-SH
14.4" H x 30.3" Diameter, OAH Adjustable
White Linen Shade (SH)
E26 or GU24 Base

As Shown
Gilded Brass opaque finish (GB)
E26 Base (E2)



Cover:
Parallel 33" Ring Chandelier
CHB0042-33-GM-CG
6.4" H x 32.7" Diameter, OAH Adjustable
Integrated LED

As Shown
Gunmetal translucent finish (GM)
Clear Granite Textured Glass (CG)

HAMMERTONSTUDIO™

Hammerton, Inc.
217 Wright Brothers Drive
Salt Lake City, Utah 84116

801.973.8095

www.hammertonstudio.com

