



.27

### ★ Table of Contents

Status2	Bounty Bath
Revive6	Streaming Bath
Spirit12	Compel Outdoor
Equinox	Format Outdoor
Ceiling Fans & Light Kits 20	LED Landscape
Close-to-ceiling	Socket Tool
P8022 LED	Index

## **Status** ★ Status

ENJOY HIGH STATUS WITH A COLLECTION FULL OF FUN, FEMININITY, GLIMMER AND GLEAM. K-9 GLASS ACCENT OFFERS CRYSTAL-LIKE CLARITY. WHITE FABRIC SHADE PAIRED WITH POLISHED CHROME FINISH. ETCHED GLASS BOTTOM DIFFUSER.







### FOUR-LIGHT INVERTED PENDANT

P3680-15 Polished Chrome Size: 22" dia., 28-1/2" ht. Overall ht. w/chain 104"; wire 15'. Lamps: Four medium base lamps, each 100w max. THREE-LIGHT CHANDELIER **P4140-15** Polished Chrome Size: 20" dia., 23-1/8" ht. Overall ht. w/chain 97"; wire 15'. Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER
P4141-15 Polished Chrome
Size: 28" dia., 23-1/8" ht. Overall
ht. w/chain 97"; wire 15'.
Lamps: Five medium base
lamps, each 100w max.











### NINE-LIGHT CHANDELIER **P4142-15** Polished Chrome

Two-tier.

Size: 32" dia., 33-1/8" ht. Overall ht. w/chain 155"; wire 15'.

Lamps: Nine medium base lamps,

each 100w max.

## | ★ Status

ENJOY HIGH STATUS WITH A COLLECTION FULL OF FUN, FEMININITY, GLIMMER AND GLEAM. K-9 GLASS ACCENT OFFERS CRYSTAL-LIKE CLARITY. WHITE FABRIC SHADE PAIRED WITH POLISHED CHROME FINISH. ETCHED GLASS BOTTOM DIFFUSER.







WALL SCONCE **P2060-15** Polished Chrome One-light. Size: 6" W., 15-1/2" ht. Extends 7-3/8". H/CTR 8-3/4". Lamp: One medium base lamp, 100w max.

FOUR-LIGHT FOYER
P3661-15 Polished Chrome
Size: 16" dia., 30-5/8" ht. Overall
ht. w/chain 108"; wire 15'.
Lamps: Four medium base
lamps, each 100w max.

MINI-PENDANT \*
P5031-15 Polished Chrome
Size: 6" dia., 11-1/8" ht. Overall ht.
w/stem 77"; wire 10'.
Lamp: One medium base lamp,
100w max.

<sup>\*</sup> Includes one 6" stem, four 12" stems and 6 links of chain.



TWO-LIGHT SEMI-FLUSH **P3495-15** Polished Chrome Size: 13" dia., 13-5/8" ht. Lamps: Two medium base lamps, each 100w max.

FOUR-LIGHT LINEAR CHANDELIER P4138-15 Polished Chrome Size: 38" L., 6" W., 19-7/8" ht. Overall ht. w/chain 94"; wire 15'. Lamps: Four medium base lamps, each 100w max.



OFFERS A FUN TWIST ON TRADITIONAL COLONIAL STYLING. ETCHED FLUTED GLASS COMPLEMENTS ELEGANTLY EXAGGERATED ARM SHAPE.









FOUR-LIGHT FOYER P4227-09 Brushed Nickel P4227-20 Antique Bronze Size: 17-1/2" dia., 33-7/8" ht. Overall ht. w/chain 109"; wire 15'.

Lamps: Four medium base lamps, each 100w max.

THREE-LIGHT CHANDELIER P4234-09 Brushed Nickel P4234-20 Antique Bronze Size: 22" dia., 21-3/4" ht. Overall ht. w/chain 96"; wire 15'. Lamps: Three medium base lamps, each 100w max.

6 thomasvillelighting.com









THREE-LIGHT INVERTED PENDANT
P3971-09 Brushed Nickel
P3971-20 Antique Bronze
Size: 17-3/4" dia., 21-3/4" ht.
Overall ht. w/chain 97"; wire 15'.
Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER
P4235-09 Brushed Nickel
P4235-20 Antique Bronze
Size: 22" dia., 21-3/4" ht. Overall ht.
w/chain 96"; wire 15'.
Lamps: Five medium base lamps,
each 100w max.



OFFERS A FUN TWIST ON TRADITIONAL COLONIAL STYLING. ETCHED FLUTED GLASS COMPLEMENTS ELEGANTLY EXAGGERATED ARM SHAPE.













NINE-LIGHT CHANDELIER **P4236-09** Brushed Nickel P4236-20 Antique Bronze

Two-tier.

Size: 32" dia., 29-1/4" ht. Overall ht. w/chain 104"; wire 15'.

Lamps: Nine medium base lamps, each 100w max.



OFFERS A FUN TWIST ON TRADITIONAL COLONIAL STYLING. ETCHED FLUTED GLASS COMPLEMENTS ELEGANTLY EXAGGERATED ARM SHAPE.





FOUR-LIGHT LINEAR CHANDELIER P4228-09 Brushed Nickel P4228-20 Antique Bronze Size: 30" L., 4" W., 26-3/4" ht. Overall ht. w/chain 102"; wire 15'. Lamps: Four medium base lamps, each 100w max. MINI-PENDANT \*
P5148-09 Brushed Nickel
P5148-20 Antique Bronze
Size: 4" dia., 8" ht. Overall ht.
w/stem 76"; wire 10'.
Lamp: One medium base lamp,
100w max.

<sup>\*</sup> Includes one 6" stem, four 12" stems and 6 links of chain.









P2076-20







P2075-09

ONE-LIGHT BATH P2074-09 Brushed Nickel P2074-20 Antique Bronze One-light.

Size: 4-3/8" W., 9-1/4" ht. Extends 7-1/2". H/CTR 5-3/8". Lamp: One medium base

lamp, 100w max.

TWO-LIGHT BATH P2075-09 Brushed Nickel P2075-20 Antique Bronze Size: 13-3/8" W., 10-1/8" ht. Extends 7-7/8". H/CTR 7-5/8". Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH P2076-09 Brushed Nickel P2076-20 Antique Bronze Size: 20-7/8" W., 10-1/8" ht. Extends 7-7/8". H/CTR 7-5/8". Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH P2077-09 Brushed Nickel P2077-20 Antique Bronze Size: 28-1/4" W., 10-1/8" ht. Extends 7-7/8". H/CTR 7-5/8". Lamps: Four medium base lamps, each 100w max.

All fixtures on this page mount up or down.

# Spirit Spirit

THE SPIRIT OF CRAFTSMANSHIP
PREVAILS WITH SUBTLE FORMS.
LIGHT UMBER ETCHED GLASS
SHADES HIGHLIGHT GALVANIZED
METAL CONSTRUCTION. NEW
PEBBLES FINISH OFFERS REFRESHED
LOOK FOR INTERIOR AREAS.







TWO-LIGHT SEMI-FLUSH P3414-144 Pebbles Size: 13-1/8" dia., 12-1/4" ht. Lamp: Two medium base lamps, each 100w max.

THREE-LIGHT INVERTED PENDANT \* **P3455-144** Pebbles
Size: 18" dia., 24-3/4" ht. Overall ht. w/stem 91"; wire 12'.
Lamps: Three medium base lamps, each 100w max.

TWO-LIGHT CLOSE-TO-CEILING

P3506-144 Pebbles
Size: 15-1/8" dia., 6-7/8" ht.
Lamp: Two medium base lamps, each 75w max.

FIVE-LIGHT CHANDELIER \* P4605-144 Pebbles
Size: 25-1/2" dia., 25-1/8" ht.
Overall ht. w/stem 91"; wire 15'.
Lamps: Five medium base
lamps, each 100w max.











### NINE-LIGHT CHANDELIER \* **P4611-144** Pebbles

Two-tier.

Size: 32-1/4" dia., 35" ht. Overall ht. w/stem 101"; wire 15'.

Lamps: Nine medium base lamps, each 100w max.

**P8757-144** 9-Gauge Chain 10 feet of 9 gauge chain permits installation of chain-hung fixtures on high ceilings. Maximum fixture weight – 50 lbs.

\* Includes one 6" stem, four 12" stems and 6 links of chain.




THE SPIRIT OF CRAFTSMANSHIP PREVAILS
WITH SUBTLE FORMS. LIGHT UMBER ETCHED
GLASS SHADES HIGHLIGHT GALVANIZED METAL
CONSTRUCTION. NEW PEBBLES FINISH OFFERS
REFRESHED LOOK FOR INTERIOR AREAS.





TWO-LIGHT LINEAR CHANDELIER \* P4558-144 Pebbles Size: 36" L., 13-1/8" W., 23-5/8" ht. Overall ht. w/stem 90"; wire 15'. Lamps: Two medium base lamps, each 100w max. THREE-LIGHT CHANDELIER \* P4559-144 Pebbles Size: 26-1/2" dia., 18-3/8" ht. Overall ht. w/stem 84"; wire 15'. Lamps: Three medium base lamps, each 100w max. MINI-PENDANT \*
P5160-144 Pebbles
Size: 7-1/8" dia., 6-3/4" ht. Overall
ht. w/stem 73"; wire 10'.
Lamp: One medium base lamp,
100w max.



<sup>\*</sup> Includes one 6" stem, four 12" stems and 6 links of chain.





P2138-144



P2135-144



P2136-144

ONE-LIGHT BATH
P2135-144 Pebbles
Size: 7-1/8" W., 10" ht. Extends
8-5/8". H/CTR 5".
Lamp: One medium base
lamp, 100w max.

TWO-LIGHT BATH
P2136-144 Pebbles
Size: 17" W., 7-3/4" ht.
Extends 8-1/4". H/CTR 5-1/4".
Lamps: Two medium base
lamps, each 100w max.

THREE-LIGHT BATH
P2137-144 Pebbles
Size: 27-1/2" W., 7-3/4" ht.
Extends 8-1/4". H/CTR 5-1/4".
Lamps: Three medium base
lamps, each 100w max.

FOUR-LIGHT BATH
P2138-144 Pebbles
Size: 37-3/4" W., 7-3/4" ht.
Extends 8-1/4". H/CTR 5-1/4"..
Lamps: Four medium base
lamps, each 100w max.

All fixtures on this page mount up or down.

# ELEMENTS Equinox

OVERSIZED OVAL FIXTURES ARE NEW ADDITIONS
TO STUNNING EQUINOX COLLECTION. EIGHTLIGHT CANDELABRA PENDANT IS IDEAL FOR LINEAR
INSTALLATIONS – OVER A FARMHOUSE TABLE, DINING
ROOM SETTING OR KITCHEN ISLAND. EIGHT-LIGHT
FIXTURE AVAILABLE IN BURNISHED SILVER OR ANTIQUE
BRONZE FINISHES. SIX-LIGHT FOYER FIXTURE CAN BE
USED INDIVIDUALLY OR IN GROUPINGS OF TWO OR
MORE AND FEATURES ETCHED OPAL GLASS SHADES
AND POLISHED NICKEL FINISH OPTION.









See Progress Catalog for matching fixtures.

EIGHT-LIGHT OVAL CHANDELIER P3791-126 Burnished Silver P3791-20 Antique Bronze Size: 39" L., 14-1/4 W., 26-3/8" ht. Overall ht. w/chain 150"; wire 15'.

Lamps: Eight candelabra base lamps, each 60w max.

SIX-LIGHT OVAL CHANDELIER\* P3940-104 Polished Nickel Size: 39" L., 14-1/4 W., 24-3/4" ht. Overall ht. w/stem 91"; wire 15'. Lamps: Six medium base

Lamps: Six medium base lamps, each 100w max.

<sup>\*</sup> Includes one 6" stem, four 12" stems and 6 links of chain.





TWO-LIGHT LINEAR CHANDELIER WITH A TRULY TRANSITIONAL STYLE. IDEAL FOR A VARIETY OF INTERIOR SPACES, INCLUDING KITCHENS, DINING AREAS AND LIVING ROOMS.






<sup>\*</sup> Includes two 6" stems, eight 12" stems and two sets of 6 links of chain.

each 100w max.

## 52" Signature Fan 600 600 600 700

Product No. Finish Reversible Blades Description CTC installation P2521-09WA **Brushed Nickel** Classic Walnut Dark Walnut Size: 52" dia., 14-5/8" ht. CTC 11-9/16" ht. P2521-80 Forged Black Dark Walnut Dark Cherry 30-year limited warranty 45° Canopy SureConnect® System **ENERGY INFORMATION AT HIGH SPEED** Compatible with universal light kits AIRFLOW: 5,422 cubic feet per minute **ELECTRICITY USE:** 63 watts (excludes lights) AIRFLOW EFFICIENCY: 86 cubic feet per minute P2521-80 Forged Black with Dark Cherry blades P2521-09WA Brushed Nickel with Classic Walnut blades





### **■** Spirit Fan Light Kits

#### **P2612-144** Pebbles

Universal-style with quick-connect wiring.

Size: 10-3/4" dia., 5-1/2" ht. Lamps: Three candelabra base lamps, each 40w max. (included).

#### **P2642-144** Pebbles

Universal-style with quick-connect

wiring.

Size: 13-5/8" dia., 7-3/4" ht. Lamps: Three candelabra base lamps, each 60w max. (included).

#### **P2643-144** Pebbles

Universal-style with quick-connect

Size: 13-5/8" dia., 7-3/4" ht. Lamps: Four candelabra base lamps, each 40w max. (included).



### ■ Spirit Accessory Downrods

3/4" diameter; approximately 1" outside diameter.

Ceiling Ht.	9'-10'	10'-11'	11'-12'	12'-14'	13'-15'	14'-16'	15'-17'
Length	12"	18"	24"	36"	48"	60"	72"
Pebbles	P2603-144	P2604-144	P2605-144	P2606-144	P2607-144	P2608-144	P2609-144

### Calven Light Kit

### P2645-80 Forged Black

Universal-style with quick-connect wiring.

Size: 12" dia., 5-3/4" ht. Lamps: Three candelabra base lamps, 40w max. (included).



See Progress Catalog for matching fixtures.



## ■ Gather CFL Light Kit

P2658-09WB Brushed Nickel P2658-20WB Antique Bronze Universal-style with quickconnect wiring. Size: 11" dia., 5-1/2" ht. Lamps: Two GU24 CFL lamps,13w. (included).







P2621-20EBWB Antique Bronze Universal-style with quick-connect wiring. Size: 10-3/4" dia., 6" ht. Lamps: Two GU24 CFL lamps,13w. (included).



## Low Profile Light Kit

P2611-80 Forged Black Indoor/outdoor. Opal glass. Universal-style with quickconnect wiring. Size: 10-5/8" dia., 3-7/8" ht. Lamp: Two candelabra base lamps, each 40w max., included. Wet location listed



P2611-80

### + Schoolhouse

P2644-20 Antique Bronze
White opal glass.
Universal-style with quick-connect
wiring.
Size: 6-1/2" dia., 6-1/2" ht.
Lamp: One medium base lamp,
100w max. One 13w medium base
CFL lamp (included), non-dimmable.



### **★** Appeal

WITH AN ELEVATED STYLE, THE POPULAR COLLECTION HAS A NEW, LARGER SIZE OPTION THAT APPEALS TO CURRENT HOME DÉCOR TRENDS. SOFT CONTEMPORARY DESIGN INCLUDES SQUARE ETCHED OPAL GLASS. DAMP LOCATION LISTED AND AVAILABLE IN BRUSHED NICKEL AND ANTIQUE BRONZE FINISHES.



TWO-LIGHT
P3511-09 Brushed Nickel
P3511-20 Antique Bronze
Etched opal glass.
Size: 11" sq., 3-3/4" ht.
Lamps: Two medium base
lamps, each 75w max.

TWO-LIGHT P3549-09 Brushed Nickel P3549-20 Antique Bronze Etched opal glass. Size: 9" sq., 3-3/4" ht. Lamps: Two medium base lamps, each 75w max.

TWO-LIGHT
P3551-09 Brushed Nickel
P3551-20 Antique Bronze
Alabaster glass.
Size: 11" sq., 3-3/4" ht.
Lamps: Two medium base
lamps, each 75w max.



See Progress January Product Supplement for matching fixture.



22 progresslighting.com

P3551-20

P3551-09

### P8022 Series LED NEW CONSTRUCTION AND REMODEL





#### P8022-28/30K-AC1-L10 White

This surface mount or recessed trim has 1070 lumens, 80+ CRI, 42,000 hours life. Lumen output comparable to a 100w incandescent lamp. Wet location listed.



#### **FLUSHMOUNT**

The P8022 uses an intuitive snapin system that makes flushmount installation easier than ever. Simply install adaptor onto junction box, then snap into place using the flushmount clip. Like the recessed application, the quick-link wiring system completes the flushmount installation.

(All hardware included)



Quick-Link



### RECESSED

Complete with adaptors and mounts for use in recessed and flushmount applications, the P8022 embraces an installation system that is versatile, simple and seamless.

The P8022 comes with an adjustable mounting option that fits 6", 5" or 4" recessed housing. Simply Twist-and-Push into recessed housing and finish with the quick-link wiring system. The fixture also includes an E26 Edison Base adaptor for a retrofit screw-in option.


(All hardware included)




Quick-Link



Quick-Link w/ E26 Edison Base Adapter





Twist-and-Push Mount



E26 Edison Base Adapter

# | Bounty

A FRESH BATH AND VANITY COLLECTION.

RECTANGULAR-SHAPED ETCHED OPAL GLASS SITS

UPON A PEDESTAL. AVAILABLE IN BRUSHED NICKEL

OR ANTIQUE BRONZE FINISHES AND ONE- THROUGH

FOUR-LIGHT SIZES.





ONE-LIGHT BATH
P2107-09 Brushed Nickel
P2107-20 Antique Bronze
Size: 6-5/8" W., 6-3/4" ht.
Extends 6-1/4". H/CTR 3-3/8".
Lamp: One medium base
lamp, 100w max.

TWO-LIGHT BATH
P2108-09 Brushed Nickel
P2108-20 Antique Bronze
Size: 15-5/8" W., 7" ht.
Extends 6-3/8". H/CTR 4-5/8".
Lamps: Two medium base
lamps, each 100w max.

THREE-LIGHT BATH
P2109-09 Brushed Nickel
P2109-20 Antique Bronze
Size: 24-5/8" W., 7" ht.
Extends 6-3/8". H/CTR 4-5/8".
Lamps: Three medium base
lamps, each 100w max.

FOUR-LIGHT BATH
P2110-09 Brushed Nickel
P2110-20 Antique Bronze
Size: 33-1/2" W., 7" ht.
Extends 6-3/8". H/CTR 4-5/8".
Lamps: Four medium base
lamps, each 100w max.

# Streaming

INSPIRED BY TECHNOLOGY IN OUR MODERN WORLD, STREAMING OFFERS A CLEAN AND UNCLUTTERED DESIGN, FEATURING NO VISIBLE HARDWARE, CLEAR GLASS ETCHED INSIDE, AND A BRUSHED NICKEL FINISH. FIXTURES CAN BE MOUNTED UP OR DOWN. IN EITHER ORIENTATION, A PEEK OF LIGHT STREAMS THROUGH THE MINIMALIST FRAME.



P2126-09



P2124-09



P2125-09



P2123-09

ONE-LIGHT BATH
P2123-09 Brushed Nickel
Size: 6" W., 5" ht.
Extends 5". H/CTR 2-1/2".
Lamp: One krypton candelabra
lamp, 60w max. \*

TWO-LIGHT BATH
P2124-09 Brushed Nickel
Size: 14" W., 5" ht.
Extends 4-3/4". H/CTR 2-1/2".
Lamps: Two krypton candelabra
lamps, each 60w max. \*

THREE-LIGHT BATH
P2125-09 Brushed Nickel
Size: 22" W., 5" ht.
Extends 4-3/4". H/CTR 2-1/2".
Lamps: Three krypton candelabra lamps, each 60w max. \*

FOUR-LIGHT BATH
P2126-09 Brushed Nickel
Size: 29-3/8" W., 5" ht.
Extends 4-3/4". H/CTR 2-1/2".
Lamps: Four krypton candelabra
lamps, each 60w max. \*

25

All fixtures on this page mount up or down.

<sup>\*</sup> P7807-01 lamp recommended.

# E Compel → Compel

NEW OUTDOOR COLLECTION FEATURES MODERN FORMS AND LAYERED GLASS. ETCHED OPAL GLASS WITHIN SEEDED GLASS SHADE OFFERS INDIVIDUALS DESIGN FLEXIBILITY, AS FIXTURES ARE IDEAL FOR EXTERIOR SETTINGS AND IN UNEXPECTED INTERIOR APPLICATIONS. AVAILABLE IN A BLACK FINISH AND WALL, HANGING OR POST LANTERN OPTIONS.









P6039-31



P6039-31



P6038-31 Black One-light small wall lantern. Size: 5-3/4" W., 9-7/8" ht. Extends 7-1/4". H/CTR 5-1/4". Lamp: One medium base lamp, 100w max.

P6039-31 Black One-light medium wall lantern. Size: 7-7/8" W., 13-1/2" ht. Extends 9-3/8". H/CTR 7-1/2". Lamp: One medium base lamp, 100w max.

P6420-31 Black One-light post lantern. Size: 7-7/8" W., 21-5/8" ht. Fits 3" post (order separately). Lamp: One medium base lamp, 100w max.

P6520-31 Black One-light hanging lantern. Size: 7-7/8" dia., 15-3/8" ht. Overall ht. w/chain 90"; wire 15'. Lamp: One medium base lamp, 100w max.



INSPIRED BY THE MODERN MISSION
MOVEMENT, THE FORMAT COLLECTION IS
COMPRISED OF AN OVAL FORM FACTOR
WITH GRID OVERLAY. ETCHED GLASS SHADES
AND A BLACK FINISH COMPLETE THE WALL,
HANGING AND POST LANTERN OPTIONS. CAN
BE USED OUTDOORS – OR IN UNEXPECTED
APPLICATIONS WITHIN INTERIOR SETTINGS.



P6062-31









P6062-31 Black One-light small wall lantern. Size: 5-7/8" W., 3-7/8" L., 7-5/8" ht. Extends 4-7/8". H/CTR 2-3/4". Lamp: One medium base lamp, 100w max.

P6063-31 Black
One-light medium wall
lantern.
Size: 7-3/8" W., 4-7/8" L.,
11-5/8" ht. Extends 6".
H/CTR 3-1/2".
Lamp: One medium base
lamp, 100w max.

P6064-31 Black One-light large wall lantern. Size: 9-1/2" W., 6-1/2" L., 16-1/8" ht. Extends 7-1/2". H/CTR 4-5/8". Lamp: One medium base lamp, 100w max. P6428-31 Black One-light post lantern. Size: 9-1/2" W., 6-1/4" L., 7-1/8" ht. Fits 3" post (order separately). Lamp: One medium base lamp, 100w max. P6514-31 Black \*
One-light hanging lantern.
Size: 9-1/2" W., 6-1/4" L.,
14-3/4" ht. Overall ht. w/
chain 80-3/4"; wire 15'.
Lamp: One medium base
lamp, 100w max.

P6528-31 Black \*
One-light hanging lantern.
Size: 5-7/8" W., 3-7/8" L.,
7-3/8" ht. Overall ht. w/chain
72-5/8"; wire 15'.
Lamp: One medium base
lamp, 100w max.

<sup>\*</sup> Includes one 6" stem, four 12" stems and 6 links of chain.

### **★** LED Landscape



VARIETY OF LED LANDSCAPE LIGHTING OPTIONS FOR POPULAR EXTERIOR APPLICATIONS. LOW VOLTAGE LED LANDSCAPE, BOLLARD AND PATH LIGHTS ENHANCE OUTDOOR SETTINGS, WHILE ADDING SAFETY, SECURITY AND CURB APPEAL TO AREAS AROUND THE HOME.

#### LED PATH LIGHTS

P5245-20 Antique Bronze

P5245-31 Black
Die cast aluminum construction.
Includes stake and deck mount,
4' cable and connector. Use with
P8270-31 transformer.
Size: 6-1/2" dia., 20-3/4" ht.

Extends 9-1/2". Lamp: One 1.5w LED lamp, 3000k

(included).



#### LED LINEAR PATH LIGHT



#### LED BOLLARD

PROGRESS LED

#### **P5246-31** Black

Linear path light with ground stake. Die cast aluminum construction with louvered glass. Use with P8270-31 transformer.
Size: 5-3/8 " W., 2-5/8" ht.
Lamp: One 1.5w LED lamp, 3000k (included).

M



**P5247-09** Brushed Nickel **P5247-31** Black

Slim bollard with cast aluminum construction. Frosted internal diffuser surrounded by clear plastic. Use with P8270-31 transformer.
Size: 2-5/8" dia., 24" ht.
Lamp: One 1.5w LED lamp, 3000k (included).

E#













### **→** Index

<b>P2060</b> 4	<b>P2642</b> 20	<b>P4558</b> 14
	<b>P2643</b> 20	<b>P4559</b> 14
<b>P2075</b> 11		<b>P4605</b> 12
<b>P2076</b> 11	<b>P2645</b> 20	<b>P4611</b> 13
<b>P2077</b> 11	<b>P2658</b> 21	
<b>P2107</b> 24		P5031 4
<b>P2108</b> 24	<b>P3414</b> 12	<b>P5148</b> 10
<b>P2109</b> 24	<b>P3455</b> 12	<b>P5160</b> 14
<b>P2110</b> 24		<b>P5245</b> 28
<b>P2123</b> 25		<b>P5246</b> 28
<b>P2124</b> 25	P3511 22	<b>P5247</b> 28
<b>P2125</b> 25	<b>P3549</b> 22	
<b>P2126</b> 25	P3551 22	<b>P6038</b> 26
<b>P2135</b> 15	P3661 4	<b>P6039</b> 26
<b>P2136</b> 15	P3680 2	<b>P6062</b> 27
<b>P2137</b> 15	<b>P3791</b> 16	P6063 27
<b>P2138</b> 15		P6064 27
<b>P2501</b> 19		<b>P6420</b> 26
<b>P2521</b> 19		<b>P6428</b> 27
<b>P2603</b> 20	<b>P4014</b> 18	<b>P6514</b> 27
<b>P2604</b> 20		<b>P6520</b> 26
<b>P2605</b> 20	P4140 2	P6528 27
<b>P2606</b> 20	<b>P4141</b> 2	,
<b>P2607</b> 20	<b>P4142</b> 3	<b>P8022</b> 23
	-	P8601 14
<b>P2609</b> 20	<b>P4228</b> 10	<b>P8685</b> 29
<b>P2611</b> 21	<b>P4234</b> 6	<b>P8757</b> 13
<b>P2612</b> 20	<b>P4235</b> 7	
	<b>P4236</b> 9	
	,	

Every effort has been made to ensure the accuracy of information in this catalog. Progress Lighting reserves the right to make product changes from time to time, without prior notification, which may change the information provided in this catalog. Errors brought to our attention will be corrected in subsequent issues.

UL Listed or Classified or CSA Certified unless otherwise noted.

Bulbs not included with fixtures unless specified. Specifications subject to change without notice.

Metal finishes not specified as "solid" have quality plated or painted finishes.

Finish representations are high resolution digital reproductions, and, while every effort has been made to render colors accurately, they may vary slightly from the actual product, especially hand-painted finishes, due to the nature of hand craftsmanship.

© Progress Lighting 2014 All rights reserved. International Copyright Secured.

### Socket Collar Tool



P8685-01 Socket collar tool
Size: 2-5/8" dia., 7-7/8" tall.
The socket collar tool provides extra
leverage and eliminates a loose fit when
installing glass shades. Working like a
wrench, the socket collar tool extends
into the shade and tightens the socket
ring, securing the shade in place, and can
reverse to loosen the ring to remove the
shade. This accessory can be used on a
variety of fixtures, including chandeliers,
mini-pendants, sconces and wall brackets.















Progress Lighting, Inc.

701 Millennium Boulevard Greenville, SC 29607 www.progresslighting.com

06/14



